

Epson WorkForce DS-530III Sheet-fed scanner 600 x 600 DPI A4 White

Gamintojas: **EPSON** · Modelis: **B11B286401** · EAN: **8715946745749** · Prekės kodas: **594728**



422,90 €

Kaina su PVM

Be PVM: **349,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: Sheet-fed scanner 600 x 600 DPI
- ✓ Colour scanning Duplex scanning
- ✓ A4 Scanning media types supported: Business Card, Envelopes
- ✓ Maximum scan size: 215.9 x 6096 mm Sensor type: CIS
- ✓ USB port
- ✓ Power supply type: AC 13 W
- ✓ Scanning noise level: 48 dB



Aprašymas

With powerful media handling and smart features to ensure a high level of data integrity, the WorkForce DS-530III is designed for highly-efficient and simple integration into any organisation's workflow. With a 60-page ADF and the ability to scan at up to 40ppm/80ipm, it offers a wide range of media handling options that enable you to quickly capture, index, store and share business documents.

High speed

Scan speeds of up to 40ppm (80ipm) at 300dpi

Device flexibility

PC and Mac software allows total control of the scanner and scanning destinations.

Media flexibility

Handles documents of different sizes and quality with ease.

Document protection as standard

Epson's paper protection sensors automatically stop feeding when a paper jam is detected, to prevent document damage.

Easy to use

Highly-intuitive user interface

Techninė specifikacija

Specifications	
Sandėlio grupė	Scanner [+0][-0]
Scanning	
Maximum scan size	215.9 x 6096 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
Colour scanning	Yes
Input colour depth	30 bit
Output colour depth	24 bit
Output monochrome depth	8 bit
ADF scan speed (b/w, A4)	40 ppm
ADF scan speed (colour, A4)	40 ppm
Black/white scanning colour modes	Monochrome
Design	
Scanner type	Sheet-fed scanner
Built-in display	No
Product colour	White
Control type	Buttons
Performance	
Sensor type	CIS
Daily duty cycle (max)	6500 pages
Light source	ReadyScan LED
Scan file formats	BMP, JPEG, TIFF, PDF, PNG, DOCX, XLSX, PPTX
Built-in OCR	Yes
Scan to	E-mail, FTP, Print, Cloud, Network folder
Scan drivers	WIA, ISIS, TWAIN, SANE, ICA
Ultrasonic sensor	Yes

Scanning noise level	48 dB
Input capacity	
Standard input capacity	60 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Scanning media types supported	Business Card, Envelopes
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Paper tray media weight	27 - 413 g/m ²
Ports & interfaces	
USB port	Yes
USB version	3.2 Gen 1 (3.1 Gen 1)
Power	
Power supply type	AC
Power consumption (typical)	13 W
Power consumption (off)	0.1 W
Sleep mode	Yes
Input voltage	100 - 240 V
Power consumption (sleep)	0.8 W
Weight & dimensions	
Width	296 mm
Depth	169 mm
Height	176 mm
Weight	3.7 kg
Packaging data	
Quantity per pack	1 pc(s)
Packaging content	
Cables included	AC, USB
System requirements	
Windows operating systems supported	Windows 11
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS 12.4, Mac OS X 12.0 Monterey, Mac OS 13.1, Mac OS X 13.0 Ventura, Mac OS 14.5, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia, Mac OS 26 Tahoe
Linux operating systems supported	Yes

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-25 - 60 °C
Operating relative humidity (H-H)	15 - 80%
Storage relative humidity (H-H)	15 - 85%

Logistics data

Country of origin	Indonesia
-------------------	-----------