HP Smart Tank Wireless All-in-One Color Spausdintuvas, Copier, Scanner

Gamintojas: **HP** · Modelis: **2H1W1A#BHC** · EAN: **199251237102** · Prekės kodas: **594770**



385,91 €

Kaina su PVM

Be PVM: **318,93 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scan to PDF
- ✓ Print, Scan, Copy, Wireless
- ✓ Print speed up to 12 ppm (black) and 7 ppm (color)
- ✓ Up to 1200 x 1200 rendered dpi

























Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Aprašymas

Easy to print. Easy to save. Simplify at-home printing with mobile setup [1], two-sided printing, smart-guided buttons, Low on Ink sensors, and fewer interruptions. Plus, get more value from high-volume ink – up to three years of Original HP Ink included in the box.[2].

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	12 ppm
Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	7 ppm
Print speed (black, draft quality, A4/US Letter)	22 ppm
Print speed (colour, draft quality, A4/US Letter)	21 ppm
Print speed (ISO/IEC 24734) black	12 ppm
Print speed (ISO/IEC 24734) colour	7 ppm
Time to first page (black, normal)	15 s
Time to first page (colour, normal)	18 s
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Maximum number of copies	99 copies
Copier resize	25 - 400%
Auto fit function	Yes
Scanning	
Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	Software
Image formats supported	JPG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	No

Features

Maximum duty cycle	3000 pages per month
Duplex functions	Print
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	400 - 800 pages per month
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes
Country of origin	China, Thailand
Replacement cartridges	HP Smart Tank 6005 All-in-One Printer; 2 x HP 32XL 135-ml Black Original Ink Bottle; HP 31 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; Power cord; HP Black color printhead; HP Tri color printhead; Setup guide; Reference guide; Ink caution flyer; Regulatory flyers; warranty flyers; For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies
HP segment	Home

Input & output capacity

Total number of input trays	1
Total input capacity	150 sheets
Total output capacity	100 sheets
Maximum number of input trays	1
Maximum input capacity	150 sheets
Maximum output capacity	100 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355.6 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, C6, DL
Borderless printing media sizes	A4, Letter
Custom media width	88.9 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 250 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	Yes
Ethernet LAN	No
Wi-Fi Direct	Yes
Bluetooth	Yes
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	128 MB
Maximum internal memory	128 MB
Built-in processor	Yes
Processor frequency	800 MHz
Sound power level (printing)	6.5 dB
Design	
Product colour	Grey, White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	1.02 cm (0.4")
Control type	Buttons

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Colour display	Yes
Power	
Power consumption (sleep)	2 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	0.3 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS
Operational conditions	
Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Non-operating altitude	0 - 4572 m
Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 30 °C
Non-operating relative humidity (non-condensing)	5 - 90%
Certificates	
Certification	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
Sustainability	
Sustainability certificates	Blue Angel, EPEAT
Sustainable technologies and materials	25% post-consumer recycled plastic; Recyclable through HP Planet Partners
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	48
Carbon emissions, manufacturing (kg of CO2e)	39
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	4
Weight & dimensions	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Width	427.5 mm
Depth	364 mm
Height	198.6 mm
Weight	6.38 kg

Packaging data

Package width	484 mm
Package depth	239 mm
Package height	410 mm
Package weight	9.2 kg

Packaging content

Cables included	AC
Warranty card	Yes
Bundled software	HP Printer Software, available online

Logistics data

Pallet gross weight	574 kg
Layers per pallet	6 pc(s)
Products per pallet	60 pc(s)

Technical details

Master (outer) cases per pallet layer	10 pc(s)
Compliance certificates	CECP
Box contents	HP Smart Tank 6005 All-in-One Printer; 2 x HP 32XL 135-ml Black Original Ink Bottle; HP 31 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; Power cord; HP Black color printhead; HP Tri color printhead; Setup guide; Reference guide; Ink caution flyer; Regulatory flyers; warranty flyers; For more information about fill and yield, see https://www.hp.com/go/learnaboutsupplies

Other features

Number of users	3 user(s)
Power supply type	Internal
Recommended system requirements	Windows 11; Windows 10; 1 GHz processor; 2 GB SSD; Internet; Chrome OS. macOS Tahoe 26; macOS Sequoia 15; macOS Sonoma 14; 2 GB SSD; Internet.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Chrome OS
PictBridge	No
Number of print heads	2

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Manufacturer warranty	Up to 3 years extended warranty upon registration at https://www.hp.com/go/SmartTank3yearswarranty . User replaceable parts have separate warranty periods.
Electromagnetic compatibility	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
Custom media sizes	88.9 x 127 mm to 215.9 x 355.6 mm
Pallet dimensions (W x D x H)	1220 x 1015 x 2590 mm
Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2590.8 mm (48 x 40 x 102")
Typical electricity consumption (TEC) number	0.30 kWh/Week
UNSPSC-code	43212104
Brand-specific features	
HP GTIN (EAN/UPC) with options	(BGM) 198828955463; (BHC) 199251237102
HP GTIN (EAN/UPC)	198828955463, 199251237102

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt