

be quiet! Light Loop IO LCD 360 mm White

Gamintojas: **BE QUIET!** · Modelis: **BW033** · EAN: **4260052193235** · Prekės kodas: **595333**



214,90 €

Kaina su PVM

Be PVM: **177,60 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Advanced IPS display to show system information, videos, images and a wide range of extensive customization options
- ✓ ARGB lighting with vivid presets and individualizations are available via IO Center for Windows for instant use
- ✓ High cooling performance and whisper-quiet operation for all consumer CPUs
- ✓ 3 daisy-chained Light Wings LX PWM high-speed fans with funnel-shaped air outlets for colorful and vibrant cooling
- ✓ Specially designed jet plate and cold plate for superior performance
- ✓ State-of-the-art pump with progressive IC
- ✓ Flexible sleeved tubes and convenient mounting ensure easy handling
- ✓ Easy-to-access refill port



Aprašymas

QUIET AND BREATHTAKING

Light Loop IO LCD 360mm White is an extremely high-performing All-in-One water cooler featuring an IPS display and intense RGB lighting, designed for heavily overclocked systems. An IO Controller, enabling software control, and daisy-chained fans are included. Engineered with silence-optimized fan blades and an advanced IC for pump control, the Light Loop IO LCD 360mm White delivers exceptional, whisper-quiet performance.

Techninė specifikacija

Specifications	
Sandėlio grupė	CPUs [+0][-0] CPU Kühler & Zubehör [+0][-0]
Performance	
Suitable location	Processor
Type	All-in-one liquid cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1851, LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1200 (Socket H5), LGA 1700, Socket AM4, Socket AM5
Compatible processor series	AMD Ryzen 9000 Series, Intel® Core™ i9
Noise level (low speed)	17.2 dB
Noise level (high speed)	36.8 dB
Maximum airflow	61.8 cfm
Airflow	105.1 m³/h
Maximum air pressure	2.51 mmH2O
Pulse-width modulation (PWM) support	Yes
Bearing type	Rifle bearing
Quantity per pack	1 pc(s)
Pump motor speed	2900 RPM
Pump motor speed (min)	2900 RPM
Pump motor speed (max)	2900 RPM
Fan speed (max)	2100 RPM
Fan's mean time to failure (MTTF)	60000 h
Design	
Product colour	White
Radiator material	Aluminum
Base plate material	Copper
Number of fans	3 fan(s)
Number of fan blades	9
Illumination LED	Yes
Illumination colour	Multi
Display type	Not applicable
Daisy chain	Yes
Power	
Fan power consumption	5.4 W
Fan voltage	12 V

Fan current	0.17 A
-------------	--------

Weight & dimensions

Height	52 mm
--------	-------

Radiator width	12 cm
----------------	-------

Radiator depth	39.7 cm
----------------	---------

Radiator height	2.7 cm
-----------------	--------

Tube length	40 cm
-------------	-------

Waterblock width	6.19 cm
------------------	---------

Waterblock depth	6.38 cm
------------------	---------

Waterblock height	5.4 cm
-------------------	--------

Weight	1.6 kg
--------	--------

Fan dimensions (W x D x H)	120 x 120 x 25 mm
----------------------------	-------------------

Package width	205 mm
---------------	--------

Package depth	448 mm
---------------	--------

Package height	137 mm
----------------	--------

Package weight	2.61 kg
----------------	---------

Technical details

Doesn't contain	Cadmium, Lead, Mercury
-----------------	------------------------

Warranty period	3 year(s)
-----------------	-----------

Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UKCA
-------------------------	---

Certificates

Waste Electrical and Electronic Equipment (WEEE) compliance	Yes
---	-----

Packaging content

Package type	Box
--------------	-----

Mounting kit	Yes
--------------	-----

Manual	Yes
--------	-----

Other features

Thermal grease	Yes
----------------	-----

Matmenys ir svoris

Matmenys (l × p × A)	45,00cm × 14,00cm × 21,00cm
----------------------	-----------------------------

Svoris	2,62kg
--------	--------