COUGAR CGR-2DA4W-V „Midi Tower“ Balta

Gamintojas: **COUGAR** · Modelis: **CGR-2DA4W-V** · EAN: **4711649770112** · Prekės kodas: **595474**



210,90 €

Kaina su PVM

Be PVM: **174,30 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ „Midi Tower“ PC Žaidimams
- ✓ ATX, CEB, „micro ATX“, Mini-ITX
- ✓ Palaikomas kietojo disko dydis: 2.5,3.5"
- ✓ 2,5" lizdų skaičius: 2 3,5" lizdų skaičius: 2
- ✓ Šoninis langas Iliuminacija Daugybė Grūdinto stiklo plokštė(-ės) Dulkių filtras
- ✓ Stiklas, Plienas
- ✓ Balta








Aprašymas

Float in Form. Flow in Function. Visualize in Motion.
The CFV235 Vision is a new kind of PC case featuring the innovative Central Floating Ventilation (CFV) structure. This divides the PSU cabin and main chamber, retooling the open space in between as a cooling advantage by accessing extra ventilation. An integrated 9.16-inch IPS TFT LCD panel provides real-time, software-controlled system monitoring in ultra-crisp 1920×462 resolution at a 60Hz refresh rate, displaying critical data and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

customizable visuals.

An optimal combination of a full panoramic view, compact footprint, architecturally-enhanced cooling and immersive display technology, the CFV235 Vision empowers airflow beyond ordinary dimensions, visualized.

True Free-Floating Structural Separation

Conventional design squeezes both the PSU - a prime source of heat - and critical components in the same space, restricting airflow access to only the top, front and rear panels. The Central Floating Ventilation divides the PSU cabin and main chamber with a structural hollow that lets air move with greater freedom and purpose. This free-floating architectural separation also gives the CFV235 series its unique, progressive visual identity.

270° Airflow Access Within Suspended Space

The CFV235 series’ floating space is a fully 3 dimensional, discrete void suspended within the chassis. 270° of spacious, unobstructed airflow intake delivers greater ventilation than enclosed layouts to where it’s most needed.

The Eye in the Machine

The CFV235 Vision integrates a 9.16-inch IPS TFT LCD panel for real-time system monitoring in an ultra-crisp 1920 x 462 resolution with a 60Hz refresh rate. Keep an eye on critical data from temperatures to fan speeds, while you personalize the display with JPG, PNG, GIF, or MP4 content, all managed through desktop software that acts as a live command center.

Operational Control

Performance data and absolute control over customisation and display alignment can be instantly and fully accessed through the installable software, equipping you with a command center console directly on your desktop.

Pre Installed Reverse Blade
Unity ARGB 240 Fans
COUGAR Unity ARGB 240 single-frame PWM reverse-blade fans are preinstalled on the motherboard side, providing precise fan speed control, exceptional cooling, near-silent operation, and stunning RGB lighting straight out of the box.

The Rainbow In Between

The Aurora lighting strip lights up with the integrated space of the Central Floating Ventilation structure from within, highlighting this innovative feature and displaying it as an architectural reinvention. It’s included with the case and attaches magnetically for ease and convenience.

Light. Speed

The CFV235 Vision features an integrated universal fan hub that enables seamless coordination of PWM fan speed and RGB lighting. This allows you to control the RGB lighting without the need for software, or synchronize it with motherboard software.

Dual Magnetic Filtration

Magnetic dust filters at the roof and base of the Central Floating Ventilation structure proactively prevent dust and debris buildup, keeping airflow clean and uninterrupted without disrupting the suspended design.

Just grab the protruding tag and pull: it’s that easy to clean the filter.

Dust filters attach magnetically to protect the separated PSU cabin and main chamber from dust and other particles.

Vertical Spatial Efficiency

The placement of the central floating ventilation channel on a vertical axis avoids expanding the overall width, keeping the footprint tight.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Space Engineering

38mm of clearance behind the motherboard tray improves cable management ,offering more room to route and conceal cables of varying thickness. Five adjustable Velcro straps offer versatile options to secure and tidy your layout.

Architectural Strength

A 1.5mm-thick steel frame reinforces the chassis, preserving structural integrity even with the suspended central ventilation design. The result is a bold, open architecture that stays rigid, reliable, and ready for high-performance builds.

Versatile Compatibility

Compatible with reverse connector motherboards and accommodating GPUs of up to 430mm, the CFV235 Vision is engineered for the gaming rigs of the future. An L–shaped GPU mounting bracket with flexible installation options protects against GPU sag.

Peripheral Vision

The CFV235 Vision is equipped with USB 3.2 Gen 2x2 Type-C (20 Gbps) x2, USB 3.0 Type-A x 2, 4 pole headset audio jack for versatile device and peripheral connectivity.

Cooling Capacity

The CFV235 Vision has a fan capacity of 3x120mm or 3x140mm on the top, 3x120mm on the floor of the main chamber, 2x120mm fans on the motherboard side, and 1x120mm (pre-installed) on the rear. Water cooling support maxes out at 360mm on the top.

Full House

Accommodating 2x3.5” HDD drives and 2+2 2.5” SSD drives (converted from 3.5” drive bays), versatile storage options gives you plenty of room to expand your storage as needed.

Techninė specifikacija

Konstrukcija	
Forma	„Midi Tower“
Tipas	PC
Produkto spalva	Balta
Palaikomos motininės plokštės formos faktorius	ATX, CEB, „micro ATX“, Mini-ITX
3,5" lizdų skaičius	2
5,25" lizdų skaičius	0
Medžiaga	Stiklas, Plienas
2,5" lizdų skaičius	2
Plėtimosi angų skaičius	7
Šoninis langas	Taip
Tinka	Žaidimams
Iliuminacija	Taip

Apšvietimo spalva	Daugybė
Apšvietimo vieta	Dėklo ventiliatoriai
Grūdinto stiklo plokštė(-ės)	Taip
Dulkių filtras	Taip
Geresnis kabelio valdymas	Taip
Įjungimo / išjungimo mygtukas	Taip
RGB valdymo mygtukas	Taip
Didžiausias CPU vėsintuvo aukštis	17,5 cm
Didžiausias grafinės kortelės ilgis	43 cm
Maksimalus PSU ilgis	20 cm
Ryšys	
USB 2.0 portų kiekis	0
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	2
USB 3.2 2 kart. (3.1 2 kart.) C tipo prievadų skaičius	0
USB 3.2 2 kart. (3.1 2 kart.) A tipo prievadų skaičius	0
USB 3.2 Gen 2x2 C tipo prievadų kiekis	1
Jungtinis ausinių / mikrofono prievadas	Taip
Ekranas	
Įmontuotas ekranas	Taip
Ekrano tipas	LCD
Ekrano įstrižainė	23,3 cm (9.16")
Ekrano rezoliucija	1920 x 462 pikseliai
Aušinimas	
Maksimalus šoninių ventiliatorių skaičius	2
Palaikomi šoninių ventiliatorių skersmenys	120 mm
Įrengti galiniai ventiliatoriai	2x 120 mm
Maksimalus galinių ventiliatorių skaičius	1
Palaikomas galinio ventiliatoriaus skersmuo	120 mm
Įrengti viršutiniai ventiliatoriai	1x 120 mm
Maksimalus viršutinių ventiliatorių skaičius	3
Palaikomi viršutinių ventiliatorių skersmenys	120,140 mm
Daugiausia apatinių ventiliatorių	3
Palaikomos apatinių ventiliatorių skersmens vertės	120 mm
Liquid cooling capability	Taip
Palaikomi galinio radiatoriaus dydžiai	120 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Palaikomi viršutinio radiatoriaus dydžiai	120,140,240,280,360 mm
Laikmenos	
Palaikomas kietojo disko dydis	2.5,3.5"
Svoris ir matmenys	
Plotis	235 mm
Ilgis	460 mm
Aukštis	493 mm
Svoris	10 kg
Pakuotės duomenys	
Pakuotės plotis	542 mm
Pakuotės gylis	317 mm
Pakuotės aukštis	578 mm
Paketo svoris	12,3 kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

COUGAR

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.