

ASUS ROG -THOR-1000P3-GAMING-E power supply unit 1000 W 20+4 pin ATX ATX Black

Gamintojas: **ASUS** · Modelis: **90YE00V8-B0NA00** · EAN: **4711636457866** · Prekės kodas: **595583**



467,89 €

Kaina su PVM

Be PVM: **386,69 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1000 W 100 - 240 V
- ✓ Motherboard power connector: 20+4 pin ATX
- ✓ PC ATX 80 PLUS Platinum
- ✓ Active
- ✓ Black



Aprašymas

Ultimate Power. Unmatched Stability

The ROG Thor 1000W Platinum III delivers the power and stability demanded by gamers. A next-gen GaN MOSFET boosts efficiency, while GPU-First voltage sensing with a patented intelligent stabilizer ensures stable, top-tier performance. Turbo Mode maximizes cooling for overclocking and demanding workloads.

The ROG Thor 1000W Platinum III also includes the ROG Equalizer, a patented 12V-2x6 PCIe power cable engineered to reduce heat stress and keep cable and connector temperatures well to protect the graphics card. With full ATX 3.1 compliance and a native 12V-2x6 connector, the ROG Thor III Platinum Series ensures your high-end rig has the power to conquer any challenge.

The ROG Thor 1000W Platinum III retains its signature OLED display, now with magnetic attachment for easy swapping to either side, supporting both fan-up and fan-down installations.

Techninė specifikacija

Specifications	
Sandėlio grupė	Netzteile [+0][-0]
Power	
Total power	1000 W
AC input voltage	100 - 240 V
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	125 W
Combined power (+12V)	1000 W
Combined power (+5V)	125 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	30 A
Max output current (+12V)	83.33 A
Max output current (+5V)	25 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under power
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	6
Motherboard power cable length	61 cm
Number of SATA power connectors	7
PCI Express power connectors (6+2 pin)	4
PCI Express power connectors (16-pin)	1
PCI Express power cable length	75 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	100 cm
PCI Express connector	Yes
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Platinum

ATX version	3.1
Bearing technology	DBB
Mean time between failures (MTBF)	120000 h
Design	
Product colour	Black
Cooling type	Active
Number of fans	1 fan(s)
Fan location	Top
Illumination	Yes
On/off switch	Yes
Packaging content	
Cables included	CPU, PCIe, SATA, Peripheral (Molex)
Weight & dimensions	
Width	190 mm
Depth	150 mm
Height	86 mm
Weight	2.37 kg
Packaging data	
Package width	379 mm
Package depth	241 mm
Package height	127 mm
Package weight	5.17 kg
Package type	Box
Matmenys ir svoris	
Matmenys (I × P × A)	38,00cm × 24,00cm × 13,00cm
Svoris	5,05kg