ASUS PRIME LC II 360 ARGB LCD WHT Processor All-in-one liquid cooler 12 cm White 1 pc(s)

Gamintojas: **ASUS** · Modelis: **90RC01Q2-B0EAY0** · EAN: **4711636403559** · Prekės kodas: **596298**

185,90 €

Kaina su PVM

Be PVM: **153,64 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ A vibrant 720×720 IPS display presents real-time system information or custom visuals with clear detail.
- ✓ A high-speed pump and optimized radiator provide efficient, dependable cooling for CPUs.
- ✓ New pre-installed and integrated fans deliver stable airflow and high static pressure for efficient, balanced cooling performance.
- ✓ Soft ARGB illumination on the pump side frame and fan frame adds a refined, modern touch.
- ✓ Pre-installed fans and thermal compound enable quick, hassle-free setup.
- ✓ Reinforced, sleeved 400mm tubing for increased durability and chassis compatibility.
- ✓ Support for Intel LGA 1851, 1700 and AMD AM5 and AM4 sockets.





Aprašymas

The Prime LC II CPU cooler series delivers balanced performance and optimized noise control. It is powered by a reliable high-RPM pump and interlinked ARGB fans to ensure rock-solid gaming performance. With a 3.95" IPS screen managed via ASUS InfoHub, you can easily personalize your setup with real-time system stats or animated GIFs. It is the perfect all-around cooler to unleash the power of your AMD Ryzen™ 9000 or Intel® Core™ Ultra Series processor.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Techninė specifikacija

Specifications	
Sandėlio grupė	CPUs [+0][-0] | CPU Kühler & Zubehör [+0][-0]
Performance	
Suitable location	Processor
Type	All-in-one liquid cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1700, LGA 1851, Socket AM4, Socket AM5
Maximum airflow	78.3 cfm
Pulse-width modulation (PWM) support	Yes
Fan noise level (max)	35.6 dB
Quantity per pack	1 pc(s)
Pump motor speed (min)	1200 RPM
Pump motor speed (max)	3200 RPM
Fan speed (min)	800 RPM
Fan speed (max)	2600 RPM
Fan static pressure	5.37 mmH2O
Design	
Product colour	White
Radiator material	Aluminum
Base plate material	Copper
Number of fans	3 fan(s)
Illumination LED	Yes
Illumination colour	Multi
Display type	IPS
Display diagonal	10 cm (3.95")
Weight & dimensions	
Radiator width	39.7 cm
Radiator depth	12 cm
Radiator height	2.7 cm
Tube length	40 cm
Waterblock width	9.03 cm
Waterblock depth	9.03 cm
Waterblock height	6.54 cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Weight	1.76 kg
Fan dimensions (W x D x H)	360 x 120 x 25 mm
Package width	463 mm
Package depth	233 mm
Package height	160 mm
Package weight	2.98 kg
Packaging content	
Screws included	Yes
Installation instruction	Yes
CPU bracket(s)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903