



MEMORY READER FLASH ALL-IN-1/USB3.1 TS-RDF9K2 TRANSCEND

Modelis: TS-RDF9K2

Gamintojas: TRANSCEND

EAN: 760557842675

Prekės kodas: 59683

17.99€

Taking full advantage of the UHS-II technology, the RDF9 UHS-II Card Reader unleashes the high-speed performance of SDXC / SDHC UHS-II memory cards. Equipped with USB 3.1 Gen 1 interface, the RDF9 delivers the blazing fast read and write speeds of up to 260MB/s and 190MB/s accordingly, facilitating high resolution video and RAW image transfers and post-production processing for professional photographers, videographers and graphic designers. Additionally, it also boasts the CompactFlash, SD and microSD card slots, offering you to transfer different types of digital files with one compact card reader.

Made for the latest UHS-II SD cards

The RDF9 card reader with the latest UHS-II interface is here to unleash the full performance of a UHS-II SD card, transferring high resolution RAW images and HD videos to your computer in just

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

seconds. Besides the SD card slot, the multifunctional RDF9 also boasts CompactFlash and microSD card slots, an all-in-one design made for all the popular card types.

USB Type-A for great device compatibility

The RDF9 card reader is equipped with a micro USB (USB 3.1 Gen 1) port and includes a micro USB to USB Type-A cable to transfer data between your SD, microSD or CompactFlash memory card and your computer.

A must-have for professionals

Taking advantage of USB 3.1 Gen 1 and UHS-II technologies, the read and write speeds of the RDF9 are up to 260MB/s and 190MB/s, respectively. When paired with Transcend's 32GB UHS-II SD card, the RDF9 transfers an 8GB video in only 38 seconds, speeding up the post-production process for professional photographers, videographers, and graphic designers. In addition, the RDF9 has an LED indicator to show card insertion and data transfer activity.

Compact power

The RDF9 card reader is small enough to slip into your pocket or briefcase for superior convenience. Because it's easy to carry, you can transfer your most important files anywhere, anytime.

RecoverRx software

Transcend offers the RecoverRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

- USB 3.1 Gen 1 interface
- Supports high-speed UHS-II SD memory cards
- Multifunctional card reader with SD, microSD, and CompactFlash card slots
- Designed for high-resolution video, raw image transfers, and post-production processing
- Download the RecoverRx data recovery software from Transcend's official website

Summary: Transcend RDF9 Card Reader Black. Compatible memory cards: CF, MicroSDHC, MicroSDXC, SDHC, SDXC, Product colour: Black, Certification: CE/FCC/BSMI/KC/RCM/EAC. Interface: Micro-USB. Power source type: USB, Output voltage: 5 V. Width: 115 mm, Depth: 35 mm, Height: 180 mm. Quantity per pack: 1 pc(s) | Vendor Homepage: <https://uk.transcend-info.com/Products/No-709> |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Certification: CE/FCC/BSMI/KC/RCM/EAC | Compatible memory cards:
CF/MicroSDHC/MicroSDXC/SDHC/SDXC | Internal: No | Product colour: Black | USB On-The-Go
support: Yes | Interface: Micro-USB | USB 3.2 Gen 1 (3.1 Gen 1) ports quantity: 1 | Output voltage: 5 |
Power source type: USB | Depth: 35 | Height: 180 | Weight: 83 | Width: 115 | Quantity per pack: 1 |
Compatible operating systems: Microsoft Windows 7 Microsoft Windows 8 Microsoft Windows 10 Mac
OS X 10.2.8 or later Linux Kernel 2.6.30 or later | Linux operating systems supported: Kernel 2.6.31 |
Mac operating systems supported: Mac OS X 10.2 Jaguar | Operating temperature (T-T): 0 - 70 |
Windows operating systems supported: Windows 10/Windows 7/Windows 8 | Country of origin: China
| Harmonized System (HS) code: 84719000 | Units per Shipping Box: 1 | Unit Calculated Volume:
0.0007245 | Unit Calculated Weight: 0.08

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903