



**Reklaminis
ekranas LG
50UL3Q-E
Digital Signage
Flat Panel 127
cm (50") LED Wi-
Fi 350 cd/m² 4K
Ultra HD Black
WebOS 16/7**

Modelis: 50UL3Q-E

Gamintojas: LG

EAN: 8806096497494

Prekės kodas: 596964

760.99€

LG 50UL3Q-E Skaitmeninis reklaminis ekranas

LG 50UL3Q-E yra 127 cm (50 colių) plokščias skaitmeninis reklaminis ekranas, skirtas komerciniam naudojimui. Su LED ekrano technologija ir 4K Ultra HD raiška, šis ekranas atkuria stulbinančius

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

vaizdus su ryškiomis spalvomis ir aštriomis detalėmis. Su 350 cd/m² ryškumu ir 4500:1 kontrasto santykiu, LG 50UL3Q-E užtikrina aiškų matomumą ir įspūdingą turinio pateikimą įvairiose vidaus aplinkose.

Savybės:

- **4K Ultra HD Raiška:** Patirkite išskirtinę vaizdo kokybę su 3840 x 2160 pikselių, kad gautumėte detales ir tikroviškus vaizdus.
- **LED Ekranų Technologija:** Suteikia energiją taupantį ir ryškų veikimą optimaliam žiūrėjimui.
- **Integruotas Wi-Fi:** Leidžia lengvai prisijungti prie belaidžio interneto ir valdyti turinį.
- **WebOS Operacinė Sistema:** Siūlo patogią vartotojo sąsają su išmaniomis funkcijomis ir programų suderinamumu.
- **Keli Prievadai:** Apima 3 HDMI prievadus, USB ir Ethernet LAN, kad būtų užtikrintos universalios jungties galimybės.
- **Vidinė Atmintis:** Turi 8 GB vidinės atminties, skirtos saugoti ir atkurti turinį tiesiai ekrane.
- **Platus Žiūrėjimo Kampai:** 178° horizontalūs ir vertikalūs žiūrėjimo kampai užtikrina nuoseklią vaizdo kokybę iš bet kurios perspektyvos.
- **Komercinės Klasės Patvarumas:** Sukurtas 16/7 darbo valandoms, todėl tinka įvairioms komercinėms reikmėms.

LG yra pasaulinė lyderė elektronikos ir ekrano technologijų srityje, žinoma dėl naujovių ir kokybės. LG teikia pažangiausius sprendimus tiek vartotojams, tiek komercinėms reikmėms.

Užsisakykite šiandien iš ++SHOP++, nes mes siūlome geriausią...

Wi-Fi: Yes | Internal memory: 8 GB | HDMI version: 2.2/1.4 | Viewing angle, vertical: 178° | Ethernet LAN (RJ-45) ports: 1 | Response time: 8 ms | Power consumption (max): 152 W | Package width: 1255 mm | Power consumption (standby): 0.5 W | Product design: Digital signage flat panel | Contrast ratio (typical): 4500:1 | VESA mounting: Yes | Touchscreen: No | Ethernet LAN: Yes | Panel type: ADS | Operating temperature (T-T): 0 - 40 °C | Native aspect ratio: 16:9 | Power consumption (typical): 90 W | Package height: 118 mm | USB port: Yes | Contrast ratio (dynamic): 1000000:1 | Power supply type: Internal | AC input voltage: 100 - 240 V | HDMI ports quantity: 3 | Placement supported: indoor

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

| Operating system installed: WebOS | AC input frequency: 50/60 Hz | Web browser: Yes | Cables included: Power | Product colour: Black | Purpose: Commercial | Viewing angle, horizontal: 178° | Panel mounting interface: 300 x 300 mm | Operating relative humidity (H-H): 10 - 80% | Display number of colours: 1.07 billion colours | Display resolution: 3840 x 2160 pixels | Display diagonal: 127 cm (50") | Package depth: 760 mm | Package weight: 12.2 kg | Display technology: LED | HD type: 4K Ultra HD | Power consumption (off): 0.5 W | Display width: 1120.2 mm | PC Audio out: Yes | Rated lifetime: 30000 h | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Danish | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: Norwegian | Display weight: 9.3 kg | On Screen Display (OSD) languages: Polish | Bezel width (side): 1.08 cm | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: Arabic | On Screen Display (OSD) languages: Portuguese | RS-232C: Yes | Display height: 641.4 mm | Operating system version: 6.1 | Number of built-in speakers: 2 | Haze rate: 1% | Operating hours (hours/days): 16/7 | Display depth: 59.9 mm | Built-in speaker(s): Yes | Remote control included: Yes | RMS rated power: 20 W | Display brightness: 350 cd/m² | Gyroscope: Yes | Energy consumption (SDR) per 1000 hours: 89.8 kWh | Native refresh rate: 60 Hz | Power consumption (economy mode): 0.5 W | Energy efficiency class (SDR): G | Orientation: Horizontal/Vertical | Bezel width (top): 1.08 cm | Temperature sensor: Yes | Bezel width (bottom): 1.08 cm | Heat generation (max): 518.645 BTU/h | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Turkish | On Screen Display (OSD) languages: Greek | Compliance certificates: CB | Bezel colour: Black | Heat generation (typical): 307.093 BTU/h | Compliance certificates: Electromagnetic Compatibility (EMC) | Compliance certificates: CE | webRTC support: Yes | Compliance certificates: Federal Communications Commission (FCC) | Colour saturation: 80% | Energy efficiency class (HDR): Not available