



# MEMORY READER USB3.2/SD/MICROSD CRE-S2N AXAGON

Modelis: CRE-S2N

Gamintojas: AXAGON

EAN: 8595247906137

Prekės kodas: 59711

---

## 9.99€

---

Slim USB 3.2 Gen 1 Memory Card Reader AXAGON CRE-S2N SUPERSPEED supports all current versions of SD and microSD cards including SDXC and microSDXC with capacity up to 2TB.

With USB 3.2 Gen 1 (USB 3.0) interface, the reader achieves significantly higher data rates for UHS-I SD cards compared to USB 2.0 interface readers.

The card reader allows simultaneous handling of cards in both slots and direct copying between them.

The slim body of the reader does not prevent the use of secondary USB ports on the computer. Card reader matte surface limits the creation of fingerprints.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

The installation is very easy - only plug the reader into the computer USB port and the rest is done automatically.

Card reader - two slots, supports the following formats:

- Micro SD slot: microSD / microSDHC / microSDXC / TransFlash,
- SD slot: Secure Digital, SDHC, SDXC, MultiMedia Card, MMC 4.0, MMC Dual Voltage, MMC mobile, RS-MMC, with miniSD, MMC Micro adapter.

The reader supports the following flash card specifications:

- SD 1.0 / 1.1 (SD - Secure Digital, up to 2GB).
- SD 2.0 (SDHC - Secure Digital High Capacity, up to 32GB).
- SD 3.0 (SDXC - Secure Digital eXtended Capacity, up to 2TB).
- MMC and eMMC 3.x/4.0/4.1/4.2/4.3/4.4/4.5/5.0 (8-bit).
- Support for SD 3.01 and SD Jukebox applications (CPRM functions).
- Ultra High Speed UHS-I support (SDR12/SDR25/SDR50/DDR50/SDR104) speeds up to 104 MB/s.
- Supports ECC (Error Correction Code) function and CRC (Cyclic Redundancy Check) function.
- 2 LUN - in file managers, the reader is indicated as two disk drives.
- FAT 12/16/32, NTFS, exFAT (FAT 64) file formats support.

Other features:

- SuperSpeed USB - USB 3.2 Gen 1 interface (before USB 3.1 Gen 1 / USB 3.0).
- Also compatible with USB 3.2 Gen 2, backward compatible with USB 2.0 and USB 1.1.
- Supports transmission rates 12 / 480 / 5000 Mbit/s (full / high / super speed).
- Full Plug and Play and Hot Swap support.
- Connects via USB type A male connector.
- Support for connection of phones with microUSB connector via OTG adapter.
- USB-bus card reader power supply.
- A blue LED indicating the connection to the computer's USB port (permanent light) and data transfer (blinking).
- Dimensions 68 x 21 x 10.
- Weight 11 g.

Supported Operating Systems:

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 and later (all 32- and 64-bit Windows versions supported), Mac OS X 10.x and higher Linux with 2.4.x kernel and higher, Android all versions.
- Note: Drivers are included with supported operating systems and will be installed automatically. No other drivers need to be installed and are not even available.

Package contains:

- SuperSpeed USB card reader,
- USB connector cap,
- packed in a cardboard box with a hanging hole.

Summary: Axagon CRE-S2N SuperSpeed USB-A CARD READER. Compatible memory cards: MMC, MMC Mobile, MMCmicro, MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, RS-MMC, SD, SDHC,..., Product colour: Black, Data transfer rate: 5000 Mbit/s. Interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Width: 68 mm, Depth: 10 mm, Height: 21 mm. Quantity per pack: 1 pc(s), Package width: 150 mm, Package depth: 115 mm. Compatible operating systems: MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016... | Vendor Homepage: <https://www.axagon.eu/en/produkty/cre-s2n> | Certification: CE, RoHS | Compatible memory cards: MicroSD (TransFlash)/MicroSDHC/MicroSDXC/MiniSD/MMC/MMC Mobile/MMCmicro/RS-MMC/SD/SDHC/SDXC | Data transfer rate: 5000 | Hot-swap: Yes | Housing material: Plastic | Internal: No | LED indicators: Yes | Number of memory card slots: 2 | Plug and Play: Yes | Product colour: Black | Interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A | Depth: 10 | Height: 21 | Weight: 11 | Width: 68 | Package depth: 115 | Package height: 7 | Package type: Hanging box | Package weight: 26 | Package width: 150 | Quantity per pack: 1 | Compatible operating systems: MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 and later (all 32- and 64-bit Windows versions supported), Mac OS X 10.x and higher Linux with 2.4.x kernel and higher, Android all versions. | Linux operating systems supported: Yes | Mac operating systems supported: Yes | Mobile operating systems supported: Yes | Server operating systems supported: Yes | Windows operating systems supported: Yes | Compliance certificates: CE/RoHS | Warranty period: 2 | Model: CRE-S2N | Units per Shipping Box: 1 | Unit Calculated Volume: 0.000345 | Unit Calculated Weight: 0.03

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903