

HP Poly Studio G62 Video Conferencing System With Mounting Plate Kit No Radio TAA

Gamintojas: **HP** · Modelis: **99T21AA#AC3** · EAN: **197961147414** · Prekės kodas: **597401**



2 482,90 €

Kaina su PVM

Be PVM: **2 051,98 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Tailor every large conference room to your needs. Connect your Poly peripherals and controllers to the Poly Studio G62 video conferencing system and transform spaces with a modular solution designed for streamlined versatility^[1].
- ✓ Create your ideal large room setup with the Poly Studio G62 video conferencing system. Expand your setup as you see fit without worrying about processing power by adding more A/V devices for a richer, more engaging experience^[1].
- ✓ Forget complex installations. With magnetic mounts and powered by PoE+, you can rest easy knowing installation is a breeze. Plus, you can easily manage select 3rd party control systems with robust APIs while using the Poly TC10 in the room^[1].



Aprašymas

Configurable, powerful, all yours

Poly Studio G62 conferencing system features easy setup, seamless integration, and the customization you need. Powerful collaboration tools? Done. Advanced audiovisual options? Check. A flexible setup? You got it[1].

Techninė specifikacija

Performance	
Number of persons	10 person(s)
Product colour	Black
Video	
HD type	4K Ultra HD
Maximum video resolution	3840 x 2160 pixels
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1400 x 1050 (SXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 3840 x 2160
Maximum frame rate	30 fps
Video formats supported	H.263, H.264, H.265
Audio	
Automatic gain control	Yes
Ports & interfaces	
HDMI ports quantity	3
HDMI output ports quantity	2
HDMI input ports quantity	1
HDMI version	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
Ethernet LAN (RJ-45) ports	1
Power over Ethernet plus (PoE+) ports quantity	1
Network	
Ethernet LAN	Yes
Technical details	
General Product Safety Regulation (GPSR) URL	https://kaas.hpcloud.hp.com/pdf-public/pdf_11006260_en-US-1.pdf
Logistics data	

Pallet gross weight	357 kg
UNSPSC-code	45111902
Computer system	
Other operating systems supported	Android
Sustainability	
Sustainable technologies and materials	80% post-consumer recycled plastic; Packaging is recyclable; At least 20% recycled metal
Sustainability compliance	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	15 - 80%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	5 - 95%
Certificates	
Compliance certificates	CB, Federal Communications Commission (FCC), CE
Certification	CB; FCC; IC; RCM; VCCI; UL/CSA; CE; WEEE; UKCA; MIC
Weight & dimensions	
Width	247.7 mm
Depth	152.4 mm
Height	34.9 mm
Weight	798 g
Packaging data	
Package width	304.8 mm
Package depth	187.3 mm
Package height	84.1 mm
Package weight	1.39 kg
Packaging content	
Cables included	HDMI, LAN (RJ-45)
Warranty card	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	41,00cm × 26,00cm × 14,00cm

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto,
California, US

hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas
(Madrid), ES

hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› [Gamintojo saugos informacija](#)