



Cudy LT400 wireless router Fast Ethernet Single-band (2.4 GHz) 4G White



Modelis: LT400 OUTDOOR_EU

Gamintojas: CUDY

EAN: 6971690792916

Prekės kodas: 597616

72.00€

VPN support: PPTP/L2TP/OpenVPN/WireGuard/IPSec/Zerotier | PoE injector included: Yes | Warnings: Do not expose the device to water or moisture. | Warnings: Do not expose the device to extreme temperatures. | Warnings: Do not dismantle the unit yourself, there is a risk of electric shock. | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Mounting kit: Yes | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 2000 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 98SE | Weight: 420 g | Windows operating systems supported: Windows XP Professional x64 | Package weight: 794 g | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Filtering: Yes | Reset button: Yes | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 11 Enterprise | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Ethernet LAN data rates: 10 | Package width: 324 mm | AC input voltage: 100 - 240 V | Storage temperature (T-T): -40 - 70 °C | Antenna gain level (max): 5 dBi | Power source type: PoE | Ethernet LAN data rates: 100 | Power over Ethernet (PoE): Yes | Operating relative humidity (H-H): 0 - 100% | Wake-on-LAN ready: Yes | Security algorithms: WPA | Storage relative humidity (H-H): 5 - 95% | Security algorithms: WPA3

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

| Ethernet LAN (RJ-45) ports: 1 | LED indicators: WLAN | Security algorithms: WPA2 | MAC address filtering: Yes | DHCP client: Yes | Operating temperature (T-T): -20 - 60 °C | AC input frequency: 50/60 Hz | Product colour: White | Modulation: 64-QAM | 2G standards: Edge | SIM card slot: Yes | IP address filtering: Yes | Depth: 100 mm | 2G standards: GSM | Ethernet LAN: Yes | Supported network protocols: IPv4 / IPv6 | Mobile network generation: 4G | Cables included: LAN (RJ-45) | Linux operating systems supported: Yes | Product type: Desktop/pole router | SIM card type: NanoSIM | Quick installation guide: Yes | Cabling technology: 10/100Base-T(X) | Height: 53.7 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Firewall: Yes | Dynamic DNS (DDNS): Yes | Package height: 86 mm | 4G standard: LTE-TDD & LTE-FDD | Package depth: 107 mm | Internal memory: 64 MB | Detachable antenna(s): Yes | International Protection (IP) code: IP65 | DMZ support: Yes | Dual SIM support: No | Wall mountable: Yes | Mac operating systems supported: Yes | Width: 240 mm | Flash memory: 8 MB | Port triggering: Yes | Ethernet LAN interface type: Fast Ethernet | Antennas quantity: 4 | Ethernet WAN: Yes | IGMP snooping: Yes | USB port: No | Wi-Fi standards: 802.11g | Wi-Fi standards: 802.11b | Universal Plug and Play (UPnP): Yes | WLAN data transfer rate (max): 300 Mbit/s | Wi-Fi Multimedia (WMM)/(WME): Yes | WAN connection type: RJ-45 | Output voltage: 24 V | Port forwarding: Yes | Top Wi-Fi standard: Wi-Fi 4 (802.11n) | 3G standards: WCDMA | Wi-Fi band: Single-band (2.4 GHz) | URL filtering: Yes | Antenna design: Internal & external | Number of guest networks (2.4 GHz): 1