



**Mainboard
ASROCK Intel
B860 LGA 1851
(Socket V1)
micro ATX RAM
DDR5-SDRAM
2xSlots Wi-Fi
Yes Bluetooth
Yes 1xNumber
of M.2 (M) slots
B860MROCKWIFI**

Modelis: B860M ROCK WIFI

Gamintojas: ASROCK

EAN: 4711581494152

Prekės kodas: 597718

129.99€

Rock Series brings reliable performance and solid quality in a clean, modern design—ready for work, study, and gaming with practical, well-balanced features.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Digi Power

This motherboard uses a next generation digital PWM (Pulse-Width Modulation) design, providing CPU a smooth and efficient power source which expands the lifespan and stability of the motherboard.

DDR5 XMP & EXPO Support

Derived from the “built for stable and reliable” designing concept, ASRock does not compromise on any details. This motherboard is built with high quality materials, enthusiasts are able to enjoy the boost of DDR5 memory overclocking performance by enabling the pre-tested profiles. Make sure the memory modules are Intel® XMP/AMD EXPO™ capable and overclocking can be made so affordable, satisfying and absolutely no sweat at all.

PCIe Gen5 Blazing M.2

The Blazing M.2 accommodates the latest PCI Express 5.0 standard to perform twice the bandwidth compared to previous generation, with a breathtaking 128Gb/s transfer speed, it is ready to unleash the full potential of future ultrafast SSDs.

Aluminum Heatsink

The first thing that catches the eye is the optimized Aluminum Heatsink Design. Heatsinks are crucial for efficient heat dissipation, especially during heavy workloads like gaming or productivity tasks. Motherboard that built with heatsinks can effectively manage thermal performance, hence ensure system stability and durability effortlessly.

Wi-Fi 6E 802.11ax

WiFi 6E technology has extended to the whole new 6GHz spectrum band, providing more WiFi capability and giving an even better and faster internet traffic. In addition to deliver higher speeds, the WiFi 6E also enhances the lower latency and supports service levels that are equivalent to 5G networks.

Dragon 2.5 Gb/s LAN

The intelligent 2.5Gb/s LAN platform is built for maximum networking performance for the demanding requirements of home networking, content creators, online gamers and high-quality streaming media. Boost networking performance up to 2.5X the bandwidth compared to the

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

standard gigabit Ethernet, you'll enjoy the faster and uncompromised connectivity experience for gaming, file transfers and backups.

Front USB 3.2 Gen1 Type-C

Front USB 3.2 Gen1 Type-C header delivers up to 5 Gbps data transfer rate and next generation reversible USB design to the front panel of computer case.

POLYCHROME RGB

This motherboard features onboard RGB headers and addressable RGB headers that allow motherboard to be connected to compatible LED devices such as strip, CPU fans, coolers, chassis and so on. Users may also synchronize RGB LED devices across the Polychrome RGB Sync-certified accessories to create their own unique lighting effects.

SignalRGB

SignalRGB unifies your RGB devices, offering seamless customization, game-reactive effects, macro automation, and system monitoring. The official partnership empowers ASRock motherboards with advanced lighting control, enhances compatibility with a diverse range of RGB devices, and provides greater customization flexibility.

Summary: Asrock B860M Rock WiFi. Processor manufacturer: Intel, Processor socket: LGA 1851 (Socket V1), Compatible processor series: Intel Core Ultra (Series 2). Supported memory types: DDR5-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Dragon RTL8125AG, Top Wi-Fi standard: Wi-Fi 6E (802.11ax). Component for: PC, Motherboard form factor: micro ATX, Motherboard chipset family: Intel | Vendor Homepage: <https://www.asrock.com/mb/Intel/B860M%20Rock%20WiFi/index.asp#Specification> | Audio chip: Realtek ALC897 | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: Intel B860 | Motherboard chipset family: Intel | Motherboard form factor: micro ATX | Windows operating systems supported: Windows 11 x64 | Compatible processor series: Intel Core Ultra (Series 2) | Processor manufacturer: Intel | Processor socket: LGA 1851 (Socket V1) | ECC compatibility: Non-ECC | Maximum internal memory: 128 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 2 | Supported memory types: DDR5-SDRAM | Unbuffered memory: Yes | Supported storage drive interfaces: M.2,SATA III | HDCP: Yes | HDCP version: 2.3 | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | Front panel audio connector: Yes | Number of

chassis fan connectors: 2 | Number of CPU fan connectors: 1 | Number of RGB LED pin headers: 1 | Number of SATA III connectors: 4 | RGB LED pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | Line-in: Yes | Microphone in: Yes | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 3 | USB 3.2 Gen 2x2 Type-C ports quantity: 1 | Bluetooth: Yes | Bluetooth version: 5.3 | Ethernet interface type: 2.5 Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Dragon RTL8125AG | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Wi-Fi: Yes | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6E (802.11ax) | Number of M.2 (M) slots: 1 | PCI Express x1 (Gen 4.x) slots: 1 | PCI Express x16 (Gen 5.x) slots: 1 | BIOS memory size: 256 | BIOS type: UEFI AMI | Depth: 218 | Width: 244 | Antenna included: Yes | Cables included: SATA | Product Net Weight: 0.9 | Shipping Box Height: 33.5 | Unit Calculated Volume: 0.005842 | Unit Calculated Weight: 1.27 | Units per Pallet: 0 | Units per Shipping Box: 10