



Mainboard
ASROCK AMD
A520 SAM4
Micro-ATX
Memory DDR4
Memory slots 2
1xPCI-Express
3.0 1x 1xPCI-
Express 3.0 16x
1xM.2 1x15pin
D-sub 1xHDMI
2xAudio-In
1xAudio-Out
2xUSB 2.0
4xUSB 3.2
1xPS/2 1xRJ45
A520M-HVS

Modelis: A520M-HVS

Gamintojas: ASROCK

EAN: 4710483932311

Prekės kodas: 597731

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

54.99€

A520 MOTHERBOARD FOR EVERYONE

All Essentials You Need For Computing

Ultra M.2 32Gb/s (PCIe Gen3 x4 & SATA3)

The PCIe Gen3 x4 Ultra M.2 interface pushes data transfer speeds up to 32Gb/s. In addition, it also supports SATA3 6Gb/s M.2 modules.

HDMI 4k @60Hz

Supports the most recent HDMI 4K 60Hz graphics output specification. With the larger bandwidth and increased frame rate, the motion on your screen becomes more fluid and less blurry.

Dual Graphics Outputs

Complete with two types of most used connectors! Packed with a D-Sub + HDMI combo, you have more graphics output options now.

Full Spike Protection

Some sensitive digital components on the motherboard are vulnerable to power surges, the excessive current may cause your system to malfunction immediately. ASRock Full Spike Protection includes various technologies to prevent your motherboard's components from being damaged by these unexpected voltage spikes.

Live Update & APP Shop

ASRock Live Update & APP Shop is designed for your convenience. We provide various apps and support software for users to download. You can also easily optimize your system and keep your motherboard up to date with ASRock Live Update & APP Shop.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Supports 3rd Gen AMD AM4 Ryzen™ / Future AMD Ryzen™ Processors(3000 and 4000 Series Processors)
- 6 Phase Power Design
- Supports DDR4 4733+ (OC)
- 1 x PCIe 3.0 x16, 1 x PCIe 3.0 x1
- Graphics Output Options: D-Sub, HDMI
- 7.1 CH HD Audio (Realtek ALC887 Audio Codec)
- 4 x SATA3, 1 x Ultra M.2(Gen3 x4 & SATA3)
- 6 x USB 3.2 Gen1(4 x Rear, 2 x Front)
- 6 x USB 2.0(2 x Rear, 4 x Front)
- Realtek Gigabit LAN

Summary: Asrock A520M-HVS. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen 3000 Series. Supported memory types: DDR4-SDRAM, Maximum internal memory: 64 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III. Graphics card family: AMD, Graphics card: Radeon Vega. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H | Vendor Homepage: <https://www.asrock.com/mb/AMD/A520M-HVS/index.asp#Overview> | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: AMD A520 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | Compatible processor series: AMD Ryzen 3000 Series | Processor manufacturer: AMD | Processor socket: Socket AM4 | ECC compatibility: Non-ECC | Maximum internal memory: 64 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 2 | Supported memory clock speeds: 2133/2400/2666/2933/3200/3466/3600/3733/3800/3866/4000/4133/4200/4266/4333/4400/4466/4500/4533 | Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Number of HDDs supported: 5 | Supported storage drive interfaces: M.2,SATA III | Graphics card: Radeon Vega | Graphics card family: AMD | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | Front panel audio connector: Yes | Number of chassis fan connectors: 2 | Number of COM connectors: 1 | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | Microphone in: Yes | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | VGA (D-Sub) ports quantity: 1 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8111H | Wake-on-LAN ready: Yes | Wi-Fi: No | PCI Express x1 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 3.x) slots: 1 | BIOS type: UEFI AMI | Harmonized System (HS) code: 84733020 | Depth: 201 | Width: 230 | Cables included: SATA | Drivers

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

included: Yes | Product Net Weight: 0.6 | Shipping Box Height: 50 | Unit Calculated Volume: 0.00465 |
Unit Calculated Weight: 0.85 | Units per Shipping Box: 20

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903