

Zalman ZET5 Processor Fan 12 cm Black 1 pc(s)

Gamintojas: **ZALMAN TECH** · Modelis: **1026927** · EAN: **8800263650538** · Prekės kodas: **598221**



64,90 €

Kaina su PVM

Be PVM: **53,64 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Processor Fan 12 cm 2000 RPM
- ✓ Supported processor sockets: LGA 1851, LGA 1700, LGA 1200 (Socket H5), Socket AM4, Socket AM5, LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H)
- ✓ 30.4 dB 44.48 cfm Hydro Dynamic Bearing (HDB)
- ✓ Black
- ✓ 1 pc(s)



Aprašymas

Jet Engine-Inspired Cooling Design

Inspired by jet engines, the ZET5 showcases

Zalman's latest design and performance innovations

Clean and Modern Logo Design

Magnetic & Pogo Pin Mounting System

High-Efficiency Dual-Directional Cooling Fans

Powerful 120mm Annular Fan

Zalman AF120 annular fan is designed to prevent vortex and backflow at the end of the wings, which can improve efficiency and stability by

suppressing vibration.

High-Performance Circular Heatsink
53 Heatsink Fins Deliver
Superior Cooling Efficiency
TDP 220W

Supports motherboard ARGB control for vibrant LED Sync

RDTH(Reverse Direct Touch Heatpipe)

Zalman’s RDTH technology is applied to minimize thermal resistance and maximize cooling performance
DTH(Direct Touch Heatpipe)
Direct heat transfers to heatpipes maximize cooling performance and minimize heat resistance
RDTH(Reverse Direct Touch Heatpipe)
RDTH allows larger dissipation area of heatpipes and minimize heat resistance

Direct Solder Bonding for Maximum Efficiency
Direct soldering between the heatpipes and heatsink allows for ultra-precise contact, significantly enhancing heat transfer efficiency.

Excellent thermal conductive thermal compound ZM-STC10
Zalman ZET5 comes with ZM-STC10.
STC10 provides ideal heat transfer to keep PC cool and ready for heavy loads. It provides excellent thermal conductivity by filling the space between the cooler base and CPU.

Techninė specifikacija

Specifications	
Sandėlio grupė	Gehäuse [+3474][-67] Gehäuselüfter [+745][-9]
Performance	
Suitable location	Processor
Type	Fan
Fan diameter	12 cm
Supported processor sockets	LGA 1851, LGA 1700, LGA 1200 (Socket H5), Socket AM4, Socket AM5, LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H)
Rotational speed (min)	600 RPM
Rotational speed (max)	2000 RPM
Noise level (high speed)	30.4 dB
Maximum airflow	44.48 cfm
Bearing type	Hydro Dynamic Bearing (HDB)
Quantity per pack	1 pc(s)

Operating temperature (T-T)	-40 - 150 °C
Design	
Product colour	Black
Material	Copper, Aluminium, Acrylonitrile butadiene styrene (ABS)
Number of heat pipes	5
LED connector type	3-pin
Fan connector	4-pin
Power	
Rated voltage	12 V
Fan power consumption	3.36 W
Rated current	0.28 A
Thermal Design Power (TDP)	220 W
Weight & dimensions	
Width	130 mm
Depth	117 mm
Height	158 mm
Weight	970 g
Matmenys ir svoris	
Svoris	1,38kg