



HP OfficeJet Mobile 250 Wireless All-in- One Color Printer, Copier, Scanner

Modelis: CZ992A

Gamintojas: HEWLETT-PACKARD

EAN: 195697428968

Prekės kodas: 599621

238.99€

Box contents: HP OfficeJet 250 Mobile All-in-One Printer HP 62 Setup Black Ink Cartridge (~200 pages) HP 62 Setup Tri-color Ink Cartridge (~120 pages) Regulatory flyer Setup poster Power cord Rechargeable battery For ink volume and page yield information, visit <http://www.hp.com/go/learnaboutsupplies> | Compatible operating systems: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks 1 GB HD Internet required USB. Linux: for more

information, see <http://hplipopensource.com/hplip-web/index.html> Chrome OS | Manufacturer

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

warranty: One-year commercial hardware warranty 24-hour, 7 days a week Web support | Bundled software: HP Dropbox, HP Google Drive, Microsoft DotNet | Replacement cartridges: HP 62 Black Original Ink Cartridge (~200 pages) C2P04AE HP 62 Tri-colour Original Ink Cartridge (~165 pages) C2P06AE HP 62XL High Yield Black Original Ink Cartridge (~600 pages) C2P05AE HP 62XL High Yield Tri-colour Original Ink Cartridge (~415 pages) C2P07AE | Recommended system requirements: Windows 10 8.1 8 7 32-bit/64-bit 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer Windows Vista 32-bit only 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer 8 Apple OS X Yosemite OS X Mavericks OS X Mountain Lion 1 GB available hard disk space Internet required USB Linux. Apple OS v10.15 Catalina OS X v10.11 El Capitan OS X v10.10 Yosemite OS X v10.9 Mavericks 1 GB available hard disk space Internet required USB. | Certification: EU EMC Directive | Print speed (ISO/IEC 24734) colour: 7 ppm | Included cartridge capacity (black): 200 pages | Printing colours: Black, Cyan, Magenta, Yellow | Auto fit function: Yes | Recommended operating temperature range (T-T): 15 - 30 °C | Electromagnetic compatibility: EU EMC Directive | Cartridge(s) included: Yes | ISO C-series sizes (C0...C9): C5 | Scan drivers: TWAIN | ISO B-series sizes (B0...B9): B5 | Power consumption (standby): 3.4 W | Maximum resolution: 4800 x 1200 DPI | Print speed (ISO/IEC 24734) black: 10 ppm | Print speed (black, draft quality, A4/US Letter): 20 ppm | Power supply type: Built-in power supply | Other operating systems supported: ChromeOS | UNSPSC-code: 43212110 | ISO C-series sizes (C0...C9): C6 | Greyscale levels: 256 | Colour display: Yes | Input colour depth: 24 bit | Print speed (colour, normal quality, A4/US Letter): 7 ppm | Sustainability compliance: Yes | Control type: Buttons, Touch | Print speed (black, normal quality, A4/US Letter): 10 ppm | Print speed (colour, draft quality, A4/US Letter): 19 ppm | Maximum ISO A-series paper size: A2 | Document formats supported: PDF | Maximum number of copies: 50 copies | Time to first page (black, normal): 13 s | Number of users: 3 user(s) | Envelopes sizes: C5 | Non-ISO print media sizes: L | Envelopes sizes: B5 | ISO A-series sizes (A0...A9): A5 | Recommended duty cycle: 100 - 300 pages per month | JIS B-series sizes (B0...B9): B5 | Document formats supported: RTF | Photo paper sizes: 10x15 cm | Scan speed (black): 9 ppm | Duplex printing mode: Manual | ISO A-series sizes (A0...A9): A4 | Non-ISO print media sizes: Hagaki card | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A2 | Power consumption (sleep): 0.81 W | Maximum duty cycle: 500 pages per month | Maximum internal memory: 256 MB | Scan speed (colour): 3.6 ppm | Maximum input capacity: 50 sheets | Harmonized System (HS) code: 8443310000 | Scan technology: CIS | Envelopes sizes: C6 | Non-ISO print media sizes: 2L | Envelopes sizes: DL | All-In-One-multitasking: Yes | Duplex printing: Yes | Paper tray media weight: 60 - 300 g/m² | Page description languages: PCL 3 GUI | Print resolution colour: 4800 x 1200 DPI | Sound power level (printing): 6.2 dB | Maximum number of input trays: 1 | Duplex copying: Yes | Envelope

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

feeder: No | HP segment: Home office | Print resolution black: 1200 x 1200 DPI | Total number of input trays: 1 | Borderless printing: Yes | Recommended humidity operating range: 20 - 80% | Total input capacity: 50 sheets | Included cartridge capacity (CMY): 120 pages | Custom media sizes: 76 x 102 to 216 x 356 mm | Number of print heads: 2 | Paper tray media types: Photo paper | Auto document feeder (ADF): Yes | HP GTIN (EAN/UPC): 197961892970 | Paper tray media types: Plain paper | HP GTIN (EAN/UPC) with options: (301) 884962834336 (BA5) 829160941417 (BA6) 829160941424 (UUQ) 884962780794 (UUS) 884962780787 | Paper tray media types: Recycled paper | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Paper tray media types: Lightweight paper | Total carbon emissions, w/o use phase (kg of CO2e): 7 | Carbon emissions, manufacturing (kg of CO2e): 80 | Carbon emissions, logistics (kg of CO2e): 4 | Total carbon footprint (kg of CO2e): 109 | Carbon emissions, end-of-life (kg of CO2e): 18 | Optical scanning resolution: 600 x 600 DPI | Scan to: Software | Windows operating systems supported: Windows 7 | Width: 380.2 mm | Print technology: Thermal inkjet | Copier resize: 25 - 400% | Maximum print size: 209.9 x 349.6 mm | Custom media length: 102 - 356 mm | Copying: Colour copying | Auto document feeder (ADF) input capacity: 10 sheets | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | USB port: Yes | Borderless printing media sizes: 13x18 | Mac operating systems supported: Mac OS X 10.11 El Capitan | Built-in processor: Yes | Internal memory: 256 MB | Mac operating systems supported: Mac OS X 10.9 Mavericks | Package height: 242 mm | Package depth: 132 mm | Printing: Colour printing | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 8 Pro | Cables included: AC | Height: 91.3 mm | Card reader integrated: No | Custom media width: 76 - 216 mm | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Mac operating systems supported: Mac OS X 10.10 Yosemite | Number of print cartridges: 2 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 8.1 x64 | PictBridge: No | Image formats supported: BMP | Image formats supported: PNG | Depth: 198.3 mm | Maximum scan resolution: 600 x 600 DPI | Image formats supported: JPEG | Scanning: Colour scanning | Image formats supported: JPG | Image formats supported: TIFF | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | Package width: 517 mm | Operating temperature (T-T): 5 - 40 °C | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Bluetooth: Yes | Built-in display: Yes | Display: CGD | Processor frequency: 700 MHz | Windows operating systems supported: Windows 8 x64 | Display diagonal: 6.73 cm (2.65") | Windows operating systems supported: Windows 8.1 | Package weight: 4.8 kg | Storage temperature (T-T): -40 - 60 °C | Power

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

consumption (off): 0.14 W | USB 2.0 ports quantity: 2 | AC input voltage: 200 - 240 V | AC input frequency: 50/60 Hz | Operating relative humidity (H-H): 15 - 90%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903