# HP OfficeJet Wireless All-in-One Color Spausdintuvas, Copier, Scanner

Gamintojas: **HEWLETT-PACKARD** · Modelis: **CZ992A** · EAN: **195697428968** · Prekės kodas: **599621**



## 244,90 €

Kaina su PVM

Be PVM: **202,40 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ 10 lapų ADF
- ✓ Spausd., kop., nuskait.
- ✓ Spausdinkite iki 9 ppm juodai, iki 6 ppm – spalvotai
- ✓ Iki 1200 x 1200 perteikiamų („rendered") dpi raiška (spausdinant iš kompiuterio)















## Aprašymas

Box contents: HP OfficeJet 250 Mobile All-in-One Printer HP 62 Setup Black Ink Cartridge (~200 pages) HP 62 Setup Tri-color Ink Cartridge (~120 pages) Regulatory flyer Setup poster Power cord Rechargeable battery For ink volume and page yield information, visit http://www.hp.com/go/learnaboutsupplies | Compatible operating systems: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks 1 GB HD Internet required USB. Linux: for more information, see http://hplipopensource.com/hplip-web/index.html Chrome OS | Manufacturer warranty: One-year commercial hardware warranty 24-hour, 7 days a week Web support | Bundled software: HP Dropbox, HP Google Drive, Microsoft DotNet | Replacement cartridges: HP 62 Black Original Ink Cartridge (~200 pages) C2P04AE HP 62 Tri-colour Original Ink Cartridge (~165 pages) C2P06AE HP 62XL High Yield Black Original Ink Cartridge (~600 pages) C2P05AE HP 62XL High Yield Tri-colour Original Ink Cartridge (~415 pages) C2P07AE | Recommended system requirements: Windows 10 8.1 8 7 32-bit/64-bit 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer Windows Vista 32-bit only 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer 8 Apple OS X Yosemite OS X Mavericks OS X Mountain Lion 1 GB available hard disk space Internet required USB Linux. Apple OS v10.15 Catalina OS X v10.11 El Capitan OS X v10.10 Yosemite OS X v10.9 Mavericks 1 GB available hard disk space Internet required USB. | Certification: EU EMC Directive | Print speed (colour, draft quality, A4/US Letter): 19 ppm | UNSPSC-code: 43212110 | Sustainability compliance: Yes | ISO B-series sizes (B0...B9): B5 | ISO A-series sizes (A0...A9): A6 | Print speed (black, normal quality, A4/US Letter): 10 ppm | Electromagnetic compatibility: EU EMC Directive | ISO A-series sizes (A0...A9): A5 | Power consumption (standby): 3.4 W | Other operating systems supported: ChromeOS | Cartridge(s) included: Yes | Maximum ISO A-series paper size: A2 | Recommended operating temperature range (T-T): 15 - 30 °C | Power supply type: Built-in power supply | Print speed (black, draft quality, A4/US Letter): 20 ppm | Auto fit function: Yes | Maximum resolution: 4800 x 1200 DPI | Maximum number of copies: 50 copies | Included cartridge capacity (black): 200 pages | Printing colours: Black, Cyan, Magenta, Yellow | ISO C-series sizes (C0...C9): C6 | Maximum input capacity: 50 sheets | Print speed (ISO/IEC 24734) colour: 7 ppm | JIS B-series sizes (B0...B9): B5 | ISO C-series sizes (C0...C9): C5 | ISO A-series sizes (A0...A9): A4 | Control type: Buttons, Touch | Scan drivers: TWAIN | Power consumption (sleep): 0.81 W | Number of users: 3 user(s) | Print speed (ISO/IEC 24734) black: 10 ppm | Print speed (colour, normal quality, A4/US Letter): 7 ppm | ISO A-series sizes (A0...A9): A2 | Input colour depth: 24 bit | Colour display: Yes | Non-ISO print media sizes: Hagaki card | Greyscale levels: 256 | Non-ISO print media sizes: L | Non-ISO print media sizes: 2L | Envelopes sizes: C6 | Photo paper sizes: 10x15 | Envelopes sizes: C5 | Envelopes sizes: DL | Envelopes sizes: B5 | Time to first page (black, normal): 13 s | Harmonized System (HS) code: 8443310000 | Recommended duty cycle: 100 - 300 pages per month | Duplex printing mode: Manual | Maximum internal memory: 256 MB | All-In-One-multitasking: Yes | Maximum duty cycle: 500 pages per month | Scan speed (black): 9 ppm | Scan technology: CIS | Duplex printing: Yes | Scan speed (colour): 3.6 ppm | HP segment: Home office | Windows operating systems supported: Windows 8.1 x64 | Total input capacity: 50 sheets | Envelope feeder: No | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Package height: 242 mm | Duplex copying: Yes | Windows operating systems supported: Windows 10 | Width: 380.2 mm | Custom media sizes: 76 x 102 to 216 x 356 mm | Page description languages: PCL 3 GUI | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 8 | Card reader integrated: No | Windows operating systems supported: Windows 8 Pro | Cables included: AC | Recommended humidity operating range: 20 - 80% | Maximum number of input trays: 1 | Borderless printing: Yes | Sound power level (printing): 6.2 dB | Included cartridge capacity (CMY): 120 pages | Depth: 198.3 mm | Number of print heads: 2 | Print resolution black: 1200 x 1200 DPI | Total number of input trays: 1 | Paper tray media weight: 60 - 300 g/m² | Paper tray media types: Recycled paper | Paper tray media types: Photo paper | Auto document feeder (ADF): Yes | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Document formats supported: RTF | Paper tray media types: Plain paper | Document formats supported: PDF | Paper tray media types: Lightweight paper | Package depth: 132 mm | Mac operating systems supported: Mac OS X 10.11 El Capitan | Mac operating systems supported: Mac OS X 10.10 Yosemite | Mac operating systems supported: Mac OS X 10.9 Mavericks | Print resolution colour: 4800 x 1200 DPI | Carbon emissions, logistics (kg of CO2e): 5 | Total carbon footprint (kg of CO2e): 124 | Carbon emissions, manufacturing (kg of CO2e): 91 | Carbon emissions, end-of-life (kg of CO2e): 16 | HP GTIN (EAN/UPC) with options: (ABT) 195161936265 (ABY) 195161936272 (B19) 195161936289 (BAZ) 195161936296 | HP GTIN (EAN/UPC): 195161936265, 195161936272, 195161936289, 195161936296 | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Height: 91.3 mm | Optical scanning resolution: 600 x 600 DPI | Scan to: Software | Borderless printing media sizes: 13x18 | Image formats supported: JPEG | Scanning: Colour scanning | Maximum print size: 209.9 x 349.6 mm | Auto document feeder (ADF) input capacity: 10 sheets | Built-in processor: Yes | Custom media length: 102 - 356 mm | Copying: Colour copying | Copier resize: 25 - 400% | Printing: Colour printing | Image formats supported: BMP | Image formats supported: JPG | Image formats supported: TIFF | Image formats supported: PNG | Maximum scan resolution: 600 x 600 DPI | Print technology: Thermal inkjet | USB port: Yes | PictBridge: No | Number of print cartridges: 2 | Custom media width: 76 - 216 mm | Internal memory: 256 MB | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | AC input frequency: 50/60 Hz | Power consumption (off): 0.14 W | General Product Safety Regulation (GPSR) URL: https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-pro-mfp-4101-4104dw-fdn-fdw-printer-series/model/38347991?sku 2Z624F&serialnumber 2Z624F https://kaas.hpcloud.hp.com/pdf-public/pdf | Processor frequency: 700 MHz | Display diagonal: 6.73 cm (2.65") | AC input voltage: 200 - 240 V | Bluetooth: Yes | USB 2.0 ports quantity: 2 | Operating temperature (T-T): 5 - 40 °C | Operating relative humidity (H-H): 15 - 90% | Windows operating systems supported: Windows 8 x64 | Package width: 517 mm | Windows operating systems supported: Windows 8.1 | Package weight: 4.8 kg | Display: CGD | Built-in display: Yes |

Storage temperature (T-T): -40 - 60 °C

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Print technology | Thermal inkjet |
| Printing | Colour printing |
| Duplex printing | Yes |
| Maximum resolution | 4800 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) | 10 ppm |
| Duplex printing mode | Manual |
| Print resolution colour | 4800 x 1200 DPI |
| Print resolution black | 1200 x 1200 DPI |
| Print speed (colour, normal quality, A4/US Letter) | 7 ppm |
| Print speed (black, draft quality, A4/US Letter) | 20 ppm |
| Print speed (colour, draft quality, A4/US Letter) | 19 ppm |
| Print speed (ISO/IEC 24734) black | 10 ppm |
| Print speed (ISO/IEC 24734) colour | 7 ppm |
| Time to first page (black, normal) | 13 s |
| Borderless printing | Yes |
| **Copying** | |
| Copying | Colour copying |
| Duplex copying | Yes |
| Maximum number of copies | 50 copies |
| Copier resize | 25 - 400% |
| Auto fit function | Yes |
| **Scanning** | |
| Scanning | Colour scanning |
| Optical scanning resolution | 600 x 600 DPI |
| Maximum scan resolution | 600 x 600 DPI |
| Scan technology | CIS |
| Scan to | Software |
| Scan speed (colour) | 3.6 ppm |
| Scan speed (black) | 9 ppm |
| Image formats supported | BMP, JPEG, JPG, PNG, TIFF |
| Document formats supported | PDF, RTF |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Input colour depth | 24 bit |
| Greyscale levels | 256 |
| Scan drivers | TWAIN |

## Features

| | |
|---|---|
| Maximum duty cycle | 500 pages per month |
| Number of print cartridges | 2 |
| Printing colours | Black, Cyan, Magenta, Yellow |
| Recommended duty cycle | 100 - 300 pages per month |
| Page description languages | PCL 3 GUI |
| All-In-One-multitasking | Yes |
| Country of origin | China, Thailand |
| Replacement cartridges | HP 62 Black Original Ink Cartridge (~200 pages) C2P04AE; HP 62 Tri-colour Original Ink Cartridge (~165 pages) C2P06AE; HP 62XL High Yield Black Original Ink Cartridge (~600 pages) C2P05AE; HP 62XL High Yield Tri-colour Original Ink Cartridge (~415 pages) C2P07AE |
| HP segment | Home office |

## Input & output capacity

| | |
|---|---|
| Total number of input trays | 1 |
| Total input capacity | 50 sheets |
| Auto document feeder (ADF) | Yes |
| Auto document feeder (ADF) input capacity | 10 sheets |
| Maximum number of input trays | 1 |
| Maximum input capacity | 50 sheets |

## Paper handling

| | |
|---|---|
| Maximum ISO A-series paper size | A2 |
| Paper tray media types | Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper |
| ISO A-series sizes (A0...A9) | A2, A4, A5, A6 |
| Maximum print size | 209.9 x 349.6 mm |
| ISO B-series sizes (B0...B9) | B5 |
| ISO C-series sizes (C0...C9) | C5, C6 |
| Non-ISO print media sizes | Hagaki card, L, 2L |
| JIS B-series sizes (B0...B9) | B5 |
| Envelopes sizes | B5, C5, C6, DL |
| Photo paper sizes | 10x15 cm |
| Borderless printing media sizes | 13x18 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Custom media width | 76 - 216 mm |
| Custom media length | 102 - 356 mm |
| Paper tray media weight | 60 - 300 g/m² |
| Envelope feeder | No |
| **Ports & interfaces** | |
| USB port | Yes |
| USB 2.0 ports quantity | 2 |
| **Network** | |
| Bluetooth | Yes |
| **Performance** | |
| Internal memory | 256 MB |
| Maximum internal memory | 256 MB |
| Card reader integrated | No |
| Built-in processor | Yes |
| Processor frequency | 700 MHz |
| Sound power level (printing) | 6.2 dB |
| **Design** | |
| Market positioning | Home & office |
| Built-in display | Yes |
| Display | CGD |
| Display diagonal | 6.73 cm (2.65") |
| Control type | Buttons, Touch |
| Colour display | Yes |
| **Power** | |
| Power consumption (standby) | 3.4 W |
| Power consumption (sleep) | 0.81 W |
| Power consumption (off) | 0.14 W |
| AC input voltage | 200 - 240 V |
| AC input frequency | 50/60 Hz |
| **System requirements** | |
| Windows operating systems supported | Windows XP Professional, Windows XP, Windows Vista, Windows 7 x64, Windows 7, Windows 8 Pro, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10 |
| Mac operating systems supported | Mac OS X 10.9 Mavericks, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan |
| Other operating systems supported | ChromeOS |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| **Operational conditions** | |
| Operating relative humidity (H-H) | 15 - 90% |
| Storage temperature (T-T) | -40 - 60 °C |
| Operating temperature (T-T) | 5 - 40 °C |
| Recommended humidity operating range | 20 - 80% |
| Recommended operating temperature range (T-T) | 15 - 30 °C |
| **Certificates** | |
| Certification | EU EMC Directive |
| **Sustainability** | |
| Sustainability certificates | ENERGY STAR, EPEAT Silver |
| Sustainability compliance | Yes |
| **Carbon footprint** | |
| Total carbon footprint (kg of CO2e) | 40 |
| Carbon emissions, manufacturing (kg of CO2e) | 33 |
| Carbon emissions, logistics (kg of CO2e) | 1 |
| Carbon emissions, end-of-life (kg of CO2e) | 1 |
| Total carbon emissions, w/o use phase (kg of CO2e) | 5 |
| **Weight & dimensions** | |
| Width | 380.2 mm |
| Depth | 198.3 mm |
| Height | 91.3 mm |
| **Packaging data** | |
| Package width | 517 mm |
| Package depth | 132 mm |
| Package height | 242 mm |
| Package weight | 4.8 kg |
| **Packaging content** | |
| Cartridge(s) included | Yes |
| Included cartridge capacity (black) | 200 pages |
| Included cartridge capacity (CMY) | 120 pages |
| Cables included | AC |
| Bundled software | HP Dropbox, HP Google Drive, Microsoft DotNet |
| **Logistics data** | |
| Harmonized System (HS) code | 8443310000 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Pallet gross weight | 665 kg |
| Layers per pallet | 9 pc(s) |
| Products per pallet | 135 pc(s) |

## Technical details

| | |
|---|---|
| Master (outer) cases per pallet layer | 15 pc(s) |
| General Product Safety Regulation (GPSR) URL | https://support.hp.com/gb-en/product/setup-user-guides/hp-officejet-250-mobile-all-in-one-printer-series/model/5156320?sku=CZ992A&serialnumber=CZ992A |
| Other EU Hazard statement(s) | EUH208: Contains sensitizing substance. May produce an allergic reaction |
| Box contents | HP OfficeJet 250 Mobile All-in-One Printer; HP 62 Setup Black Ink Cartridge (~200 pages); HP 62 Setup Tri-color Ink Cartridge (~120 pages); Regulatory flyer; Setup poster; Power cord; Rechargeable battery; For ink volume and page yield information, visit http://www.hp.com/go/learnaboutsupplies |

## Other features

| | |
|---|---|
| Number of users | 3 user(s) |
| Power supply type | Built-in power supply |
| Recommended system requirements | Windows 10; 8.1; 8; 7; 32-bit/64-bit; 2 GB available hard disk space; CD-ROM/DVD drive or Internet connection; USB port; Internet Explorer; Windows Vista; 32-bit only; 2 GB available hard disk space; CD-ROM/DVD drive or Internet connection; USB port; Internet Explorer 8; Apple OS X Yosemite; OS X Mavericks; OS X Mountain Lion; 1 GB available hard disk space; Internet required; USB Linux. Apple OS v10.15 Catalina; OS X v10.11 El Capitan; OS X v10.10 Yosemite; OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB. |
| Compatible operating systems | Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux: for more information, see http://hplipopensource.com/hplip-web/index.html; Chrome OS |
| PictBridge | No |
| Number of print heads | 2 |
| Manufacturer warranty | One-year commercial hardware warranty; 24-hour, 7 days a week Web support |
| Electromagnetic compatibility | EU EMC Directive |
| Custom media sizes | 76 x 102 to 216 x 356 mm |
| Pallet dimensions (W x D x H) | 1220 x 1015 x 2305 mm |
| Pallet dimensions (W x D x H) (imperial) | 1219.2 x 1016 x 2303.8 mm (48 x 40 x 90.7") |
| Pallet weight (imperial) | 664.1 kg (1464 lbs) |
| UNSPSC-code | 43212110 |

## Brand-specific features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| HP GTIN (EAN/UPC) with options | (AKY) 198828180124; (BEG) 889899185339; (BH0) 889899185346; (BHC) 889894442550 |
| HP GTIN (EAN/UPC) | 198828180124, 889899185339, 889899185346, 889894442550 |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 52,00cm × 25,00cm × 14,00cm |
| Svoris | 4,00kg |

## Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

## Gamintojo ir saugos informacija

GAMINTOJAS

**HP Inc**
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

**HP Printing and Computing Solutions S.L.U.**
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

### Saugos dokumentai

› Gamintojo saugos informacija