

Epson TM-T20III 203 x 203 DPI Vielinis Šiluminio POS spausdintuvas

 Gamintojas: **EPSON** · Modelis: **C31CH51011** · EAN: **8715946669649** · Prekės kodas: **600915**


187,90 €

Kaina su PVM

 Be PVM: **155,29 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Šiluminio POS spausdintuvas
- ✓ 203 x 203 DPI
- ✓ Ryšio technologija: Vielinis
- ✓ USB prievadas Nuoseklioji sąsaja
- ✓ Juoda
- ✓ 1,7 kg



Aprašymas

Epson TM-T20III (011): USB + Serial, PS, Blk, EU

The combination of its fast print speeds, high reliability and economical operation, make this printer a must-have for small retail and speciality stores, hospitality venues and grocery stores.

Affordable

This easy-to-use model is our entry-level POS receipt printer and has an 80mm printing width. Its Automatic Paper Reduction feature reduces top and bottom margins, line feed width and barcode height, allowing for flexible receipt printing. This monitors and controls the amount of paper used.

Paper costs are minimised by printing the top logo of the next receipt before cutting, so the top margin is further reduced by 12mm.

Reliable

With the mean time between failures (MTBF) of 360,000 hours and a mechanism life of 15 million lines, you can rely on the TM-T20III in high-volume printing environments.

Flexible

The TM-T20III comes with a built-in USB interface. You can select from two models: 1) USB + Serial, 2) Ethernet, making the model a long-term investment as it is possible to switch connectivity at any time.

Fast

Its print speed of 250mm/sec can save you time and its competitive price and running costs can save you money; ideal for when you need to beat queues quickly.

Techninė specifikacija

Printing	
Print technology	Direct thermal
Type	POS printer
Maximum resolution	203 x 203 DPI
Print speed	250 mm/sec
Character density	22.6 cpi
Printing characters	Text, Graphic, Barcode
Character sets	ANK
Paper handling	
Maximum roll diameter	8.3 cm
Supported paper width	80 mm
Ports & interfaces	
Connectivity technology	Wired
USB port	Yes
Serial interface	Yes
USB 2.0 ports quantity	1
USB connector	USB Type-B
Serial interface type	RS-232
Serial ports quantity	1
Standard interfaces	RS-232, USB 2.0
Network	

Ethernet LAN	No
Wi-Fi	No

Features

Sound pressure level (printing)	55 dB
Mean time between failures (MTBF)	360000 h
Cutter	Yes
Half-cutter	Yes
Autocutter durability	1.5 million cuts
Paper save function	Yes
Print head life	150 km
Country of origin	Philippines
Mounting position	Horizontal/Vertical
Wall mountable	Yes
Built-in sensors details	Roll paper cover open sensor, Paper End Sensor, Paper Near End Sensor
Safety	UL, CSA, TÜV
Certification	FCC-Class A, CE, EN55022-Class A

Design

Product colour	Black
----------------	-------

Power

Power source type	AC
AC input voltage	24 V
Power consumption	1800 mA
Power consumption (standby)	100 mA

Operational conditions

Operating temperature (T-T)	5 - 45 °C
Storage temperature (T-T)	-10 - 50 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	140 mm
Depth	199 mm
Height	146 mm
Weight	1.7 kg

Packaging data

Cables included	AC
Quantity per pack	1 pc(s)
Package width	192 mm
Package depth	235 mm
Package height	280 mm
Package weight	2.62 kg
Packaging content	
Drivers included	Yes
Quick start guide	Yes
AC adapter included	Yes
Print technology	
Column capacity	48/64
Logistics data	
Pallet weight (UK)	0 g
Harmonized System (HS) code	84433210
Products per master (outer) case	4 pc(s)
Master (outer) case width	400 mm
Master (outer) case length	490 mm
Master (outer) case height	295 mm
Master (outer) case gross weight	0 g
Products per pallet	112 pc(s)
Products per pallet layer	16 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	168 pc(s)
Products per pallet layer (UK)	24 pc(s)
Other features	
Buffer size	4 KB
Mean cycles between failures (MCBF)	60000000
Print head life	150 million characters
Print head life	150.000.000 Impulse
Technical details	
Lifetime	15000000 lines
Matmenys ir svoris	
Matmenys (l × P × A)	40,00cm × 50,00cm × 30,00cm

Svoris

2,60kg

Dokumentai ir vaizdo įrašai

[› Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP

corporate.epson

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE

epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt