

Yealink Yealink-SIP-T88V Pro

Gamintojas: **YEALINK** · Modelis: **1301230** · EAN: **6938818323445** · Prekės kodas: **601108**



385,91 €

Kaina su PVM

Be PVM: **318,93 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Fashionable Design: slimmer body, invisible hinge, touchable screen, line keys, red emergency button, antimicrobial design, bluetooth handset
- ✓ and camera
- ✓ Ultra-clear Audio: AI Noise Cancellation, optimized Acoustic Shield, and enhanced 3W speaker
- ✓ Enhanced Security: Android 13 and TEE hardware encryption
- ✓ Smarter UI: Accessibility, Dark Theme and BLF floating
- ✓ Flexible Connectivity: Bluetooth 5.0 and Wi-Fi 6
- ✓ Device Mode



Aprašymas

The SIP Phone T88V Pro is the next-gen premium desk phone with fashion-forward design, AI-empowered audio, enhanced system security, smarter UX, and a sustainable approach. The fashion-forward appearance, featuring a slimmer body, adjustable color touchscreen with invisible hinge, line keys, and red emergency button, adapts to modern workspaces and provides a comfortable hand feel. Empowered by AI noise cancellation, optimized Acoustic Shield, and enhanced 3W speaker, it delivers ultra-clear HD audio. The industry-leading Android 13 system and TEE hardware encryption provide enhanced security mechanisms and stronger performance. Built with redesigned UI, Bluetooth 5.0, Wi-Fi 6, and a 5MP camera for HD video calls, it offers easier access to rich functions like Accessibility Mode, Dark Theme, and BLF floating. The adoption of PCR and antimicrobial design, along with Power-saving mode, adheres to sustainability goals.

Techninė specifikacija

Specifications	
Sandėlio grupė	Voice over IP [+638][[-26]
Design	
Product type	IP Phone
Product colour	Black
Handset type	Wired & Wireless handset
Backlight keypad	Yes
Mounting	Desk
Performance	
Operating system installed	Android
Operating system version	13
Phone features	
Caller ID	Yes
Phonebook capacity	1000 entries
Number of VoIP accounts	16
Answering machine	Yes
Call waiting	Yes
Speed dialling	Yes
Intercom	Yes
Call hold	Yes
Call forwarding	Yes
Conference call	Yes
Redialing	Yes
Call park	Yes
Call pick up	Yes
Anonymous call	Yes
Full duplex	Yes
Phonebook sharing	Yes
Call return	Yes
Message-waiting indicator (MWI)	Yes
Call history	Yes
Customizable wallpaper	Yes
Emergency call	Yes

Management features

Integrated voicemail	Yes
Volume control	Buttons
Management platform	Yealink Device Management Platform

Display

Touchscreen	Yes
Display	LCD
Display diagonal	17.8 cm (7")
Display resolution	1024 x 600 pixels
Backlight display	Yes

Camera

Front camera	Yes
Front camera resolution (numeric)	5 MP
Field of view (FOV) angle	75°

Audio

Speakerphone	Yes
Microphone mute	Yes
Voice codecs	G.711a, G.711u, G.723.1, G.726, G.729, G.729A, G.729B, G.729ab

Network

Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Bluetooth version	5
Quality of Service (QoS) support	Yes
Security algorithms	WPA2, WPA3
Syslog	Yes

Ports & interfaces

Headset connectivity	RJ-9
USB 2.0 ports quantity	1
USB Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	2

RJ-9 ports quantity	2
DC-in jack	Yes
Power	
Power over Ethernet (PoE)	Yes
AC adapter input voltage	100 - 240 V
AC adapter output voltage	12 V
AC adapter output current	1.25 A
Operational conditions	
Operating temperature (T-T)	10 - 45 °C
Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-30 - 70 °C
Weight & dimensions	
Width	263.7 mm
Depth	206.9 mm
Height	261 mm
Package width	290 mm
Package depth	288 mm
Package height	104 mm
Packaging content	
Number of handles included	1 pc(s)
Mounting kit	Yes
Ethernet cable	Yes
Handset	Yes
Quick start guide	Yes
Matmenys ir svoris	
Svoris	1,65kg