




**GIGABYTE
B650M S2H
Motherboard -
AMD Ryzen 9000
Series CPUs,
5+2+2 Phases
VRM, up to
6400MHz DDR5
(OC), 1xPCIe 4.0
M.2, GbE LAN,
USB 3.2 Gen 1**

Modelis: B650M S2H

Gamintojas: GIGABYTE

EAN: 4719331856298

Prekės kodas: 601969

103.99€

Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | RGB LED pin header: Yes | Number of HDDs supported: 4 | Desktop Management Interface (DMI) version: 2.7 | Memory slots type: DIMM | Supported memory types: DDR5-SDRAM | Line-in: Yes | PCI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Express x16 (Gen 4.x) slots: 1 | Headphone outputs: 1 | Processor socket: Socket AM5 | Products per shipping (inner) case: 1 pc(s) | Warranty period: 3 year(s) | Height: 35 mm | Number of battery cells: 1 | Screws included: Yes | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | Depth: 225 mm | 12V power connector: Yes | VGA (D-Sub) ports quantity: 1 | Number of memory slots: 2 | Supported memory clock speed (max): 6400 MHz | Battery weight: 3 g | ECC compatibility: Non-ECC | Number of CPU fan connectors: 1 | Maximum internal memory per slot: 64 GB | Lithium weight per battery: 0.07 g | Number of EPS power connectors (8-pin): 1 | BIOS type: UEFI AMI | RAID levels: 1 | Number of storage drives supported: 5 | RAID levels: 10 | DisplayPorts quantity: 1 | PCI Express x1 (Gen 3.x) slots: 1 | Motherboard chipset: AMD B650 | Supported storage drive types: HDD & SSD | DirectX version: 12.0 | RAID levels: 0 | Battery type: CR2032 | Audio output channels: 7.1 channels | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | PS/2 ports quantity: 1 | LAN controller: Realtek RTL8111H | PC health monitoring: Fan | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 2 | Number of SATA III connectors: 4 | HDCP: Yes | Compatible processor series: AMD Ryzen 7000 Series | Processor manufacturer: AMD | Battery technology: Lithium-Manganese Dioxide (LiMnO₂) | Country of origin: China | Maximum resolution: 4096 x 2160 pixels | Ethernet LAN (RJ-45) ports: 1 | USB 2.0 ports quantity: 4 | HDMI ports quantity: 1 | 1st M.2 largest key size: 2580 | PC health monitoring: Voltage | Clear CMOS jumper: Yes | Number of RGB LED pin headers: 2 | Compatible processor series: AMD Ryzen 9000 Series | Compatible processor series: AMD Ryzen 8000 Series | HDMI version: 2.1 | Audio chip: Realtek ALC897 | Package depth: 265 mm | TPM connector: Yes | CPU fan connector: Yes | Front panel connector: Yes | Microphone in: Yes | Product colour: Bronze | 1st M.2 highest PCI Express generation: 4.0 | Motherboard chipset family: AMD | ATX Power connector (24-pin): Yes | Windows operating systems supported: Windows 10 x64 | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | DisplayPort version: 1.4 | Windows operating systems supported: Windows 11 x64 | Batteries included: Yes | Package weight: 917 g | Front panel audio connector: Yes | Number of M.2 (M) slots: 1 | PC health monitoring: Temperature | Width: 230 mm | Motherboard form factor: micro ATX | Cooling type: Passive | Wi-Fi: No | RAID support: Yes | Package width: 265 mm | Parallel processing technology support: Not supported | Power source type: ATX | Unbuffered memory: Yes | USB 2.0 connectors: 2 | Supported storage drive interfaces: M.2, SATA III | Warnings: Do not disassemble to avoid damage to internal components and loss of warranty. | Supported memory clock speeds: 4800 | Supported memory clock speeds: 6000 | Supported memory clock speeds: 6200 | Warnings: Dispose of in accordance with local regulations for electronic waste. | Supported memory clock speeds: 6400 | Number of chassis fan connectors: 2 | Package height: 54 mm | Supported memory clock speeds: 4400 MHz | Supported memory clock speeds: 5200 | Supported processor sockets: Socket AM5 | Warnings: Avoid contact with liquids to prevent electronic damage. | Maximum

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

internal memory: 128 GB | Supported memory clock speeds: 5600