

## iiyama ProLite TF1534MC-B8X computer monitor 38.1 cm (15") 1024 x 768 pixels XGA LED Touchscreen Black

Gamintojas: **IIYAMA CONSIGNMENT** · Modelis: **TF1534MC-B8X** · EAN: **4948570127801** · Prekės kodas: **602548**



### 489,90 €

Kaina su PVM

Be PVM: **404,88 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

### Pagrindinės savybės

- ✓ 38.1 cm (15") Black
- ✓ HDMI DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 75 Hz Response time: 8 ms
- ✓ 1024 x 768 pixels XGA Panel type: TN
- ✓ Energy efficiency class (SDR): D ErP CE, cULus, EAC, REACH, RoHS, UKCA, WEEE



### Aprašymas

The ProLite TF1534MC-B8X is a 15" Open Frame touchscreen monitor designed for integration into kiosks, retail systems, interactive displays and custom installations. Its 10-point PCAP touch technology provides accurate multi-touch operation, while the edge-to-edge glass surface offers durability, scratch resistance and a clean, professional appearance. With IP65-rated front protection, the screen is resistant to dust and splashing water from the front, making it suitable for demanding public and commercial environments. The anti-fingerprint coating helps keep the display clear and easy to use, even with frequent interaction. For applications requiring additional protection, the Touch Through-Glass function allows reliable touch operation through a glass overlay up to 6 mm. The monitor can be installed in landscape, portrait or face-up orientation, while optional Open Frame mounting brackets support easy and secure integration into different installation designs. For ease of integration, the monitor can be equipped with optional external mounting brackets (OMK1-1).

Techninė specifikacija

|                                    |                                     |
|------------------------------------|-------------------------------------|
| Specifications                     |                                     |
| Sandėlio grupė                     | Displays > Lcd Monitor [+340][-437] |
| Display                            |                                     |
| Display diagonal                   | 38.1 cm (15")                       |
| Display resolution                 | 1024 x 768 pixels                   |
| Native aspect ratio                | 4:3                                 |
| Display technology                 | LED                                 |
| Touchscreen                        | Yes                                 |
| HD type                            | XGA                                 |
| Panel type                         | TN                                  |
| Response time                      | 8 ms                                |
| Screen shape                       | Flat                                |
| Contrast ratio (typical)           | 800:1                               |
| Maximum refresh rate               | 75 Hz                               |
| Display number of colours          | 16.2 million colours                |
| Touchscreen technology             | Projected capacitive system         |
| Number of simultaneous touchpoints | 10                                  |
| Display brightness (peak)          | 350 cd/m²                           |
| Display brightness (typical)       | 300 cd/m²                           |
| Display brightness                 | 300 cd/m²                           |
| Viewing angle, horizontal          | 170°                                |
| Viewing angle, vertical            | 160°                                |
| Pixel pitch                        | 0.297 x 0.297 mm                    |
| Horizontal scan range              | 31 - 60 kHz                         |
| Viewable size, horizontal          | 30.4 cm                             |
| Viewable size, vertical            | 22.8 cm                             |
| Display diagonal (metric)          | 38 cm                               |
| Surface hardness                   | 7H                                  |
| Performance                        |                                     |
| NVIDIA G-SYNC                      | No                                  |
| AMD FreeSync                       | No                                  |
| Palm rejection                     | Yes                                 |
| Multimedia                         |                                     |

|                                         |                                                                          |
|-----------------------------------------|--------------------------------------------------------------------------|
| Built-in speaker(s)                     | No                                                                       |
| Built-in camera                         | No                                                                       |
| <b>Design</b>                           |                                                                          |
| Market positioning                      | Business                                                                 |
| Product colour                          | Black                                                                    |
| Front bezel colour                      | Black                                                                    |
| <b>Ports &amp; interfaces</b>           |                                                                          |
| Built-in USB hub                        | No                                                                       |
| HDMI                                    | Yes                                                                      |
| Headphone out                           | No                                                                       |
| USB Touch port                          | Yes                                                                      |
| VGA (D-Sub) ports quantity              | 1                                                                        |
| HDMI ports quantity                     | 1                                                                        |
| DisplayPorts quantity                   | 1                                                                        |
| HDCP                                    | Yes                                                                      |
| <b>Ergonomics</b>                       |                                                                          |
| VESA mounting                           | Yes                                                                      |
| Cable lock slot                         | Yes                                                                      |
| Height adjustment                       | No                                                                       |
| Panel mounting interface                | 100 x 100 mm                                                             |
| Cable lock slot type                    | Kensington                                                               |
| On Screen Display (OSD)                 | Yes                                                                      |
| On Screen Display (OSD) languages       | Traditional Chinese, German, English, Spanish, French, Italian, Japanese |
| <b>Power</b>                            |                                                                          |
| Energy efficiency class (SDR)           | D                                                                        |
| Energy efficiency class (HDR)           | Not available                                                            |
| Energy consumption (SDR) per 1000 hours | 9 kWh                                                                    |
| Power consumption (typical)             | 9 W                                                                      |
| Power consumption (standby)             | 1.5 W                                                                    |
| Power consumption (off)                 | 0.3 W                                                                    |
| AC adapter output voltage               | 12 V                                                                     |
| Power supply type                       | External                                                                 |
| <b>Weight &amp; dimensions</b>          |                                                                          |
| Width (with stand)                      | 338 mm                                                                   |

|                                    |                                                                                                                                                                                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Depth (with stand)                 | 45 mm                                                                                                                                                                                                                                                |
| Height (with stand)                | 267 mm                                                                                                                                                                                                                                               |
| Weight (with stand)                | 2.7 kg                                                                                                                                                                                                                                               |
| <b>Packaging data</b>              |                                                                                                                                                                                                                                                      |
| Package width                      | 355 mm                                                                                                                                                                                                                                               |
| Package depth                      | 435 mm                                                                                                                                                                                                                                               |
| Package height                     | 165 mm                                                                                                                                                                                                                                               |
| Package weight                     | 4 kg                                                                                                                                                                                                                                                 |
| USB cable length                   | 1.8 m                                                                                                                                                                                                                                                |
| <b>Packaging content</b>           |                                                                                                                                                                                                                                                      |
| Cables included                    | AC, USB, HDMI, DisplayPort                                                                                                                                                                                                                           |
| Quick start guide                  | Yes                                                                                                                                                                                                                                                  |
| DisplayPort cable length           | 1.8 m                                                                                                                                                                                                                                                |
| HDMI cable length                  | 1.8 m                                                                                                                                                                                                                                                |
| Power cable length                 | 1.8 m                                                                                                                                                                                                                                                |
| <b>Sustainability</b>              |                                                                                                                                                                                                                                                      |
| Sustainability certificates        | ErP                                                                                                                                                                                                                                                  |
| <b>Other features</b>              |                                                                                                                                                                                                                                                      |
| International Protection (IP) code | IP65                                                                                                                                                                                                                                                 |
| Compatible operating systems       | All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section.                              |
| Positional accuracy                | 2 mm                                                                                                                                                                                                                                                 |
| AC adapter included                | Yes                                                                                                                                                                                                                                                  |
| Brightness                         | 300 cd/m²                                                                                                                                                                                                                                            |
| Packaging content                  | AC adapter                                                                                                                                                                                                                                           |
| Active display area (W x H)        | 304 x 228 mm                                                                                                                                                                                                                                         |
| Weight                             | 2.7 kg                                                                                                                                                                                                                                               |
| Height                             | 267 mm                                                                                                                                                                                                                                               |
| Width                              | 338 mm                                                                                                                                                                                                                                               |
| Depth                              | 45 mm                                                                                                                                                                                                                                                |
| Compliance certificates            | CE, cULus, EAC, REACH, RoHS, UKCA, WEEE                                                                                                                                                                                                              |
| Mean time between failures (MTBF)  | 50000 h                                                                                                                                                                                                                                              |
| User controls                      | picture (contrast, brightness, H.position, V.position, phase, clock, auto adjust), advanced (color temp., sharpness), OSD (time out, position, H-position, V-position, Touch switch), option (reset, language, source select, display mode, factory) |

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| Touch method  | stylus, finger, glove (latex)                                     |
| Control panel | Menu, Scroll up/ Brightness, Scroll down/ Contrast, Select, Power |

#### Technical details

|                     |       |
|---------------------|-------|
| Native refresh rate | 75 Hz |
|---------------------|-------|

#### Logistics data

|                   |        |
|-------------------|--------|
| Pallet net width  | 91 cm  |
| Pallet net length | 114 cm |
| Pallet net height | 2.43 m |

#### Matmenys ir svoris

|                      |                             |
|----------------------|-----------------------------|
| Matmenys (I × P × A) | 43,00cm × 36,00cm × 16,00cm |
| Svoris               | 4,50kg                      |