



HP LaserJet Pro MFP 3102fdw Printer



Modelis: 3G630F

Gamintojas: HEWLETT-PACKARD

EAN: 195122461898

Prekės kodas: 602636

275.99€

Replacement cartridges: HP 139A Original Black LaserJet Toner CartridgeW1390A (~1,500 yield) HP 139X Original Black LaserJet Toner CartridgeW1390X (~4,000 yield) | Manufacturer warranty: One-year limited warranty Warranty and support options vary by product, country, and local legal requirements | Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Box contents: HP LaserJet Pro MFP 3102fdw Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Power consumption (off): 0.06 W | Product colour: White | Power consumption (PowerSave): 0.06 W | Display diagonal:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

6.86 cm (2.7") | Ethernet LAN data rates: 10,100 Mbit/s | Bluetooth: Yes | AC input frequency: 50/60 Hz | AC input voltage: 220 - 240 V | Security algorithms: SNMP | Operating relative humidity (H-H): 10 - 80% | USB 2.0 ports quantity: 1 | Width: 418 mm | Operating temperature (T-T): 15 - 32.5 °C | Processor frequency: 800 MHz | Cabling technology: 10/100Base-T(X) | Weight: 10.5 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Package height: 490 mm | Print technology: Laser | Package depth: 379 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Display: CGD | Storage temperature (T-T): -20 - 60 °C | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: MacOS | Depth: 398.2 mm | Ethernet LAN: Yes | Package width: 497 mm | Copier resize: 25 - 400% | Built-in display: Yes | Windows operating systems supported: Windows 11 | Height: 313.2 mm | Windows operating systems supported: Windows 10 | Cables included: AC | Package weight: 13.6 kg | Wi-Fi: Yes | Page description languages: PCLmS | Photo paper sizes: 10x15 cm | Copy speed (black, normal quality, A4): 33 cpm | Speed dialling: Yes | ISO A-series sizes (A0...A9): A4 | Maximum resolution: 1200 x 1200 DPI | Acoustic power emissions (ready): 32 dB | ISO C-series sizes (C0...C9): C5 | Page description languages: PDF | ISO C-series sizes (C0...C9): C6 | Page description languages: PCL 5c | Scan to: Software | Paper tray media types: Glossy paper | Auto reduction: Yes | Warm-up time: 55 s | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Modem speed: 33.6 Kbit/s | Envelopes sizes: B5 | Scan drivers: TWAIN | Maximum scan area: 216 x 297 mm | Scan speed (black): 19 ppm | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Scan to: TWAIN | Total input capacity: 250 sheets | Paper tray media types: Labels | Maximum ISO A-series paper size: A4 | Copying: Mono copying | Duplex scanning: No | Page description languages: PWG | Fax memory: 500 pages | Included cartridge capacity (black): 1000 pages | Maximum input capacity: 250 sheets | ISO B-series sizes (B0...B9): B5 | Envelopes sizes: C5 | Maximum internal memory: 512 MB | Optical scanning resolution: 1200 x 1200 DPI | Envelopes sizes: C6 | Printing colours: Black | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | Paper tray media types: Plain paper | Time to first copy (black, normal): 6.2 s | Built-in processor: Yes | USB port: Yes | Number of print cartridges: 1 | Page description languages: URF | Duplex functions: Print | Envelopes sizes: DL | Recommended humidity operating range: 30 - 70% | Harmonized System (HS) code: 8443310000 | Auto document feeder (ADF) input capacity: 50 sheets | Sound pressure level (scanning): 47 dB | HP segment: Small medium business | Control type: Buttons, Touch | Printing: Mono printing | UNSPSC-code: 43212110 | Secure printing: Yes | Time to first page (black, normal): 7 s | Print speed (black, normal quality, A4/US Letter): 33 ppm | Fax delayed sending: Yes | Document formats supported: XPS | Power consumption (sleep): 1.31 W | Fax transmission speed: 3 sec/page | HP Dynamic security: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Document formats supported: PDF | Typical electricity consumption (TEC) number: Blue Angel: 0.402 kWh/week | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | Paper tray media types: Cut sheet | Paper tray media types: Postcard | Non-ISO print media sizes: 16K | Non-ISO print media sizes: Oficio | Colour display: Yes | Scan speed (colour): 8 ppm | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Custom media length: 127 - 356 mm | Scanner type: Flatbed & ADF scanner | Paper tray media weight: 60 - 163 g/m² | Power consumption (printing): 436 W | Maximum number of input trays: 1 | Internal memory: 512 MB | Custom media width: 76 - 216 mm | Greyscale levels: 256 | Maximum copy resolution: 300 x 300 DPI | Non-ISO print media sizes: L | Total carbon footprint (kg of CO₂e): 109 | Faxing: Mono faxing | Linux operating systems supported: Yes | Auto-redialing: Yes | Power supply type: Internal (Built-in) power supply | Sound power level (printing): 6.6 dB | Maximum print size: 207 x 348 mm | Maximum number of copies: 999 copies | Total output capacity: 150 sheets | Acoustic pressure emissions bystander (ready): 14 dB | Optical scanning resolution (colour): 1200 x 1200 ppi | Power consumption (ready): 4.5 W | Recommended operating temperature range (T-T): 17.5 - 25 °C | Duplex printing mode: Auto | Warranty card: Yes | Maximum duty cycle: 50000 pages per month | Maximum output capacity: 150 sheets | Sound pressure level (printing): 53 dB | Optical scanning resolution (black): 1200 x 1200 ppi | HP GTIN (EAN/UPC): 197961892970 | Fax forwarding: Yes | Direct printing: Yes | Scanning: Colour scanning | Wi-Fi Direct: Yes | All-In-One-multitasking: Yes | Image formats supported: JPG | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Print resolution black: 1200 x 1200 DPI | Duplex printing: Yes | Carbon emissions, logistics (kg of CO₂e): 4 | Carbon emissions, end-of-life (kg of CO₂e): 18 | Total number of input trays: 1 | Scan technology: CIS | Auto fit function: Yes | Cartridge(s) included: Yes | Total carbon emissions, w/o use phase (kg of CO₂e): 7 | Recommended duty cycle: 350 - 2500 pages per month | Compliance certificates: CE | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: EAC | Compliance certificates: BSMI | Compliance certificates: CCC | Compliance certificates: BIS | Compliance certificates: GS mark | HP GTIN (EAN/UPC) with options: (301) 884962834336 (BA5) 829160941417 (BA6) 829160941424 (UUQ) 884962780794 (UUS) 884962780787 | Duplex copying: Yes | Printer fonts: Scalable | Carbon emissions, manufacturing (kg of CO₂e): 80 | Input colour depth: 24 bit | Printer fonts: TrueType | Optical scanning resolution (ADF): 300 x 300 DPI | Sustainability compliance: Yes | Sustainable technologies and materials: Mercury free | Paper tray 1 input capacity: 250 sheets | Doesn't contain: Mercury | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true