HP LaserJet Pro MFP 3102fdw Printer

Gamintojas: **HEWLETT-PACKARD** · Modelis: **3G630F** · EAN: **195122461898** · Prekės kodas: **602636**



277,90 €

Kaina su PVM

Be PVM: **229,67 €**

Sandėlyje

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės


- ✓ Verslui Lazeris Vienpusis spausdinimas
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 33 ppm
- ✓ Vienpusis kopijavimas Spalvotas skenavimas Vienpusio fakso siuntimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 800 MHz
- ✓ 10,5 kg















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903







Aprašymas

Powerful productivity. Seamless management. Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	55 s
Time to first page (black, normal)	7 s
Secure printing	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	300 x 300 DPI
Copy speed (black, normal quality, A4)	33 cpm
Time to first copy (black, normal)	6.2 s
Maximum number of copies	999 copies
Copier resize	25 - 400%
Auto fit function	Yes
Scanning	
Scanning	Colour scanning

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed & ADF scanner
Optical scanning resolution (black)	1200 x 1200 ppi
Optical scanning resolution (colour)	1200 x 1200 ppi
Optical scanning resolution (ADF)	300 x 300 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	TWAIN, Software
Scan speed (colour)	8 ppm
Scan speed (black)	19 ppm
Image formats supported	JPG, TIFF
Document formats supported	PDF, XPS
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	Mono faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	500 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	50000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	350 - 2500 pages per month
Page description languages	PDF, PCLmS, PWG, URF, PCL 5c
Printer fonts	Scalable, TrueType

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

All-In-One-multitasking	Yes
Country of origin	Vietnam
Replacement cartridges	HP 139A Original Black LaserJet Toner CartridgeW1390A (~1,500 yield) HP 139X Original Black LaserJet Toner CartridgeW1390X (~4,000 yield)
HP segment	Small medium business
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	250 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Envelopes, Labels, Cut sheet, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	207 x 348 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	L, Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 163 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes

Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMP
Mobile printing technologies	Mopria Print Service, Apple AirPrint

Performance

Internal memory	512 MB
Maximum internal memory	512 MB
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	53 dB
Sound pressure level (scanning)	47 dB
Sound power level (printing)	6.6 dB

Design

Product colour	White
Market positioning	Business
Built-in display	Yes
Display	CGD
Display diagonal	6.86 cm (2.7")
Control type	Buttons, Touch
Colour display	Yes

Power

Power consumption (PowerSave)	0.06 W
Power consumption (printing)	436 W
Power consumption (ready)	4.5 W
Power consumption (sleep)	1.31 W
Power consumption (off)	0.06 W
Energy Star Typical Electricity Consumption (TEC)	0.407 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

HP Dynamic security	Yes
HP Security tools	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication
HP GTIN (EAN/UPC) with options	(ABT) 195122461911; (ABY) 195122461904; (B19) 195122461898; (BAZ) 195122461881
HP GTIN (EAN/UPC)	195122461911, 195122461904, 195122461898, 195122461881

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Other operating systems supported	Linux

Operational conditions

Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 32.5 °C
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C

Certificates

Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6

Sustainability

Sustainability certificates	Blue Angel
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	160
Carbon emissions, manufacturing (kg of CO2e)	103
Carbon emissions, logistics (kg of CO2e)	12
Carbon emissions, end-of-life (kg of CO2e)	19
Total carbon emissions, w/o use phase (kg of CO2e)	30

Weight & dimensions

Width	418 mm
Depth	398.2 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Height	313.2 mm
Weight	10.5 kg

Packaging data

Package width	497 mm
Package depth	379 mm
Package height	490 mm
Package weight	13.6 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	1000 pages
Cables included	AC
Warranty card	Yes
Bundled software	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools

Logistics data

Harmonized System (HS) code	8443310000
Pallet gross weight	346.9 kg
Layers per pallet	4 pc(s)
Products per pallet	24 pc(s)

Technical details

Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-pro-mfp-3101-3108fdn-fdw-printer-series/model/35801036?sku=3G630F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_5512113_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_5512113_en-US-1.pdf
Box contents	HP LaserJet Pro MFP 3102fdw Printer; HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages); Setup Guide; Reference Guide; Regulatory Flyer; Warranty Guide; Power cord

Other features

Number of users	10 user(s)
Power supply type	Internal (Built-in) power supply
Recommended system requirements	Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Manufacturer warranty	One-year limited warranty; Warranty and support options vary by product, country, and local legal requirements
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Custom media sizes	Width 76 to 216 mm ; Length 127 to 356mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2111 mm
Acoustic power emissions (ready)	32 dB
Acoustic pressure emissions bystander (ready)	14 dB
Typical electricity consumption (TEC) number	Blue Angel: 0.402 kWh/week
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	38,00cm × 49,00cm × 49,00cm
Svoris	13,50kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas 1 objects.icecat.biz/objects/95782054_62219058.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/95782054_62219059.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.