



**Power Supply BE
QUIET Pure
Power 13 1000
Watts Peak
Power 1050
Watts Efficiency
80 PLUS GOLD
PFC Active MTBF
100000 hours
BP028EU**

Modelis: BP028EU

Gamintojas: BE QUIET

EAN: 4260052192207

Prekės kodas: 602757

187.99€

Exceptional quiet, superior features

Pure Power 13 M 1000W is an ATX 3.1 compliant and PCIe 5.1 compatible power supply with semi-passive cooling. It offers peerless dependability with best-in-class features. Having both a PCIe 5.1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

cable and PCIe 6+2 cables in the scope of delivery, this PSU offers outstanding compatibility with current-gen and next-gen graphics cards. Pure Power 13 M 1000W offers the best combination of features with outstanding compatibility.

- 80 PLUS® Gold efficiency (up to 94.4%)
- ATX 3.1 PSU with full support for PCIe 5.1 GPUs and GPUs with 6+2 pin connectors
- Handles massive power excursions
- Exceptionally silent semi-passive 120mm be quiet! fan
- Semi-passive construction for quiet and energy-saving operation
- LLC technology for advanced stability and voltage regulation
- One massive high-performance 12V-rail
- One PCIe 5.1 12V-2x6 600W and 4 PCIe 6+2 connectors for overclocked high-end GPUs
- Full suite of safety features
- Meets latest requirements for modern standby

Summary: be quiet! Pure Power 13 M | 1000W. Total power: 1000 W, AC input voltage: 100 - 240 V, Peak power: 1050 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 55 cm, SATA power cable length: 500,650,800,950 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Fan diameter: 12 cm. Cables included: AC, CPU, PCIe, Peripheral (Molex), SATA | Vendor Homepage: https://www.bequiet.com/en/download/powersupply/5931?utm_source=newsletter | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Combined power (+12V): 1000 | Combined power (+3.3V): 120 | Combined power (+5V): 120 | Combined power (+5Vsb): 15 | Combined power (-12V): 3.6 | Efficiency: 92.5 | Hold time: 21.09 | Max output current (+12V1): 83.4 | Max output current (+3.3V): 22 | Max output current (+5V): 22 | Max output current (+5Vsb): 3 | Max output current (-12V): 0.3 | Maximum input current (@110V): 12 | Maximum input current (@220V): 6 | Number of +12V rail(s): 1 | Peak power: 1050 | Power factor: 0.98 | Power Factor Correction (PFC) type: Active | Power protection features: Over current/Over power/Over voltage/Overheating/Short circuit/Surge & inrush protection (SIP)/Under voltage | Total power: 1000 | Cabling type: Fully-Modular | CPU P4 connector (4-pin): 2 | CPU power cable length: 650 | CPU power connector (4+4 pin): Yes | EPS power connector (8-pin): Yes | Motherboard power cable length: 550 | Motherboard power connector: 20+4 pin ATX | Number of SATA power connectors: 6 | PCI Express power connectors (12-pin): 1 | PCI Express power connectors (6+2 pin): 4 | Peripheral (Molex) power cable length: 800/950 | Peripheral (Molex) power connectors (4-pin): 2 | SATA power cable length: 500/650/800/950 | 80 PLUS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

certification: 80 PLUS Gold | ATX version: 3.1 | Bearing technology: Rifle | EPS version: 2.92 | Mean time between failures (MTBF): 100000 | Noise level: 30.3 | Power supply unit (PSU) form factor: ATX | Purpose: PC | Cooling type: Active | Fan diameter: 120 | Fan speed: 0 - 2000 | Number of fans: 1 | On/off switch: Yes | Product colour: Black | Operating temperature (T-T): 0 - 40 | Cables included: AC,CPU,PCIe,Peripheral (Molex),SATA | Compliance certificates: BSMI/CB/CCC/CE/cTUVus/Federal Communications Commission (FCC)/IRAM/RCM/RoHS/TÜV mark/UKCA/WEEE | Depth: 160 | Height: 86 | Weight: 2640 | Width: 150 | Package depth: 320 | Package height: 133 | Package weight: 3400 | Package width: 210 | Sustainability certificates: ENERGY STAR/ErP | Products per shipping (inner) case: 6 | Shipping (inner) case gross weight: 22700 | Shipping (inner) case height: 233 | Shipping (inner) case length: 580 | Shipping (inner) case width: 325 | Cable ties included: Yes | Screws included: Yes | Product Net Weight: 2.64 | Shipping Box Height: 23 | Unit Calculated Volume: 0.008081 | Unit Calculated Weight: 3.29 | Units per Pallet: 0 | Units per Shipping Box: 6 | Model name: Pure Power 13