HP Color LaserJet Pro MFP 3302sdw

Gamintojas: **HEWLETT-PACKARD** · Modelis: **499Q6F** · EAN: **196786388484** · Prekės kodas: **603249**



363,90 €

Kaina su PVM

Be PVM: **300,74 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalvotas spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 25 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz
- ✓ 17,1 kg











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

Reliable, high-quality colour printing, scanning, and copying. Designed for business work teams that need professional performance with fast, high-quality two-sided colour printing with scanning and copying, plus award-winning reliability in a compact design.[11]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	25 ppm
Duplex printing mode	Auto
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	25 ppm
Warm-up time	55 s
Time to first page (black, normal)	10.9 s
Time to first page (colour, normal)	11 s
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	25 cpm
Copy speed (colour, normal quality, A4)	25 cpm
Time to first copy (black, normal)	9.7 s
Time to first copy (colour, normal)	13.9 s
Maximum number of copies	999 copies

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Copier resize	25 - 400%
Auto fit function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed & ADF scanner
Optical scanning resolution (black)	1200 x 1200 ppi
Optical scanning resolution (colour)	1200 x 1200 ppi
Optical scanning resolution (ADF)	300 x 300 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	E-mail, Network folder, PC, USB
Scan speed (colour)	8 ppm
Scan speed (black)	19 ppm
Image formats supported	JPG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Features

Maximum duty cycle	40000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	150 - 2500 pages per month
Digital sender	Yes
Page description languages	PDF, JPEG, PCLm, PWG, URF, PCL 5, PCL 6
Printer fonts	Scalable, TrueType
All-In-One-multitasking	Yes
Country of origin	Vietnam

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Replacement cartridges	HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A; HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A; HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A; HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A; HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X; HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X; HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X; HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X
HP segment	Small medium business

Input & output capacity

Total number of input trays	2
Total input capacity	251 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	250 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	2
Maximum input capacity	251 sheets
Maximum output capacity	100 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355.6 mm
ISO B-series sizes (B0...B9)	B5, B6
ISO C-series sizes (C0...C9)	C5
Non-ISO print media sizes	Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 176 g/m²

Ports & interfaces

Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	Wi-Fi 5 (802.11ac)
Wi-Fi Direct	Yes
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	51 dB
Sound pressure level (scanning)	41 dB
Sound power level (printing)	6.3 dB
Design	
Product colour	Blue, Grey
Market positioning	Business
Built-in display	Yes
Display	TFT
Display diagonal	10.9 cm (4.3")
Control type	Touch
Colour display	Yes
Power	
Power consumption (PowerSave)	0.05 W
Power consumption (printing)	416 W
Power consumption (ready)	7.6 W
Power consumption (sleep)	0.95 W
Power consumption (off)	0.05 W
Energy Star Typical Electricity Consumption (TEC)	0.338 kWh/week

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC input voltage	110 - 240 V
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Unique Admin Password; Enable/Disable USB; EWS Session Time Out; Control Panel Inactivity Timeout; Role Based Access Control; WebScan Disabled by default.
HP GTIN (EAN/UPC) with options	(ABT) 196786388446; (ABY) 196786388477; (B19) 196786388484; (BAZ) 196786388491
HP GTIN (EAN/UPC)	196786388446, 196786388477, 196786388484, 196786388491
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	Android, iOS
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 30 °C
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Certificates	
Certification	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Sustainability	
Sustainability certificates	Blue Angel
Sustainable technologies and materials	Contains post-consumer recycled plastic
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	260
Carbon emissions, manufacturing (kg of CO2e)	177
Carbon emissions, logistics (kg of CO2e)	20
Carbon emissions, end-of-life (kg of CO2e)	33
Total carbon emissions, w/o use phase (kg of CO2e)	28
Weight & dimensions	
Width	418 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Depth	419.1 mm
Height	341.3 mm
Weight	17.1 kg
Packaging data	
Package width	497 mm
Package depth	398 mm
Package height	532 mm
Package weight	20.6 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	600 pages
Included cartridge capacity (CMY)	500 pages
Cables included	AC
Manual	Yes
User guide	Yes
Bundled software	HP Printer Software downloadable from www.hp.com/hp-app
Logistics data	
Harmonized System (HS) code	8443310000
Pallet gross weight	495.4 kg
Layers per pallet	4 pc(s)
Products per pallet	24 pc(s)
Technical details	
Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-color-laserjet-pro-mfp-3301-3304,-3388-printer-series/model/2101440359?sku=499Q6F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf
Box contents	HP Color LaserJet Pro MFP 3302sdw; Power cord; Toner cartridge; User Guide; Flyers
Other features	
Number of users	10 user(s)
Power supply type	Internal (Built-in) power supply
Recommended system requirements	Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection. Apple macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Compatible operating systems	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux
Processor frequency	1.2 GHz
Manufacturer warranty	One-year limited warranty. For more information please visit us at https://www.support.hp.com[14].
Electromagnetic compatibility	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Custom media sizes	76 x 127 mm to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2129 mm
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2129 mm (47.2 x 39.4 x 83.8")
Pallet weight (imperial)	495.4 kg (1092.2 lbs)
Acoustic power emissions (ready)	23 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	0.338 kWh/week (Energy Star)
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	39,00cm × 50,00cm × 53,00cm
Svoris	20,65kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/119546063_62218410.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija