HP ENVY Wireless All-in-One Color Spausdintuvas, Instant Ink; Copier, Scanner

Gamintojas: **HP** · Modelis: **242P6B** · EAN: **195697742316** · Prekės kodas: **603465**



283,90 €

Kaina su PVM

Be PVM: **234,63 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Nuskaityti į PDF
- ✓ Iki 1200 x 1200 vaizduojamų tc




















Aprašymas

Tinka „HP Instant Ink“ paslaugai

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	15 ppm
Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	10 ppm
Print speed (black, draft quality, A4/US Letter)	22 ppm
Print speed (colour, draft quality, A4/US Letter)	20 ppm
Print speed (ISO/IEC 24734) black	15 ppm
Print speed (ISO/IEC 24734) colour	10 ppm
Time to first page (black, normal)	16 s
Time to first page (colour, normal)	18 s
Print margins (top, bottom, right, left)	3 mm
N-in-1 print function	Yes
Booklet printing function	Yes
Borderless printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	22 cpm
Copy speed (colour, normal quality, A4)	15 cpm
Copy speed (black, draft, A4)	22 cpm
Copy speed (colour, draft, A4)	15 cpm
Maximum number of copies	50 copies
Copier resize	25 - 400%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

ID-card copy function	Yes
Auto fit function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	215.9 x 297 mm
Scan technology	CIS
Scan to	E-mail Server, Software
Image formats supported	BMP, JPG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
TWAIN version	2.1

Fax

Faxing	No

Features

Maximum duty cycle	1000 pages per month
Duplex functions	Print
Number of print cartridges	2
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	300 - 400 pages per month
Digital sender	Yes
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes
Country of origin	Thailand
Replacement cartridges	HP 303 Black Original Ink Cartridge (~200 pages) T6N02A; HP 303 Tri-Color Original Ink Cartridge (~165 pages) T6N01A; HP 303XL Black Original Ink Cartridge (~600 pages) T6N04A; HP 303XL Tri-Color Original Ink Cartridge (~415 pages) T6N03A. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies
HP segment	Home

Input & output capacity

Total number of input trays	2
Total input capacity	125 sheets
Total output capacity	60 sheets
Maximum number of input trays	2
Maximum input capacity	125 sheets
Maximum output capacity	60 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	209.9 x 349.6 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card, 2L
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	10, B5, C5, C6, DL
Photo paper sizes	10x15,13x18,13x13,10x30
Photo paper sizes (imperial)	4x6"
Borderless printing media sizes	Letter
Custom media width	97.79 - 127 mm
Custom media length	215 - 309 mm
Paper tray media weight	75 - 300 g/m²
Envelope feeder	No
Recommended media weight	70 - 90 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	No
Wi-Fi standards	Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Internal memory	256 MB
Maximum internal memory	256 MB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	800 MHz
Sound power level (printing)	6.3 dB

Design

Product colour	Beige
Market positioning	Home & office
Built-in display	Yes
Colour name	Portobello
Display diagonal	6.86 cm (2.7")
Touchscreen	Yes
Control type	Buttons, Touch
Colour display	Yes

Power

Power consumption (printing)	14 W
Power consumption (ready)	4.9 W
Power consumption (sleep)	1.05 W
Power consumption (off)	0.05 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Instant Ink	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP GTIN (EAN/UPC) with options	(629) 195697742316; (686) 195908882510; (687) 195697742323
HP GTIN (EAN/UPC)	195697742316, 195908882510, 195697742323

System requirements

Windows operating systems supported	Windows 7, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Operating altitude	0 - 3048 m
Non-operating altitude	0 - 4500 m
Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 32.5 °C
Non-operating relative humidity (non-condensing)	10 - 90%

Certificates

Certification	EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;IEC 61000-4-2:2008;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-3:2010;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-8:2009;EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-11:2004 +A1:2017;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09

Sustainability

Sustainability certificates	Post-Consumer Recycled Plastic
Sustainable technologies and materials	Recyclable through HP Planet Partners
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	50
Carbon emissions, manufacturing (kg of CO2e)	41
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	4

Weight & dimensions

Width	460 mm
Depth	383 mm
Height	191 mm
Weight	6.91 kg

Packaging data

Package width	570 mm
Package depth	254 mm
Package height	464 mm
Package weight	8.66 kg

Packaging content

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cartridge(s) included	Yes
Included cartridge capacity (black)	125 pages
Included cartridge capacity (CMY)	120 pages
Cables included	AC
Bundled software	Download HP app from www.hp.com/hp-app

Logistics data

Harmonized System (HS) code	8443310000
Pallet gross weight	229 kg
Layers per pallet	4 pc(s)
Products per pallet	24 pc(s)

Technical details

Master (outer) cases per pallet layer	6 pc(s)
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-envy-inspire-7200e-series/model/2100402065?sku=242P6B&serialnumber=242P6B
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction
Box contents	HP ENVY Inspire 7220e All-in-One Printer; HP 303 Setup Black Instant Ink Ready Cartridge; HP 303 Setup Tri-Color Instant Ink Ready Cartridge; Ink Caution flyer; Regulatory flyer; Setup guide; Reference guide; HP Advanced Glossy and Matte Photo Inbox pouch; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies]

Other features

Number of users	5 user(s)
Power supply type	Internal universal power supply
Recommended system requirements	Intel Pentium II; Celeron or 233 MHz or better processor; 2 GB available hard disk space; Internet connection; web browser. macOS 10.14 Mojave or later; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; 1.5 GB available space; Internet access.
Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave or later; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Chrome OS
PictBridge	No
Plug and Play	Yes
Number of print heads	2
Manufacturer warranty	Up to 2 years HP Warranty. 24-hour, 7 days a week Web support; Business hour phone support within warranty period. Two years consist of: (1) one year standard HP warranty; (2) one year extra HP warranty through HP+ activation at setup [11]

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Electromagnetic compatibility	EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;IEC 61000-4-2:2008;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-3:2010;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-8:2009;EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-11:2004 +A1:2017;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09
Custom media sizes	Main Tray: 97.79 x 215 to 127 x 309 mm; Photo Tray: No custom media sizes
Pallet dimensions (W x D x H)	1216 x 1000 x 1993 mm
Pallet dimensions (W x D x H) (imperial)	1215.9 x 1000 x 1992.9 mm (47.9 x 39.4 x 78.5")
Pallet weight (imperial)	228.6 kg (504 lbs)
UNSPSC-code	43212104
Matmenys ir svoris	
Svoris	9,57kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/91427317_65420475.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija