



**Gigabyte B760
DS3H DDR4
Motherboard -
Supports Intel
Core 14th CPUs,
18+2+1 Phases
Digital VRM, up
to 5333MHz
DDR4 (OC),
2xPCIe 4.0 M.2,
GbE LAN, USB
3.2 Gen 2**

Modelis: B760 DS3H DDR4

Gamintojas: GIGABYTE

EAN: 4719331850746

Prekės kodas: 603903

115.99€

Bundled software: Norton Internet Security | PCI Express x16 slots: 5 | PC health monitoring: Voltage

| Battery technology: Lithium-Manganese Dioxide (LiMnO₂) | PC health monitoring: Water cooling |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

PC health monitoring: Fan | HDMI version: 2.0 | HDCP: Yes | Supported storage drive types: HDD & SSD | Clear CMOS jumper: Yes | Depth: 244 mm | Ethernet LAN: Yes | Number of HDDs supported: 4 | HDMI ports quantity: 1 | Width: 305 mm | RGB LED pin header: Yes | DirectX version: 12.0 | PC health monitoring: Temperature | Number of storage drives supported: 6 | Supported memory module capacities: 16GB | Memory slots type: DIMM | Number of battery cells: 1 | Cables included: SATA | Supported memory types: DDR4-SDRAM | Supported memory module capacities: 8GB | Front panel connector: Yes | Supported memory module capacities: 32GB | Supported memory clock speed (max): 5333 MHz | Motherboard form factor: ATX | Desktop Management Interface (DMI) version: 2.7 | RAID levels: 5 | RAID levels: 1 | Package depth: 270 mm | DisplayPort version: 1.2 | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | Total number of SATA connectors: 4 | RAID levels: 0 | Battery type: CR2032 | Supported memory module capacities: 1GB | TPM connector: Yes | Supported memory module capacities: 12GB | DisplayPorts quantity: 1 | Motherboard chipset: Intel B760 Express | CPU fan connector: Yes | Compatible processor series: Intel® Core™ i3 | USB 2.0 ports quantity: 4 | Compatible processor series: Intel® Core™ i5 | Compatible processor series: Intel® Celeron® | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | Compatible processor series: Intel® Core™ i7 | Compatible processor series: Intel® Core™ i9 | Compatible processor series: Intel® Pentium® Gold | Processor manufacturer: Intel | Motherboard chipset family: Intel | USB connector type: USB Type-A | Batteries included: Yes | Serial port headers: 1 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 1 | RAID levels: 10 | Number of SATA III connectors: 4 | Supported storage drive interfaces: M.2, PCI Express 4.0, SATA III | Products per shipping (inner) case: 1 pc(s) | Ethernet LAN (RJ-45) ports: 1 | ATX Power connector (24-pin): Yes | S/PDIF out connector: Yes | Number of M.2 (M) slots: 2 | Maximum internal memory supported by processor: 128 GB | Warranty period: 3 year(s) | Maximum resolution: 4096 x 2304 pixels | Package width: 335 mm | RAID support: Yes | Country of origin: China | Microphone in: Yes | Audio output channels: 7.1 channels | Windows operating systems supported: Windows 10 x64 | Supported memory module capacities: 2GB | Supported memory module capacities: 4GB | Package weight: 1.31 kg | Ethernet interface type: Gigabit Ethernet | Headphone outputs: 3 | Front panel audio connector: Yes | Windows operating systems supported: Windows 11 x64 | Height: 35 mm | USB 2.0 connectors: 2 | Processor socket: LGA 1700 | PS/2 ports quantity: 1 | Wi-Fi: No | Unbuffered memory: Yes | Parallel processing technology support: Not supported | USB connector type: USB Type-C | Supported memory clock speeds: 3466 | Supported processor sockets: LGA 1700 | Package height: 80 mm | 12V power connector: Yes | Supported memory clock speeds: 4500 MHz | Supported memory clock speeds: 2933 | Supported memory clock speeds: 3600 | Supported memory clock speeds: 3300 | Supported memory clock speeds: 5133 | Supported memory clock speeds: 3200 MHz | Supported memory clock speeds: 2666

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

| Supported memory clock speeds: 4266 | Supported memory clock speeds: 3800 | Supported memory clock speeds: 3333 | Supported memory clock speeds: 4133 | Supported memory clock speeds: 4000 | Supported memory clock speeds: 3666 | Supported memory clock speeds: 4800 | Supported memory clock speeds: 4933 | Supported memory clock speeds: 4600 | Supported memory clock speeds: 3000 | Supported memory clock speeds: 5333 MHz | Number of memory slots: 4 | Supported memory clock speeds: 2400 | Supported memory clock speeds: 4700 | USB 3.2 Gen 2x2 Type-C ports quantity: 1 | Supported memory clock speeds: 3733 | Supported memory clock speeds: 4300 | Supported memory clock speeds: 4400 MHz | Supported memory clock speeds: 5000 | Battery weight: 3 g | BIOS type: UEFI AMI | Supported memory clock speeds: 3400 | Supported memory clock speeds: 3866 | Maximum internal memory: 128 GB | Supported memory clock speeds: 2133 | Lithium weight per battery: 0.07 g