



GIGABYTE B550 AORUS ELITE AX V2 Motherboard



Modelis: B550 AORUS ELITE AX V2

Gamintojas: GIGABYTE

EAN: 4719331809904

Prekės kodas: 603905

155.99€

Bundled software: Norton® Internet Security (OEM version) LAN bandwidth management software | 2nd M.2 highest PCI Express generation: 3.0 | 1st M.2 highest PCI Express generation: 4.0 | 1st M.2 largest key size: 22110 | Bluetooth: Yes | LAN controller: Realtek RTL8125 | Number of RGB LED pin headers: 5 | 2nd M.2 largest key size: 22110 | Supported memory clock speeds: 2133 | Supported memory clock speeds: 2667 | Supported memory clock speeds: 3733 | Supported memory clock speeds: 4400 MHz | Supported memory clock speeds: 2400 | Supported memory clock speeds: 3466 | Warnings: Avoid direct contact with sensitive electronic components. | Supported memory clock speeds: 4600 | Warnings: Dispose of according to local electro-waste regulations. | Supported memory clock speeds: 3200 MHz | Supported memory clock speeds: 4266 | Supported memory clock speeds: 4133 | Supported memory clock speeds: 4000 | Supported memory clock speeds: 2933 | Supported memory clock speeds: 3600 | Supported memory clock speeds: 4733 | Warnings: Store away from water and sources of moisture. | Supported memory clock speeds: 3400 | Supported memory clock speeds: 3866 | Warranty period: 3 year(s) | Supported memory clock speed (max): 4733 MHz | Wi-Fi standards: 802.11g | HDMI ports quantity: 1 | CPU fan connector: Yes | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | DisplayPorts quantity: 1 | Depth: 244 mm |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Number of SATA III connectors: 4 | Ethernet LAN (RJ-45) ports: 1 | PC health monitoring: Fan | Package depth: 270 mm | Ethernet interface type: Fast Ethernet | Audio output channels: 7.1 channels | Motherboard chipset family: AMD | Ethernet LAN: Yes | Motherboard chipset: AMD B550 | RAID levels: 1 | Bluetooth version: 5.3 | RAID levels: 0 | Battery type: CR2032 | Ethernet interface type: 2.5 Gigabit Ethernet | HDCP: Yes | Package weight: 1.89 kg | Memory slots type: DIMM | Front panel audio connector: Yes | RAID support: Yes | RGB LED pin header: Yes | Cooling type: Passive | Width: 305 mm | PCI Express x16 (Gen 3.x) slots: 2 | Clear CMOS jumper: Yes | Audio chip: Realtek ALC897 | TPM connector: Yes | PC health monitoring: Temperature | Package width: 335 mm | Compatible processor series: AMD Ryzen 3000 Series | Number of storage drives supported: 6 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Front panel connector: Yes | WLAN controller model: Intel Wi-Fi 6E AX210 | Lithium weight per battery: 0.07 g | Maximum resolution: 5120 x 2880 pixels | Number of CPU fan connectors: 1 | RAID levels: 10 | Ethernet interface type: Gigabit Ethernet | Headphone outputs: 1 | Wi-Fi-AP antenna jack: 2 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 2 | Wi-Fi standards: Wi-Fi 6E (802.11ax) | PC health monitoring: Water cooling | Weight: 1.12 kg | PCI Express x1 (Gen 3.x) slots: 1 | Number of chassis fan connectors: 3 | ATX Power connector (24-pin): Yes | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 3 | Number of HDDs supported: 4 | Country of origin: China | DisplayPort version: 1.4 | PCI Express x16 (Gen 4.x) slots: 1 | 12V power connector: Yes | Package height: 80 mm | Number of battery cells: 1 | Compatible processor series: AMD Ryzen 5000 Series | Wi-Fi: Yes | Supported processor sockets: Socket AM4 | Battery weight: 3 g | Compatible processor series: AMD Ryzen 4000 Series | PC health monitoring: Voltage | Product colour: Black | Products per shipping (inner) case: 1 pc(s) | Batteries included: Yes | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 11 x64 | Height: 35 mm | HDMI version: 2.1 | Number of memory slots: 4 | Processor manufacturer: AMD | Number of M.2 (M) slots: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Supported storage drive interfaces: M.2, SATA III | Desktop Management Interface (DMI) version: 2.7 | DirectX version: 12.0 | Wi-Fi standards: 802.11b | Line-in: Yes | Microphone in: Yes | Parallel processing technology support: Not supported | Supported storage drive types: HDD & SSD | Power source type: ATX | USB 2.0 connectors: 2 | Maximum number of SMP processors: 1 | ECC compatibility: ECC & Non-ECC | Number of water pump connectors: 4 | Unbuffered memory: Yes | Processor socket: Socket AM4 | Number of EPS power connectors (8-pin): 1 | Motherboard form factor: ATX | Wi-Fi standards: Wi-Fi 4 (802.11n) | S/PDIF out port: Yes | Maximum internal memory: 128 GB | BIOS type: UEFI AMI | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Supported memory types: DDR4-SDRAM | Antenna included: Yes | Screws included: Yes | Maximum internal

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

memory per slot: 32 GB