



GIGABYTE A520M DS3H V2 Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, up to 4733MHz DDR4 (OC), PCIe 3.0 x16, GbE LAN, USB 3.2 Gen 1

Modelis: A520M DS3H V2

Gamintojas: GIGABYTE

EAN: 4719331854690

Prekės kodas: 603908

69.99€

Bundled software: Norton Internet Security (OEM version) Realtek 8118 Gaming LAN Bandwidth Control Utility | Clear CMOS button: Yes | Total number of SATA connectors: 4 | Battery type: CR2032 | Microphone in: Yes | Maximum number of SMP processors: 1 | PS/2 ports quantity: 1 | Number of

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

storage drives supported: 5 | Batteries included: Yes | Maximum internal memory supported by processor: 128 GB | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | Battery technology: Lithium-Manganese Dioxide (LiMnO2) | Number of battery cells: 1 | Ethernet interface type: Gigabit Ethernet | Headphone outputs: 1 | Memory channels: Dual-channel | Package depth: 265 mm | TPM connector: Yes | Supported memory types: DDR4-SDRAM | Height: 35 mm | Cables included: SATA | Drivers included: Yes | Memory slots type: DIMM | Compatible processor series: AMD Ryzen 3000 Series | Compatible processor series: AMD Ryzen Threadripper PRO 3000 WX-Series | Compatible processor series: AMD Ryzen Threadripper 3000 Series | Products per shipping (inner) case: 1 pc(s) | Wi-Fi: No | Number of displays supported: 3 | Width: 244 mm | Number of HDDs supported: 4 | HDMI ports quantity: 1 | Desktop Management Interface (DMI) version: 2.7 | Processor manufacturer: AMD | Warranty period: 3 year(s) | 12V power connector: Yes | HDMI version: 2.1 | Processor socket: Socket AM4 | Number of EATX power connectors: 1 | Depth: 244 mm | Clear CMOS jumper: Yes | DVI-D ports quantity: 1 | Ethernet LAN: Yes | Package height: 54 mm | Battery weight: 3 g | Number of memory slots: 4 | Warnings: Dispose of according to local electro-waste regulations. | Warnings: Avoid direct contact with sensitive electronic components. | Warnings: Store away from water and sources of moisture. | ECC compatibility: ECC & Non-ECC | Lithium weight per battery: 0.07 g | HDCP: Yes | DisplayPort version: 2.0 | Package width: 265 mm | Number of M.2 (M) slots: 1 | Number of SATA III connectors: 4 | Supported storage drive types: HDD & SSD | PCI Express x16 (Gen 3.x) slots: 1 | Supported memory module capacities: 1GB | Supported memory module capacities: 16GB | PC health monitoring: LED | PC health monitoring: Temperature | Ethernet LAN (RJ-45) ports: 1 | Audio chip: Realtek ALC887 | Country of origin: China | Cooling type: Active | Maximum resolution: 5120 x 2880 pixels | Serial port headers: 1 | Digital audio optical out: 1 | RAID levels: 1 | Supported storage drive interfaces: M.2, SATA III | PC health monitoring: Power supply | PC health monitoring: Voltage | DisplayPorts quantity: 1 | Motherboard form factor: micro ATX | PC health monitoring: CPU | RAID support: Yes | Motherboard chipset family: AMD | Power source type: ATX | RAID levels: 0 | Front panel audio connector: Yes | Power fan connector: Yes | Product colour: Black | CPU fan connector: Yes | Supported memory module capacities: 32GB | PCI Express x1 (Gen 3.x) slots: 2 | RAID levels: 10 | Supported memory module capacities: 2GB | Supported memory module capacities: 4GB | Unbuffered memory: Yes | Supported memory module capacities: 8GB | Audio output channels: 7.1 channels | USB 2.0 connectors: 1 | Package weight: 810 g | ATX Power connector (24-pin): Yes | Front panel connector: Yes | Windows operating systems supported: Windows 10 x64 | Supported memory clock speeds: 3200 MHz | Supported memory clock speeds: 3333 | Supported processor sockets: Socket AM4 | Supported memory clock speeds: 2667 | Supported memory clock speeds: 4400 MHz | Supported memory clock speeds: 2133 | Supported memory clock speeds: 2400 | Maximum internal

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

memory: 128 GB | Supported memory clock speeds: 2933 | Supported memory clock speeds: 3600 |
Supported memory clock speeds: 4733 | USB connector type: USB Type-A | USB 2.0 ports quantity: 2
| BIOS type: UEFI AMI | Supported memory clock speeds: 4000 | USB 3.2 Gen 1 (3.1 Gen 1)
connectors: 1