

# FSP AD36-B Procesorius Aušinimo skysčiu rinkinys 12 cm Juoda 1 vnt

Gamintojas: **FSP** · Modelis: **PO00000041** · EAN: **4711140481012** · Prekės kodas: **604412**



**81,90 €**

Kaina su PVM

Be PVM: **67,69 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Procesorius Aušinimo skysčiu rinkinys 12 cm
- ✓ Palaikomi procesoriaus lizdai: LGA 1954, LGA 1851, LGA 1700, LGA 1200 (Socket H5), AM5 lizdas, AM4 lizdas
- ✓ 54,58 cfm 1,87 mmH2O Hidrodinaminis guolis (HDB)
- ✓ 120 x 120 x 25 mm
- ✓ Juoda
- ✓ 1 vnt



## Aprašymas

### Digital Water Temperature Display

Stay in control with our precision digital display. Instantly view your liquid cooler temperature for optimal performance. AD36 is designed for enthusiasts who demand accuracy and reliability in every degree.

### Exceptional Cooling, Perfect for Glass Cases

Engineered for maximum heat dissipation, our liquid cooler thrives in glass chassis setups. Its sleek design and powerful thermal performance ensure your system stays cool, even under the most demanding loads.

## ARGB Lighting with Infinity Mirror Fan

Illuminate your rig with vibrant ARGB effects and a mesmerizing infinity mirror fan. Built with advanced acoustic engineering, it delivers whisper-quiet operation without compromising airflow or style.

## Effortless Thermal Monitoring with Glass Cases

Pairing AD36 with a glass case isn't just about aesthetics, it's about performance insight. Transparent panels allow users to instantly view integrated temperature displays, making thermal data easy to read at a glance.

## Universal Compatibility & Hassle-Free Installation

Supports Intel and AMD platforms with a quick-mount design. Whether you're building or upgrading, AD36 AIO liquid cooler offers a simplified setup process, no guesswork, just plug, mount, and cool.

### Techninė specifikacija

| Veikimo charakteristikos               |                                                                            |
|----------------------------------------|----------------------------------------------------------------------------|
| Tinkama vieta                          | Procesorius                                                                |
| Tipas                                  | Aušinimo skysčiu rinkinys                                                  |
| Ventiliatoriaus skersmuo               | 12 cm                                                                      |
| Palaikomi procesoriaus lizdai          | LGA 1954, LGA 1851, LGA 1700, LGA 1200 (Socket H5), AM5 lizdas, AM4 lizdas |
| Didžiausias oro srautas                | 54,58 cfm                                                                  |
| Minimalus oro slėgis                   | 0,51 mmH2O                                                                 |
| Didžiausias oro slėgis                 | 1,87 mmH2O                                                                 |
| Ventiliatoriaus laikiklio tipas        | Hidrodinaminis guolis (HDB)                                                |
| Ventiliatoriaus triukšmo lygis (min.)  | 17,7 dB                                                                    |
| Ventiliatoriaus triukšmo lygis (maks.) | 33 dB                                                                      |
| Siurblio triukšmo lygis                | 29 dB                                                                      |
| Kiekis pakuotėje                       | 1 vnt                                                                      |
| Siurblio variklio greitis (maks.)      | 2850 RPM                                                                   |
| Ventiliatoriaus greitis (min.)         | 1100 RPM                                                                   |
| Ventiliatoriaus greitis (maks.)        | 2000 RPM                                                                   |
| Konstrukcija                           |                                                                            |
| Produkto spalva                        | Juoda                                                                      |
| Ventiliatorių skaičius                 | 3 ventiliatorius(iai / ių)                                                 |
| Apšvietimo LED                         | Taip                                                                       |
| Apšvietimo spalva                      | Daugybė                                                                    |

**Energijos valdymas**

|                                   |       |
|-----------------------------------|-------|
| Siurblio galios suvartojimas      | 3 W   |
| Šilumos galios išvado dydis (TDP) | 300 W |
| Siurblio įtampa                   | 12 V  |

**Svoris ir matmenys**

|                                                     |                   |
|-----------------------------------------------------|-------------------|
| Radiatoriaus plotis                                 | 39,4 cm           |
| Radiatoriaus gylis                                  | 12 cm             |
| Radiatoriaus aukštis                                | 2,7 cm            |
| Vandens bloko plotis                                | 6,7 cm            |
| Vandens bloko gylis                                 | 6,7 cm            |
| Vandens bloko aukštis                               | 4,7 cm            |
| Svoris                                              | 1,4 kg            |
| Ventiliatoriaus matmenys (plotis x gylis x aukštis) | 120 x 120 x 25 mm |
| Paketo svoris                                       | 2,21 kg           |

**Pakuotės turinys**

|                    |      |
|--------------------|------|
| CPU laikiklis(iai) | Taip |
|--------------------|------|

**Techninė informacija**

|                        |         |
|------------------------|---------|
| Garantinis laikotarpis | 3 metai |
|------------------------|---------|

**Matmenys ir svoris**

|        |        |
|--------|--------|
| Svoris | 2,24kg |
|--------|--------|

**Gamintojo ir saugos informacija**

## GAMINTOJAS

**FSP Technology Inc.**

Xinpu 6th St. No.101, 330 Taoyuan City, TW  
[fsplifestyle.com](https://fsplifestyle.com)

## ATSAKINGAS ASMUI ES

**Fortron/Source (Europa) GmbH**

Carl-Friedrich-Benz-Strasse 13, D-47877 Willich,  
DE  
[fsplifestyle.com](https://fsplifestyle.com)

## PLATINTOJAS

**MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)