

Samsung G61SD computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD OLED Silver

 Gamintojas: **SAMSUNG** · Modelis: **LS27DG612SUXEN** · EAN: **8806095810799** · Prekės kodas: **606503**


619,90 €

Kaina su PVM

 Be PVM: **512,31 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") OLED OLED
- ✓ Quad HD 2560 x 1440 pixels 16:9
- ✓ 240 Hz 0.03 ms 250 cd/m² 1000000:1
- ✓ NVIDIA G-SYNC AMD FreeSync Flicker-free technology
- ✓ G 28 kWh 28 W



Aprašymas

Samsung G61SD. Bildschirmdiagonale: 68,6 cm (27"), Display-Auflösung: 2560 x 1440 Pixel, HD-Typ: Quad HD, Bildschirmtechnologie: OLED, Reaktionszeit: 0,03 ms, Natives Seitenverhältnis: 16:9, Bildwinkel, horizontal: 178°, Bildwinkel, vertikal: 178°. Integrierter USB-Hub. VESA-Halterung, Höhenverstellung. Produktfarbe: Silber

Techninė specifikacija

Specifications

Sandėlio grupė

Monitore [+1510][-138]

Display

Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	OLED
Touchscreen	No
HD type	Quad HD
Panel type	OLED
Response time	0.03 ms
Screen shape	Flat
Contrast ratio (typical)	1000000:1
Maximum refresh rate	240 Hz
Display number of colours	1 billion colours
Display brightness (typical)	250 cd/m²
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Viewable size, horizontal	59 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	67 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), High Dynamic Range 10+ Gaming (HDR10 Plus Gaming)
DDC/CI	Yes
Colour gamut	99%
Performance	
NVIDIA G-SYNC	Yes
AMD FreeSync	Yes
NVIDIA G-SYNC type	G-SYNC Compatible
AMD FreeSync type	FreeSync Premium Pro
Flicker-free technology	Yes
Game features	Super Arena Gaming UX, Super Ultrawide GameView
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Gaming

Product colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
HDCP version	2.2
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Adjustable height (max)	12 cm
Pivot	Yes
Pivot angle	-92 - 92°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-2 - 25°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	28 kWh
Energy consumption (HDR) per 1000 hours	38 kWh
Power consumption (typical)	28 W
Power consumption (standby)	0.5 W
Power consumption (max)	140 W

AC input voltage	100 - 240 V
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	
Width (with stand)	611.7 mm
Depth (with stand)	263.5 mm
Height (with stand)	554.2 mm
Weight (with stand)	6.9 kg
Width (without stand)	611.7 mm
Depth (without stand)	49.2 mm
Height (without stand)	353.8 mm
Weight (without stand)	3.8 kg
Packaging data	
Stand type	HAS stand
Package width	684 mm
Package depth	464 mm
Package height	200 mm
Package weight	9.5 kg
Packaging content	
Cables included	DisplayPort, HDMI
Power cable length	1.5 m
Other features	
Brand specific technologies	Black Equalizer
Auto source switch+	Yes
Anynet + (HDMI-CEC)	Yes
Off Timer Plus	Yes
Virtual AIM point	Yes
Matmenys ir svoris	
Svoris	9,50kg