

Cudy WR3000E wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White

Gamintojas: CUDY · Modelis: WR3000E · EAN: 6971690793692 · Prekės kodas: 606708



49,90 €

Kaina su PVM

Be PVM: 41,24 €

Neturime



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1.3 GHz Dual-Core CPU
- ✓ 4-Stream Dual-Band Wi-Fi 6
- ✓ 2402 Mbps + 574 Mbps Wi-Fi
- ✓ 5x Gigabit Ethernet Ports
- ✓ 200 Connected Devices
- ✓ Covers 130 m² (1,400 ft²)
- ✓ Cudy Mesh, VPN Server and Client
- ✓ Cudy App, Cloud Control



Aprašymas

More Devices, Lower Latency

Easier Combos in Games

In addition to the 2T2R structure, one additional 5 GHz stream enhance the agility to navigate signals through obstacles. The high-gain antennas and Beamforming boost the signal to every corner of your home.

Connect More. Stay Fast.

Designed to connect 200 devices, with a maximum capacity of 512 devices, this router provides a more efficient network that loads faster for more without slowing down performance.

Parental Controls

Set Wi-Fi time schedules and block inappropriate websites to protect your loved ones. You can create custom profiles to easily manage multiple devices.

Secure Remote Access with VPN Server and Client

Techninė specifikacija

Specifications	
Sandėlio grupė	Routers [+101][-127]
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	2402 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	574 Mbit/s
WLAN data transfer rate (second band)	2402 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Port forwarding	Yes
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1
VPN server	WireGuard OpenVPN IPsec ZeroTier PPTP L2TP
Ports & interfaces	
Ethernet LAN (RJ-45) ports	4
USB port	No
DC-in jack	Yes
Management features	

Web-based management	Yes
Quality of Service (QoS) support	Yes
Wake-on-LAN ready	Yes
Reset button	Yes
WPS push button	Yes
MU-MIMO technology	Yes
MIMO	Yes
Security	
Security algorithms	WPA, WPA2, WPA3
Firewall	Yes
Guest access	Yes
Filtering	Yes
MAC address filtering	Yes
IP address filtering	Yes
URL filtering	Yes
IGMP snooping	Yes
DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Design	
Product type	Tabletop router
Product colour	White
Wall mountable	Yes
LED indicators	LAN, Power, WAN, WLAN
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC)
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick installation guide	Yes
Antenna	
Antenna design	External

Antenna type	2x2
Antenna gain level (max)	5 dBi
Antennas quantity	4
Antenna direction type	Omni-directional

Features

Built-in processor	Yes
Processor architecture	ARM Cortex-A53
Processor frequency	1300 MHz
Processor cores	2
Internal memory	256 MB
Internal memory type	DDR3
Flash memory	128 MB

Power

Power source type	DC
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Output voltage	12 V
Output current	1 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	183.3 mm
Depth	109 mm
Height	38 mm
Weight	330 g

Packaging data

Package width	330 mm
Package depth	256 mm
Package height	60 mm
Package weight	737.6 g

Matmenys ir svoris

Matmenys (I × P × A)	27,00cm × 22,00cm × 15,00cm
Svoris	0,75kg