HP Officejet Wireless Color Spausdintuvas

Gamintojas: **HEWLETT-PACKARD** · Modelis: **CZ993A** · EAN: **195697430763** · Prekės kodas: **606776**



203,90 €

Kaina su PVM

Be PVM: **168,51 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Spausdinimas naudojant priekinę USB jungtį
- ✓ Print (spausdinti)
- ✓ Spausdinkite iki 9 ppm juodai, iki 6 ppm – spalvotai
- ✓ Iki 1200 x 1200 perteikiamų („rendered") dpi raiška (spausdinant iš kompiuterio)



Aprašymas

Compatible operating systems: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X Yosemite (v10.10), OS X Mavericks (v10.9), OS X Mountain Lion (v10.8) 1 GB available hard disk space Internet required USB. Linux: for more information, see http://hplipopensource.com/hplip-web/index.html Chrome OS | Manufacturer warranty: One-year commercial hardware warranty 24-hour, 7 days a week Web support | Box contents:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

HP OfficeJet 200 Mobile Printer HP 62 Setup Black Ink Cartridge (~200 pages) HP 62 Setup Tri-color Ink Cartridge (~120 pages) Regulatory flyer Setup poster Power cord Rechargeable battery For ink volume and page yield information, visit http://www.hp.com/go/learnaboutsupplies | Bundled software: HP Dropbox, HP Google Drive, Microsoft DotNet | Recommended system requirements: Windows 10 8.1 8 7 Windows Vista (32-bit only) Windows XP SP3 AppleOS X Yosemite (v10.10) OS X Mavericks (v10.9) OS X Mountain Lion (v10.8) Linux. Apple OS Catalina (v10.15) OS X El Capitan (v10.11) OS X Yosemite (v10.10) OS X Mavericks (v10.9) 1 GB Available Space Internet required USB. | Internal memory: 128 MB | Borderless printing media sizes: 13x18 | Non-ISO print media sizes: L | Height: 69 mm | ISO A-series sizes (A0...A9): A6 | Windows operating systems supported: Windows 7 | Depth: 186 mm | Operating relative humidity (H-H): 15 - 95% | Custom media width: 76.2 - 101 mm | Non-ISO print media sizes: Hagaki card | Non-ISO print media sizes: 2L | Power consumption (standby): 3.9 W | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 8 Pro | Cables included: AC | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Package width: 495 mm | Width: 364 mm | Direct printing: Yes | Windows operating systems supported: Windows 8 | Package depth: 119 mm | Maximum ISO A-series paper size: A4 | Mac operating systems supported: Mac OS X 10.10 Yosemite | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.7.5 Lion | USB port: Yes | Mac operating systems supported: Mac OS X 10.9 Mavericks | Sound power level (printing): 6.2 dB | Print speed (colour, normal quality, A4/US Letter): 7 ppm | Colour: Yes | Power supply type: Built-in power supply | Custom media length: 216 - 355.6 mm | Number of users: 3 user(s) | ISO A-series sizes (A0...A9): A4 | JIS B-series sizes (B0...B9): B5 | Number of print cartridges: 2 | Print technology: Thermal inkjet | Maximum input capacity: 50 sheets | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Envelopes sizes: C5 | ISO A-series sizes (A0...A9): A5 | Page description languages: PCL 3 GUI | Envelopes sizes: C6 | Wi-Fi: Yes | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 10 x64 | Envelopes sizes: B5 | Maximum resolution: 4800 x 1200 DPI | ISO B-series sizes (B0...B9): B5 | Printing colours: Black, Cyan, Magenta, Yellow | Maximum number of input trays: 1 | Maximum print size: 209.9 x 349.6 mm | Paper tray media weight: 60 - 300 g/m² | Envelopes sizes: DL | Package height: 243 mm | Print speed (black, normal quality, A4/US Letter): 10 ppm | Card reader integrated: No | Sustainability certificates: ENERGY STAR | Carbon emissions, logistics (kg of CO2e): 0.2 | Sustainable technologies and materials: Forest First product | Sustainability compliance: Yes | HP GTIN (EAN/UPC): 194850725500 | Sustainability certificates: EPEAT Silver | Total carbon footprint (kg of CO2e): 6.2 | Power consumption (printing): 15 W | Photo paper sizes: 10x15 cm | Harmonized System (HS) code: 8443321040 | Custom media sizes: 76.2 x 216 to 101 x 355.6 mm | Total input capacity: 50 sheets | Time to first page (black, normal): 12 s | Other operating systems supported: ChromeOS | Paper tray media types: Recycled paper | HP Auto-On/Auto-Off: Yes | Paper tray media types: Plain paper | Print speed (black, draft quality, A4/US Letter): 20 ppm | Paper tray media types: Lightweight paper | Paper tray media types: Photo paper | Master (outer) cases per pallet layer: 20 pc(s) | Recommended humidity operating range: 15 - 90% | Duplex printing mode: Manual | Recommended operating temperature range (T-T): 15 - 30 °C | ISO C-series sizes (C0...C9): C6 | ISO C-series sizes (C0...C9): C5 | Layers per pallet: 10 pc(s) | Print resolution colour: 4800 x 1200 DPI | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Pallet dimensions (W x D x H) (imperial): 1219.2 x 1016 x 2430 mm (48 x 40 x 95.7") | Duplex printing: Yes | Included cartridge capacity (black): 200 pages | Maximum internal memory: 128 MB | Borderless printing: Yes | Envelope feeder: No | Print resolution black: 1200 x 1200 DPI | Pallet dimensions (W x D x H): 1219 x 1016 x 2430 mm | Number of print heads: 2 | Colour display: No | Maximum duty cycle: 500 pages per month | UNSPSC-code: 43212104 | Pallet weight (imperial): 739.4 kg (1630 lbs) | Pallet gross weight: 741 kg | Included cartridge capacity (CMY): 120 pages | Total number of input trays: 1 | Cartridge(s) included: Yes | Recommended duty cycle: 100 - 300 pages per month | HP segment: Home office | Wi-Fi Direct: Yes | Control type: Buttons | Print speed (colour, draft quality, A4/US Letter): 19 ppm | Total carbon emissions, w/o use phase (kg of CO2e): 1 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC true | Carbon emissions, manufacturing (kg of CO2e): 6 | Carbon emissions, end-of-life (kg of CO2e): 3 | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | Built-in display: Yes | Package weight: 3.6 kg | USB 2.0 ports quantity: 1 | Operating temperature (T-T): 5 - 40 °C | Processor frequency: 525 MHz | AC input voltage: 200 - 240 V | Compliance certificates: CECP | AC input frequency: 50/60 Hz | Storage temperature (T-T): -40 - 60 °C | Display diagonal: 5.08 cm (2") | Power consumption (off): 0.17 W

Techninė specifikacija

Features	
Colour	Yes
Maximum duty cycle	500 pages per month
Number of print cartridges	2
Duplex printing	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Page description languages	PCL 3 GUI
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	100 - 300 pages per month
Duplex printing mode	Manual
HP segment	Home office
Printing	
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	10 ppm
Print resolution black	1200 x 1200 DPI
Print resolution colour	4800 x 1200 DPI
Print speed (colour, draft quality, A4/US Letter)	19 ppm
Print speed (black, draft quality, A4/US Letter)	20 ppm
Print speed (colour, normal quality, A4/US Letter)	7 ppm
Time to first page (black, normal)	12 s
Borderless printing	Yes
Input & output capacity	
Total number of input trays	1
Total input capacity	50 sheets
Maximum number of input trays	1
Maximum input capacity	50 sheets
Envelope feeder	No
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	209.9 x 349.6 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card, L, 2L
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Borderless printing media sizes	13x18
Custom media width	76.2 - 101 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Custom media length	216 - 355.6 mm
Paper tray media weight	60 - 300 g/m²
Custom media sizes	76.2 x 216 to 101 x 355.6 mm
Ports & interfaces	
USB port	Yes
USB 2.0 ports quantity	1
Direct printing	Yes
Network	
Wi-Fi	Yes
Wi-Fi Direct	Yes
Performance	
Internal memory	128 MB
Maximum internal memory	128 MB
Card reader integrated	No
Processor frequency	525 MHz
Sound power level (printing)	6.2 dB
Design	
Built-in display	Yes
Colour display	No
Display diagonal	5.08 cm (2")
Control type	Buttons
Country of origin	Thailand
Power	
Power consumption (printing)	15 W
Power consumption (off)	0.17 W
Power consumption (standby)	3.9 W
AC input voltage	200 - 240 V
AC input frequency	50/60 Hz
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP GTIN (EAN/UPC)	889894402004
System requirements	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended system requirements	Windows 10; 8.1; 8; 7; Windows Vista; (32-bit only); Windows XP SP3; AppleOS X Yosemite (v10.10); OS X Mavericks (v10.9); OS X Mountain Lion (v10.8); Linux. Apple OS Catalina (v10.15); OS X El Capitan (v10.11); OS X Yosemite (v10.10); OS X Mavericks (v10.9); 1 GB Available Space; Internet required; USB.
Windows operating systems supported	Windows XP Professional, Windows XP, Windows Vista, Windows 7 x64, Windows 7, Windows 8 Pro, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Mac operating systems supported	Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.10 Yosemite
Other operating systems supported	ChromeOS
Compatible operating systems	Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X Yosemite (v10.10), OS X Mavericks (v10.9), OS X Mountain Lion (v10.8); 1 GB available hard disk space; Internet required; USB. Linux: for more information, see http://hplipopensource.com/hplip-web/index.html; Chrome OS

Operational conditions

Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	15 - 95%
Recommended humidity operating range	15 - 90%
Recommended operating temperature range (T-T)	15 - 30 °C

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Silver
Sustainable technologies and materials	Forest First product
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	34.6
Carbon emissions, manufacturing (kg of CO2e)	27
Carbon emissions, logistics (kg of CO2e)	0.8
Carbon emissions, end-of-life (kg of CO2e)	0.8
Total carbon emissions, w/o use phase (kg of CO2e)	6

Weight & dimensions

Width	364 mm
Depth	186 mm
Height	69 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Pallet dimensions (W x D x H)	1219 x 1016 x 2430 mm

Packaging data

Cartridge(s) included	Yes
Included cartridge capacity (black)	200 pages
Included cartridge capacity (CMY)	120 pages
Cables included	AC
Bundled software	HP Dropbox, HP Google Drive, Microsoft DotNet
Package width	495 mm
Package depth	119 mm
Package height	243 mm
Package weight	3.6 kg

Technical details

Master (outer) cases per pallet layer	20 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-officejet-200-mobile-printer-series/model/5156327?sku=CZ993A&serialnumber=CZ993A
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction

Logistics data

Harmonized System (HS) code	8443321040
Pallet gross weight	741 kg
Layers per pallet	10 pc(s)
Products per pallet	200 pc(s)

Other features

Print technology	Thermal inkjet
Power supply type	Built-in power supply
Number of print heads	2
Manufacturer warranty	One-year commercial hardware warranty; 24-hour, 7 days a week Web support
Number of users	3 user(s)
Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2430 mm (48 x 40 x 95.7")
Pallet weight (imperial)	739.4 kg (1630 lbs)
UNSPSC-code	43212104
Box contents	HP OfficeJet 200 Mobile Printer; HP 62 Setup Black Ink Cartridge (~200 pages); HP 62 Setup Tri-color Ink Cartridge (~120 pages); Regulatory flyer; Setup poster; Power cord; Rechargeable battery; For ink volume and page yield information, visit http://www.hp.com/go/learnaboutsupplies

Matmenys ir svoris

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Matmenys (I × P × A)	24,00cm × 12,00cm × 50,00cm
Svoris	3,11kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

› Gamintojo saugos informacija