TP-Link ER7406 wired router Gigabit Ethernet Black

Gamintojas: **TP-LINK** · Modelis: **ER7406** · EAN: **8885020622300** · Prekės kodas: **606781**



122.90€

Kaina su PVM

Be PVM: **101.57€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1× Gigabit SFP WAN/LAN port
- ✓ 5× Gigabit RJ45 ports (1× WAN, 4× WAN/LAN)
- ✓ 1× USB 3.0 port (Supports USB storage, and LTE backup with LTE dongle)
- ✓ Load Balancing on up to 5 WAN ports raises the utilization rate of multi-line broadband
- ✓ High-security SSL/ IPSec / GRE§ / WireGuard / PPTP / L2TP VPN & OpenVPN
- ✓ Centralized cloud management via the web or the Omada app*
- ✓ DoS defense, IP/MAC/URL filtering, DPI, and IPS/IDS for enhanced security
- ✓ Rackmount/Desktop






Aprašymas

- 1× Gigabit SFP WAN/LAN port
- 5× Gigabit RJ45 ports (1× WAN, 4× WAN/LAN)
- 1× USB 3.0 port (Supports USB storage, and LTE backup with LTE dongle)
- Load Balancing on up to 5 WAN ports raises the utilization rate of multi-line broadband
- High-security SSL/ IPSec / GRE§ / WireGuard / PPTP / L2TP VPN & OpenVPN
- Centralized cloud management via the web or the Omada app*
- DoS defense, IP/MAC/URL filtering, DPI, and IPS/IDS for enhanced security
- Rackmount/Desktop

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Summary: TP-Link ER7406. Networking standards: IEEE 802.1D, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Ethernet interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s. Security algorithms: 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512. Compliance certificates: CE, Federal Communications Commission (FCC), RoHS. Cables included: AC. Flash memory: 128 MB, Internal memory: 512 MB, Internal memory type: DDR4 | Vendor Homepage: https://www.tp-link.com/uk/business-networking/omada-router-wired-router/er7406/ | Ethernet WAN: Yes | DSL WAN: No | SIM card slot: No | 3G/4G USB modem compatibility: Yes | SFP WAN: Yes | Networking standards: IEEE 802.1D/IEEE 802.3/IEEE 802.3ab/IEEE 802.3u/IEEE 802.3x/IEEE 802.3z | Ethernet interface type: Gigabit Ethernet | Ethernet LAN data rates: 10/100/1000 | Static route: Yes | VLAN support: Yes | Web-based management: Yes | Reset button: Yes | Ethernet LAN (RJ-45) ports: 5 | Installed SFP modules quantity: 1 | USB ports quantity: 1 | DMZ support: Yes | DHCP server: Yes | Security algorithms: 128-bit AES/192-bit AES/256-bit AES/DES/MD5/SHA-1/SHA-2/SHA-384/SHA-512 | URL filtering: Yes | DoS attack prevention: Yes | ARP attack prevention: Yes | ICMP attack prevention: Yes | VPN tunnels quantity: 50 | Cables included: AC | Quick installation guide: Yes | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Flash memory: 128 | Internal memory: 512 | Internal memory type: DDR4 | Windows operating systems supported: Windows 10/Windows 2000/Windows 7/Windows 8/Windows 8.1/Windows 98SE/Windows NT/Windows Vista/Windows XP | Mac operating systems supported: Yes | Linux operating systems supported: Yes | Product colour: Black | Rack mounting: Yes | Power consumption (max): 7.5 | AC input voltage: 100 - 240 | AC input frequency: 50/60 | Operating temperature (T-T): 0 - 50 | Storage temperature (T-T): -40 - 70 | Operating relative humidity (H-H): 10 - 90 | Storage relative humidity (H-H): 5 - 90 | Width: 294 | Depth: 140 | Height: 44 | Unit Calculated Weight: 1.77 | Product Net Weight: 1 | Unit Calculated Volume: 0.006486 | Units per Shipping Box: 1 | Unit Width: 8 | Shipping Box Height: 23.5 | Unit Depth: 34.5 | Unit Height: 23.5 | Name: NET ROUTER 1000M 6PORT VPN/OMADA ER7406 TP-LINK | Model: ER7406

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	Yes
SFP WAN	Yes
Network	
Networking standards	IEEE 802.1D, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Static route	Yes
VLAN support	Yes
Management features	
Web-based management	Yes
Reset button	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	5
Installed SFP modules quantity	1
USB ports quantity	1
Protocols	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

DHCP server	Yes
DMZ support	Yes
Security	
Security algorithms	128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512
URL filtering	Yes
DoS attack prevention	Yes
ARP attack prevention	Yes
ICMP attack prevention	Yes
VPN tunnels quantity	50
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Packaging content	
Cables included	AC
Quick installation guide	Yes
Features	
Flash memory	128 MB
Internal memory	512 MB
Internal memory type	DDR4
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Design	
Product colour	Black
Rack mounting	Yes
Power	
Power consumption (max)	7.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Weight & dimensions	
Width	294 mm
Depth	140 mm
Height	44 mm

Matmenys ir svoris	
Matmenys (I × P × A)	35.00cm × 8.00cm × 24.00cm

Gamintojo ir saugos informacija

MANUFACTURER

TP-Link

EU RESPONSIBLE PERSON

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt