DDPAI N2 Dual Dash Cam

Gamintojas: **DDPAI** · Modelis: **N2 Dual** · EAN: **6934915204946** · Prekės kodas: **609299**



84,91 €

Kaina su PVM

Be PVM: **70,17 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt







Aprašymas

DDPAI N2 Dual Dash Cam

The DDPAI N2 Dual is a car dash cam equipped with front and rear cameras, allowing you to record what’s happening on both sides of the vehicle. The front camera records at a resolution of 2560 × 1440 at 30 fps, while the rear camera records Full HD footage at 1920 × 1080 at 25 fps. The device offers a 125° field of view at the front and 124° at the rear, supports microSD cards with capacities up to 256 GB, and features 2.4 GHz Wi-Fi and Bluetooth 5.0 connectivity. It also features a 1.9-inch screen, a 3-axis G-sensor, a microphone, a speaker, and ADAS functions to assist the driver during the trip.

Front and Rear Video Recording

The use of two cameras allows you to record events taking place both in front of and behind the car. The front F2.0 lens with a 125° field of view captures video at a resolution of 2560 × 1440, which helps capture important details, while the rear F2.0 camera with a 124° field of view records in

Full HD quality. Footage is saved in the popular MP4 format, making it easy to play back later on compatible devices.

Wireless Connectivity and Convenient Operation

The DDPAI N2 Dual supports 2.4 GHz Wi-Fi and Bluetooth Low Energy 5.0, allowing you to control functions and manage recordings via a mobile app. This enables you to access the dash cam’s footage and settings using your smartphone. The device is also equipped with a 1.9-inch screen with a resolution of 320 × 170, which provides direct access to basic information.

G-Sensor and ADAS Features

The built-in 3-axis G-sensor detects changes in G-force, supporting the dashcam’s operation during road incidents. The N2 Dual model also offers ADAS features, including a forward vehicle departure alert and a driver fatigue warning. Optional parking monitoring is also available, which extends the dashcam’s capabilities to include surveillance while parked after proper configuration.

Supercapacitor and Wide Temperature Range Operation

The DDPAI N2 Dual is equipped with a supercapacitor, and the device itself can operate at temperatures ranging from -20°C to 70°C and be stored within a range of -40°C to 85°C. Support for microSD cards with capacities up to 256 GB provides storage space for camera recordings, while the built-in microphone enables audio recording. The device also features a built-in speaker and a USB-C port for powering the unit.

Manufacturer	DDPAI
Model	N2 Dual
Front camera resolution	2560 × 1440, 30 fps
Rear camera resolution	1920 × 1080, 25 fps
Front lens	F2.0, 2G2P
Front camera field of view	125°
Rear lens	F2.0, 2G2P
Rear camera field of view	124°
Recording format	MP4
G-sensor	3-axis
App control	Yes
Parking monitoring	Optional
Wi-Fi	2.4 GHz
Bluetooth	BLE 5.0
Supported memory cards	microSD up to 256 GB
ADAS	Front vehicle departure alert, driver fatigue warning
Screen	1.9"
Screen resolution	320 × 170
Microphone	yes
Speaker	yes
Supercapacitor	yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Operating temperature	-20°C to 70°C
Storage temperature	-40°C to 85°C
Power connector	USB-C
Front camera dimensions	10 × 6.6 × 5.1 mm
Front camera weight	94.4 g

Information about data generation: https://dataact.innpro.pl/DDPAI/6934915204946, GPSR Link: https://psr-assets.innpro.pl/car_accessories/sg_car_accessories_video_recorders.pdf, PPWR: https://ppwr.innpro.pl/en/ddpai, Gross weight: 490, Net weight: 481, Box length: 22,50, Box width: 5,50, Box height: 14,00

Techninė specifikacija

Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 5,00cm × 14,00cm
Svoris	0,49kg