

Zalman Alpha2 A24 ARGB Black Liquid Cooler

Gamintojas: **ZALMAN** · Modelis: **ALPHA2 V2 A24 BLACK** · EAN: **8800263651108** · Prekės kodas: **609355**



73,89 €

Kaina su PVM

Be PVM: 61,07 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Real-Time CPU Temperature Display – Monitor CPU temperature directly from the pump head display
- ✓ 360° Rotatable Magnetic Pump Head – Easily adjust the display orientation to match different installation directions
- ✓ Enhanced 3,300 RPM Water Pump – Upgraded high-performance pump delivers efficient coolant circulation for powerful cooling
- ✓ High-Performance Pure Copper Base – Micro-skived copper fins maximize the heat-transfer area for improved cooling efficiency
- ✓ Single-Frame ARGB PWM Fan Design – 2-in-1 or 3-in-1 fan construction simplifies installation and reduces cable clutter
- ✓ Motherboard-Synchronized ARGB Lighting – Addressable RGB lighting supports synchronization with compatible motherboard RGB software
- ✓ Wide CPU Socket Compatibility – Supports Intel LGA1851/1700/1200/115X and AMD AM5/AM4 platforms



Aprašymas

The ZALMAN ALPHA2 V2 is a high-performance 240/360 mm AIO liquid CPU cooler designed for powerful cooling, low-noise operation, and vivid system customization. Its distinctive ARGB pump head features a real-time CPU temperature display and a 360° rotatable magnetic cover for flexible installation and optimal viewing. The upgraded 3,300 RPM pump, micro-skived pure copper base, and aluminum radiator provide efficient heat transfer and cooling performance. A 2-in-1 or 3-in-1 single-frame fan design simplifies installation and cable management, while PWM control dynamically adjusts fan speed according to system cooling requirements. The ALPHA2 V2 also supports motherboard ARGB synchronization and includes ZM-STC10 thermal compound for efficient CPU heat transfer. Compatible with Intel LGA1851/1700/1200/115X and AMD AM5/AM4 sockets.

Techninė specifikacija

Specifications	
Sandėlio grupė	Computers - Cooling solutions - CPU Cooler - Liquid - Zalman [+19][-1]
Features	
Material	Aluminium, Copper, Acrylonitrile butadiene styrene (ABS)
Product colour	Black
Supported processor sockets	LGA 1851, LGA 1700, LGA 1200 (Socket H5), LGA 1151 (Socket H4), Socket AM4, Socket AM5
Compatible processor series	Intel Core Ultra (Series 2), Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, AMD Ryzen 1000 Series, AMD Ryzen 2000 Series, AMD Ryzen 3000 Series, AMD Ryzen 4000 Series, AMD Ryzen 5000 Series, AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series, AMD Ryzen PRO 1000 Series, AMD Ryzen PRO 2000 Series, AMD Ryzen PRO 3000 Series, AMD Ryzen PRO 4000 Series, AMD Ryzen PRO 5000 Series, AMD Ryzen PRO 6000 Series, AMD Ryzen PRO 7000 Series, AMD Ryzen PRO 8000 Series
Number of fan connectors	1
Fan connector	4-pin
RGB connector	3
Power connector	4-pin
Angle	360°
Connector 1 gender	Female
Connector 2 gender	Female
Number of fans	2 fan(s)
Fan diameter	12 cm
Fan performance	69.12 cfm
Best uses	CPU
Pulse-width modulation (PWM) support	Yes
Maximum flow rate	1.25 l/min
AWG wire size	26
Quick disconnect	No
Thermal detection	Yes
Easy to use	Yes
Noise level	33.9 dB
Suitable for	Processor
Certification	KC, CE, RoHS

Weight & dimensions

Tube 1 diameter	1.2 cm
Tube length	40 cm

Packaging data

Quantity per pack	1 pc(s)
Package width	326 mm
Package depth	202 mm
Package height	144 mm
Package type	Box
Packaging content	ALPHA2 V2 A24 PUMP&Radiator, 240mm AIO FAN, FAN Side Cover, Intel Mount Clip, AMD Mount Clip, Intel Backplate, Intel Stand-Offs, AMD Screws, Fixing Nuts, Thermal Compound, Manual, FAN Screws, Radiator Screws

Packaging content

Manual	Yes
--------	-----

Certificates

Waste Electrical and Electronic Equipment (WEEE) compliance	Yes
---	-----

Power

Power	7.2 W
Rated current	0.6 A
Fan voltage	12 V
Fan current	0.72 A
RGB voltage	5 V
Pump voltage	12 V

Technical details

Compliance certificates	KC, CE, RoHS
Statement of conformance & platform certificate included	Yes

Logistics data

Country of origin	China
-------------------	-------