

Acer Vero XL3515i Standard throw projector 5000 ANSI lumens DLP 1080p (1920x1080) White

Gamintojas: **ACER** · Modelis: **MR.JXR11.001** · EAN: **4711474144317** · Prekės kodas: **615284**



1 199,90 €

Kaina su PVM

Be PVM: **991,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Standard throw projector White
- ✓ DLP 5000 ANSI lumens
- ✓ Laser/LED hybrid 20000 h
- ✓ 1080p (1920x1080) 16:9 50000:1
- ✓ Screen size compatibility: 685.8 - 7620 mm (27 - 300") Number of colours: 1.07 billion colours
- ✓ Focus: Manual Zoom capability
- ✓ Built-in speaker(s) 10 W
- ✓ AC 250 W



Aprašymas

Acer Vero XL3515i. Projektorhelligkeit: 5000 ANSI Lumen, Projektionstechnologie: DLP, native Auflösung des Projektors: 1080p (1920x1080). Typ der Lichtquelle: Laser-/LED-Hybrid, Lebensdauer der Lichtquelle: 20000 h, Lebensdauer der Lichtquelle (ökonomischer Modus): 30000 h. Fokus: Manuell, Brennweitenbereich: 22 - 24.1 mm, Blendenbereich (F-F): 2,4 - 2,5. Analoges Signalformatsystem: PAL, SECAM, Digitales Signalformatsystem: EDTV, HDTV, SDTV, Unterstützte Grafik-Auflösungen: 1920 x 1080 (HD 1080). Serielle Schnittstelle: RS-232, HDMI-Steckverbindertyp: Volle Größe, HDMI-Version: 2.0b

Techninė specifikacija

Specifications

Sandėlio grupė Beamer [+149][-19]

Projector

Projector brightness	5000 ANSI lumens
Projection technology	DLP
Projector native resolution	1080p (1920x1080)
Contrast ratio (typical)	50000:1
Native aspect ratio	16:9
Screen size compatibility	685.8 - 7620 mm (27 - 300")
Supported aspect ratios	4:3
Projection distance	1 - 9.9 m
Number of colours	1.07 billion colours
Projector brightness (economic mode)	4000 ANSI lumens
Uniformity	85%
Horizontal scan range	15 - 100 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, vertical	-40 - 40°
Horizontal synchronization (min)	15 kHz
Horizontal synchronization (max)	100 kHz
Vertical synchronization (min)	0.024 kHz
Vertical synchronization (max)	0.12 kHz

Light source

Light source type	Laser/LED hybrid
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lamps quantity	1 lamp(s)

Lens system

Focus	Manual
Focal length range	22 - 24.1 mm
Aperture range (F-F)	2.4 - 2.5
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.1:1
Throw ratio	1.49 - 1.64

Offset	106%
Video	
Analog signal format system	PAL, SECAM
Full HD	Yes
Digital signal format system	EDTV, HDTV, SDTV
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	1080p
Ports & interfaces	
HDMI ports quantity	2
Serial interface type	RS-232
HDMI connector type	Full-size
HDMI version	2.0b
Service port type	USB Type-A
USB 2.0 ports quantity	2
Audio (L/R) out	1
PC Audio out	Yes
AC (power) in	Yes
Features	
Noise level	34 dB
Noise level (economic mode)	29 dB
HDCP	Yes
Projection modes	Ceiling, Front
High Dynamic Range (HDR) supported	Yes
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	10 W
Number of built-in speakers	1
Design	
Product type	Standard throw projector
Product colour	White
Placement	Ceiling
LED indicators	Yes
Power	
Power source	AC

Power consumption (typical)	250 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	155 W
AC input voltage	120 - 230 V
AC adapter output voltage	100 - 240 V
Weight & dimensions	
Weight	2.9 kg
Width	304 mm
Depth	226 mm
Height	119 mm
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	HDMI, Power
Carrying case	Yes
Manual	Yes
AC adapter included	Yes
Technical details	
Warranty period	2 year(s)
Matmenys ir svoris	
Matmenys (I × P × A)	42,00cm × 30,00cm × 18,00cm