

Targus HDG215-EUZ interface hub USB 3.2 Gen 2 (3.1 Gen 2) Type-C Silver

Gamintojas: **TARGUS** · Modelis: **HDG215-EUZ** · EAN: **6941921148393** · Prekės kodas: **616402**



499,90 €

Kaina su PVM

Be PVM: **413,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Triple Extended Display Support
- ✓ Use HDMI Or DisplayPort
- ✓ High-Speed USB
- ✓ Driverless Plug & Play
- ✓ 100W USB-C Power Delivery
- ✓ Fast & Reliable Gigabit Ethernet
- ✓ Pro-Grade Digital Audio



Aprašymas

Meet the newest way we're maximising any working professional's PC, Chromebook or MacBook, the HyperDrive GEN2 15-in-1 USB-C Docking Station. This powerful and minimalist USB-C Docking Station features driverless plug and play triple extended display support to deliver an incredibly versatile connectivity solution. Additionally, it features 15 integrated ports for all your connected devices or peripherals, and allows you to connect to extended displays with the flexibility of 2 HDMI ports or 2 DisplayPorts that can be used interchangeably.

Triple Extended Display Support

Easily connect up to 3 external displays with the flexibility of 2 HDMI and 2 DP ports. Triple extended display only supported on Windows and devices

that support MST. Not supported for Mac OS.

Use HDMI Or DisplayPort

You choose how you want to connect with 2 HDMI ports or 2 DisplayPorts that can be used interchangeably.

High-Speed USB

Blazing fast 2nd generation USB-A 3.2 10Gbps and USB-C 3.2 10Gbps with 2X faster transfer speed than our 1st generation hubs.

Driverless Plug & Play

Driverless plug & play capability allows for easy installation and deployment.

100W USB-C Power Delivery

Quickly charge a high capacity laptop battery with 100 watts of power.

Fast & Reliable Gigabit Ethernet

Get the most reliable and fastest internet connection for work, play, and video conferencing.

Pro-Grade Digital Audio

Capture and listen to the best sound quality possible with digital coaxial and optical fibre Toslink input and output.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook > Dockingstations/Hubs [+828][-354]
Ports & interfaces	
Ports quantity	15
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
Hub interfaces	3.5mm, DisplayPort, HDMI, RJ-45, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
HDMI ports quantity	2
DisplayPorts quantity	2
Combo headphone/mic port	Yes
Ethernet LAN (RJ-45) ports	1
Features	
Maximum refresh rate	60 Hz
Supported graphics resolutions	3840 x 2160
High Dynamic Range (HDR) supported	Yes
Product colour	Silver
USB Power Delivery up to	100 W
Network	

Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s

Weight & dimensions

Width	88.9 mm
Depth	132.1 mm
Height	43.9 mm
Weight	580 g

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------