

MSI MAG 32C6 computer monitor 80 cm (31.5") 1920 x 1080 pixels Full HD Black

Gamintojas: **MSI** · Modelis: **9S6-3DD41M-001** · EAN: **4711377195287** · Prekės kodas: **618954**



211,90 €

Kaina su PVM

Be PVM: **175,12 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 80.0cm (31.5") Full HD 1920 x 1080 VA
- ✓ 1ms, 16:9, 250cd/m², 3000:1
- ✓ HDMI, DisplayPort



Aprašymas

MSI MAG 32C6. Bildschirmdiagonale: 80 cm (31.5"), Display-Auflösung: 1920 x 1080 Pixel, HD-Typ: Full HD, Reaktionszeit: 1 ms, Natives Seitenverhältnis: 16:9, Bildwinkel, horizontal: 178°, Bildwinkel, vertikal: 178°. VESA-Halterung. Produktfarbe: Schwarz

Techninė specifikacija

Specifications

Sandėlio grupė Monitore [+1600][-137]

Display

Display diagonal 80 cm (31.5")

Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	Full HD
Panel type	VA
Response time	1 ms
Screen shape	Curved
Contrast ratio (typical)	3000:1
Maximum refresh rate	180 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Screen curvature rating	1500R
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	1080p
Aspect ratio	16:9
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.3114 x 0.3114 mm
Vertical scan range	48 - 180 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	80 cm
High Dynamic Range (HDR) supported	Yes
Colour gamut standard	DCI-P3
Colour gamut	93%
sRGB coverage (typical)	127.1%
Performance	
NVIDIA G-SYNC	Yes
AMD FreeSync	No
NVIDIA G-SYNC type	G-SYNC
Multimedia	
Built-in speaker(s)	No
Built-in camera	No

Design

Market positioning	Gaming
Product colour	Black
Frameless design	Yes
Front bezel colour	Black

Ports & interfaces

Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
HDMI ports quantity	2
HDMI version	2.0b
DisplayPorts quantity	1
DisplayPort version	1.4a
Audio output	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Pivot	No
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 20°

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	F
Energy consumption (SDR) per 1000 hours	26 kWh
Energy consumption (HDR) per 1000 hours	32 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Energy efficiency scale	A to G
Packaging data	
Package type	Box
Technical details	
Native refresh rate	250 Hz