

Acer Value X1328Wi Standard throw projector 4500 ANSI lumens DLP WXGA (1280x800) 3D Black

Gamintojas: **ACER** · Modelis: **MR.JTW11.001** · EAN: **4710886243298** · Prekės kodas: **621187**



476,90 €

Kaina su PVM

Be PVM: **394,13 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Presentation Standard throw projector Black
- ✓ DLP 4500 ANSI lumens
- ✓ Lamp 6000 h
- ✓ WXGA (1280x800) 16:10 20000:1
- ✓ Number of colours: 1.07 billion colours
- ✓ Zoom capability
- ✓ Built-in speaker(s) 3 W
- ✓ 3D
- ✓ AC 265 W



Aprašymas

Acer Value X1328Wi. Projektorhelligkeit: 4500 ANSI Lumen, Projektionstechnologie: DLP, native Auflösung des Projektors: WXGA (1280x800). Typ der Lichtquelle: Lampe, Lebensdauer der Lichtquelle: 6000 h, Lebensdauer der Lichtquelle (ökonomischer Modus): 10000 h. Brennweitenbereich: 21.85 - 24 mm, Blendenbereich (F-F): 2,41 - 2,53, Projektionsverhältnis: 1.54 - 1.72. Analoges Signalformatsystem: NTSC, PAL, SECAM, Unterstützte Grafik-Auflösungen: 1280 x 800 (WXGA), 1920 x 1200 (WUXGA). Projektionsmodi: Zimmerdecke, Vorderseite, Hinten, Kompatible Betriebssysteme: MacOS, Windows

Techninė specifikacija

Specifications

Sandėlio grupė	Beamer [+151][-19]
----------------	--------------------

Projector

Projector brightness	4500 ANSI lumens
Projection technology	DLP
Projector native resolution	WXGA (1280x800)
Contrast ratio (typical)	20000:1
Native aspect ratio	16:10
Supported aspect ratios	4:3, 16:10, 16:9
Projection distance	1 - 10 m
Number of colours	1.07 billion colours
Horizontal scan range	15 - 100 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, vertical	-40 - 40°

Light source

Light source type	Lamp
Service life of light source	6000 h
Service life of light source (economic mode)	10000 h
Lamp power	220 W
Lamps quantity	1 lamp(s)

Lens system

Focal length range	21.85 - 24 mm
Aperture range (F-F)	2.41 - 2.53
Zoom capability	Yes
Throw ratio	1.54 - 1.72

Video

Analog signal format system	NTSC, PAL, SECAM
Full HD	No
3D	Yes
Supported graphics resolutions	1280 x 800 (WXGA), 1920 x 1200 (WUXGA)

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI ports quantity	0
Composite video in	1

Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	1
S-Video inputs quantity	0
USB 2.0 ports quantity	1
Audio (L/R) out	1
PC Audio in	Yes
PC Audio out	Yes
Mobile High-Definition Link (MHL)	No
Network	
Smart TV	No
Ethernet LAN	No
Wi-Fi	No
Storage	
Card reader integrated	No
Features	
Interactive	No
Projection modes	Ceiling, Front, Rear
Compatible operating systems	MacOS, Windows
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	3 W
Number of built-in speakers	1
Design	
Product type	Standard throw projector
Market positioning	Presentation
Product colour	Black
Placement	Ceiling
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	265 W
Power consumption (standby)	0.5 W

AC input voltage	100 - 240 V
------------------	-------------

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Weight & dimensions

Weight	2.75 kg
--------	---------

Width	313 mm
-------	--------

Depth	240 mm
-------	--------

Height	113.7 mm
--------	----------

Package width	347 mm
---------------	--------

Package depth	400 mm
---------------	--------

Package height	168 mm
----------------	--------

Package weight	3.88 kg
----------------	---------

Packaging content

Remote control included	No
-------------------------	----

Cables included	AC
-----------------	----

Manual	Yes
--------	-----

Logistics data

Quantity per pack	1 pc(s)
-------------------	---------

Harmonized System (HS) code	85286200
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	40,00cm × 35,00cm × 17,00cm
----------------------	-----------------------------

Svoris	3,86kg
--------	--------