

Samsung S80UH computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Gamintojas: **SAMSUNG** · Modelis: **LS27H800UAUXEN** · EAN: **8806099141806** · Prekės kodas: **621417**



367,90 €

Kaina su PVM

Be PVM: **304,05 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ Height adjustment 12 cm
- ✓ HDMI HDMI version: 2.0 DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 60 Hz Response time: 5 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: IPS
- ✓ Energy efficiency class (SDR): F TCO, EPEAT Silver



Techninė specifikacija

Specifications

Sandėlio grupė

Audio, Video, Display & TV - Displays - Business Monitors [+170][[-160]

Display

Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9

Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	350 cd/m²
Display brightness (min)	280 cd/m²
Response time measurement type	GTG (Gray to Gray)
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes

HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort out version	1.2
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	12 cm
Pivot	Yes
Pivot angle	-92 - 92°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-3 - 25°
Picture-in-Picture	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	26 kWh
Energy consumption (HDR) per 1000 hours	42 kWh
Power consumption (typical)	26 W

Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	
Width (with stand)	616.3 mm
Depth (with stand)	218 mm
Height (with stand)	560.2 mm
Weight (with stand)	5.3 kg
Width (without stand)	616.3 mm
Depth (without stand)	46 mm
Height (without stand)	366.5 mm
Weight (without stand)	3.9 kg
Packaging data	
Stand type	HAS stand
Package weight	6.8 kg
Packaging content	
Stand included	Yes
Cables included	Power, USB Type-C, USB Type-A to USB Type-B
Power cable length	1.5 m
Sustainability	
Sustainability certificates	TCO, EPEAT Silver
Other features	
Picture-by-Picture (PbP)	Yes
Samsung Eye Saver Mode	Yes
Auto source switch+	Yes
Ethernet LAN (RJ-45) ports	1
Eco Saving Plus	Yes
Image size	Yes
Off Timer Plus	Yes

Matmenys ir svoris

Matmenys (l × p × A)	66,00cm × 49,00cm × 12,00cm
----------------------	-----------------------------

Svoris	7,10kg
--------	--------