

LevelOne AC900 5GHz Outdoor PoE Wireless Access Point

Gamintojas: **LEVEL ONE** · Modelis: **WAB-8010** · EAN: **4015867226889** · Prekės kodas: **623026**



153,90 €

Kaina su PVM

Be PVM: **127,19 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Provides wireless speeds of up to 867Mbps
- ✓ Compatible with IEEE 802.11ac Wave 2 wireless standards
- ✓ MU-MIMO technology greatly enhances WLAN performance for all clients
- ✓ Supports DIP switch configuration for AP mode and Repeater mode features
- ✓ Transmission distance of up to 5km for 5GHz
- ✓ Dual power support: 12V DC/PoE (IEEE 802.3af)
- ✓ Provides up to 4 SSIDs to separate network traffic and enhance security
- ✓ Weatherproof IP65-rated housing



Aprašymas

The LevelOne WAB-8010 outdoor single-band 802.11ac wireless access point, capable of 867 Mbps wireless internet speeds and distance of up to 5km. Supply 802.11ac Wave 2 MU-MIMO (Multi-User Multiple-Input Multiple-Output), allows multiple devices to get high- bandwidth Wi-Fi signal at the same time, distributing data more efficiently.

The device runs on 5 GHz frequency, also offers PoE, removing the need for an external power supply, which makes it easy to install. Advanced weatherproof design, rated to IP65 means the WAB-8010 is designed for outdoor deployments, and can withstand rain, humidity, dust and snow. A fast, versatile and secure access point for a wide variety of outdoor network requirements.

Techninė specifikacija

Specifications	
Sandėlio grupė	Accesspoints [+300][-21]
Features	
2.4 GHz	No
5 GHz	Yes
Maximum data transfer rate	867 Mbit/s
Ethernet LAN data rates	10,100,1000 Mbit/s
Frequency band	4.92 - 5.92 GHz
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11n, IEEE 802.3af, IEEE 802.3at
Cabling technology	10/100/1000Base-T(X)
Channels quantity	165 channels
MIMO	Yes
MIMO type	Multi User MIMO
Maximum outdoor range	5000 m
Security	
Security algorithms	WEP, WPA, WPA2
Number of SSID supported	4
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
USB 2.0 ports quantity	0
WAN connection	Ethernet (RJ-45)
DC-in jack	Yes
Power	
Power over Ethernet (PoE)	Yes
AC input voltage	12 V
Input current	1.5 A
Design	
Placement	Pole
Product colour	White
International Protection (IP) code	IP65
LED indicators	LAN, System, WAN
Antenna	
Antenna type	Internal

Antennas quantity	1
Antenna gain level (max)	14 dBi
Performance	
Built-in processor	Yes
Processor manufacturer	Qualcomm
Flash memory	16 MB
Internal memory	128 MB
Internal memory type	DDR2
Technical details	
Master (outer) cases per pallet (air)	24 pc(s)
Pallet net height	164 cm
Pallet net length	80 cm
Pallet net width	120 cm
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Width	87 mm
Depth	257 mm
Height	45 mm
Weight	440 g
Packaging data	
Package width	106 mm
Package depth	332 mm
Package height	95 mm
Package weight	660 g
Packaging content	
Cables included	LAN (RJ-45)
Mounting kit	Yes
Quick start guide	Yes
Operational conditions	
Operating relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	-30 - 45 °C
Storage temperature (T-T)	-40 - 75 °C
Storage relative humidity (H-H)	5 - 95%

Logistics data

Harmonized System (HS) code	85176990
Country of origin	China
Master (outer) case width	350 mm
Master (outer) case length	495 mm
Master (outer) case height	455 mm
Master (outer) case gross weight	15 kg
Products per master (outer) case	20 pc(s)

Matmenys ir svoris

Svoris	0,66kg
--------	--------