

Epson EB-L270F

Gamintojas: **EPSON** · Modelis: **V11HC68080** · EAN: **8715946749914** · Prekės kodas: **623458**



1 586,90 €

Kaina su PVM

Be PVM: **1 311,49 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High brightness 5,200 lumen performance for clear visuals: Delivers bright, vivid images in varied lighting conditions, making it ideal for classrooms, lecture rooms and meeting rooms without compromising clarity.
- ✓ Full HD 1080p resolution for detailed presentation content: A laser projector 1080p solution that ensures sharp text and detailed imagery, enhancing engagement in business and education environments.
- ✓ Scalable display up to 310 inches: Create a 310-inch projector display without the need for multiple screens, offering a cost-effective large venue projector solution.
- ✓ Laser light source with up to 20,000 hours lifespan: A 20,000 hour laser projector with no lamp replacement reduces maintenance needs and ensures long-term reliability and lower total cost of ownership.
- ✓ 3LCD technology for accurate colour and no rainbow effect: 3LCD projector no rainbow effect technology delivers consistent brightness and true-to-life colours for improved viewing comfort and accuracy.
- ✓ Flexible installation with optional wireless connectivity: Install on walls, ceilings or lighting tracks with flexible options, including HDMI and optional wireless connectivity via ELPAP11.



Aprašymas

The EB-L270F is a Full HD laser projector designed for education and corporate environments seeking a cost-effective large display. With 5,200 lumens brightness, flexible installation and up to a 310-inch projection, it delivers clear, engaging visuals. This portable laser projector supports optional wireless connectivity and offers low maintenance with no need for lamp replacement.

Techninė specifikacija

Specifications	
Sandėlio grupė	Projectors [+66][-102]
Projector	
Projector brightness	5200 ANSI lumens
Projection technology	3LCD
Projector native resolution	1080p (1920x1080)
Native aspect ratio	16:9
Screen size compatibility	787.4 - 7874 mm (31 - 310")
Projection distance (wide)	0.9 - 9.1 m
Contrast ratio (dynamic)	5000000:1
Number of colours	1.07 billion colours
Projector brightness (economic mode)	3600 ANSI lumens
Vertical scan range	192 - 240 Hz
Keystone correction, horizontal	±30°
Keystone correction, vertical	±30°
Matrix size	1.57 cm (0.62")
Heat dissipation	945.2 BTU/h
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Focal length range	18.2 - 29.1 mm
Aperture range (F-F)	1.51 - 1.77
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1:1.62
Throw ratio	1.32 - 2.12:1
Video	
Analog signal format system	Not supported
Full HD	Yes
3D	No

Video processing	10 bit
Video colour modes	Blackboard, Cinema, DICOM simulation mode, Dynamic, Multi-projection, Presentation, sRGB
Ports & interfaces	
VGA (D-Sub) ports quantity	3
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Serial interface type	RS-232C
USB 2.0 Type-A ports quantity	2
Headphone outputs	1
Microphone in	Yes
AC (power) in	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN data rates	10,100 Mbit/s
Storage	
Card reader integrated	No
Features	
Noise level	38 dB
Noise level (economic mode)	28 dB
HDCP	Yes
Country of origin	Philippines
Password protection	Yes
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	16 W
Design	
Market positioning	Education
Product colour	White
Placement	Ceiling, Desktop, Floor, Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	

Built-in display	No
Power	
Power source	AC
Power consumption (typical)	222 W
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Weight	4.15 kg
Width	325 mm
Depth	299 mm
Height	90 mm
Packaging content	
Remote control included	Yes
Cables included	AC, HDMI
Bundled software	Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management
Technical details	
Other features	AV Mute Slide, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Customizable user logo, Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, Horizontal and vertical keystone correction, Long light source life, OSD copy function, PC Free, Quick Corner, Schedule Function, Screen Mirroring, Screen share, Split-Screen-Function, Super resolution, Web Control, Wireless LAN capable, iProjection App
Mobile app support	Yes
Logistics data	
Quantity per pack	1 pc(s)
Other features	
Interface	USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct (optional), VGA in (2x), VGA out, Composite in, Miracast (optional), Jack plug out, Jack plug in (2x), Cinch audio out, Microphone input, HDMI (HDCP 2.2) (2x), Wireless LAN IEEE 802.11a/b/g/n/ac (optional)
Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink
Security features	Kensington lock, Security bar, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection

Option type	Air filter, Ceiling mount, Connection and control box, Document camera, External Speaker, Safety wire set, Suspension adapter, WP System - ELPWP10, Wall mount, Wireless LAN unit, Wireless transmitter - ELPWT01
Control panel	0.62 inch with C2 Fine
Box contents	HDMI Cable, Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, Warranty card