

Philips 1000 series 27E2N1100L/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **PHILIPS** · Modelis: **27E2N1100L/00** · EAN: **8721038000375** · Prekės kodas: **623606**



114,90 €

Kaina su PVM

Be PVM: **94,96 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ HDMI HDMI version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: VA
- ✓ Energy efficiency class (SDR): D RoHS



Aprašymas

This monitor is packed with features that allow you to work with absolute precision. With its Full HD resolution, 100 Hz refresh rate and 1 ms MPRT, this monitor showcases detailed imagery with the highest definition.

Techninė specifikacija

Specifications

Sandėlio grupė

LCD monitors [+273][-139]

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	VA
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	4000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81.59 ppi
Horizontal scan range	30 - 115 kHz
Vertical scan range	48 - 60 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 115 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB

Display sRGB	Yes
Display panel size	27 inch/68.6 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync, Sync-on-green (SOG)
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Home
Product colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian

Number of OSD languages	21
Plug and Play	Yes
LED indicators	Operation, Stand-by

Power

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	16 kWh
Power consumption (typical)	17.6 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	614 mm
Depth (with stand)	200 mm
Height (with stand)	457 mm
Weight (with stand)	3.05 kg
Width (without stand)	614 mm
Depth (without stand)	32 mm
Height (without stand)	363 mm
Weight (without stand)	2.69 kg

Packaging data

Package width	690 mm
Package depth	126 mm
Package height	420 mm
Package weight	5.2 kg

Packaging content

Cables included	HDMI, Power
Sustainability	
Doesn't contain	PVC/BFR
Other features	
Compatible operating systems	Mac OS; Windows 11/10
Exterior finish type	Textured
Monitor sync input signal	Separate Sync; Sync on Green
Heavy metals free	Hg (mercury)
EasyRead mode	Yes
LowBlue mode	Yes
Compliance certificates	RoHS
Mean time between failures (MTBF)	50000 h
User controls	Power On/Off; Menu; Brightness; Input; SmartImage
Picture enhancement	SmartImage
Regulatory Approvals	CB; CE Mark; TUV/ISO9241-307; TUV-BAUART; EAC; EAEU RoHS; UKCA; EMF; FCC; ICES-003
Adaptive synchronisation	Yes
Recycling data	
Packaging recyclability rate	100%
Matmenys ir svoris	
Matmenys (I × P × A)	13,00cm × 70,00cm × 43,00cm
Svoris	5,30kg