

Philips 222S9JML/00 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black

 Gamintojas: **MMD-MONITORS & DISPLAYS** · Modelis: **222S9JML/00** · EAN: **8712581806002** · Prekės kodas: **627755**


145,90 €

Kaina su PVM

 Be PVM: **120,58 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54.6 cm (21.5") Black
- ✓ Height adjustment 13 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-B HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 75 Hz Response time: 4 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: VA
- ✓ Energy efficiency class (SDR): D



Aprašymas

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy on the eyes and increase your productivity.

Techninė specifikacija

Specifications

Sandėlio grupė

Audio, Video, Display & TV - Displays - Business Monitors [+148][-194]

Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
HD type	Full HD
Panel type	VA
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	3000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Contrast ratio (dynamic)	500000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	102 ppi
Horizontal scan range	30 - 85 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Digital horizontal frequency	30 - 85 kHz
Digital vertical frequency	48 - 75 Hz
Display diagonal (metric)	54.6 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB, NTSC
Colour gamut	88%
sRGB coverage (typical)	102%
NTSC coverage (typical)	88%

Display sRGB	Yes
Display panel size	21.5 inches/54.6 cm
Performance	
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	4 W
Design	
Product colour	Black
Front bezel colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	Yes
Audio output	Yes
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes

Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	0 - 180°
Tilt adjustment	Yes
Tilt angle range	-5 - 25°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Power consumption (typical)	13.3 W
Power consumption (standby)	0.3 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	12.1 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m
Weight & dimensions	
Width (with stand)	493 mm
Depth (with stand)	205 mm
Height (with stand)	439 mm
Weight (with stand)	4.16 kg

Width (without stand)	439 mm
Depth (without stand)	49 mm
Height (without stand)	286 mm
Weight (without stand)	2.44 kg
Packaging data	
Package width	690 mm
Package depth	141 mm
Package height	420 mm
Package weight	6.73 kg
Packaging content	
Stand included	Yes
Bundled software	SmartControl
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Other features	
Compatible operating systems	Mac OS X; Windows 11/10
Exterior finish type	Textured
Monitor sync input signal	Separate Sync
EasyRead mode	Yes
LowBlue mode	Yes
Mean time between failures (MTBF)	70000 h
User controls	SmartImage/Back; Brightness/UP; Input/Down; Menu/OK; Power On/Off; SmartControl
Picture enhancement	SmartImage
Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV Ergo; TUV/GS; EPA; TCO Certified
Recycling data	
Packaging recyclability rate	100%
Product post-consumer recycled plastic	85%
Matmenys ir svoris	
Matmenys (I × P × A)	10,00cm × 10,00cm × 10,00cm
Svoris	6,60kg