

AOC 24P3CV computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **AOC INTERNATIONAL** · Modelis: **24P3CV** · EAN: **4038986140751** · Prekės kodas: **628393**



241,90 €

Kaina su PVM

Be PVM: **199,92 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-C HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E EPEAT Gold, TCO CE
- ✓ Warranty period: 3 year(s)



Aprašymas

23.8" FHD 3-sided flat IPS display for easy and consistent productivity

The AOC 24P3CV is a 23.8" flat-screen IPS monitor with an attractive three-sided ultrathin bezel design that helps you get the most out of your flexible work style. Enjoy vivid, realistic picture quality thanks to enhanced Full HD (1920 x 1080) resolution, paired with 300-nit brightness and generous 178/178° wide viewing angles. This model features built-in 2W + 2W speakers to let you enjoy the media whenever you need. Monitor 24P3CV is ready to boost your productivity with USB-C supporting Power Delivery up to 65W, data transfer and DP-alt mode. Connectivity of this monitor is enhanced with USB Hub, RJ-45 & DP-out. Keeping sustainability in mind, an array of environmental certifications including EPA, TCO, and EPEAT complete this monitor.

Techninė specifikacija

Specifications	
Sandėlio grupė	Audio, Video, Display & TV - Displays - Business Monitors [+170][[-246]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Contrast ratio (dynamic)	50000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Digital horizontal frequency	30 - 85 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	60.5 cm
High Dynamic Range (HDR) supported	Yes
Surface hardness	3H
Colour gamut standard	sRGB
sRGB coverage (typical)	124.3%
Performance	

Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Office
Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
USB Type-A downstream ports quantity	4
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort out quantity	1
DisplayPort version	1.2
Audio output	Yes
Headphone outputs	1
Headphone connectivity	3.5 mm
Built-in KVM switch	Yes
Network	

Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	180 - 180°
Tilt adjustment	Yes
Tilt angle range	-5 - 35°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish
Number of OSD languages	16
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	E
Energy consumption (SDR) per 1000 hours	18 kWh
Energy consumption (HDR) per 1000 hours	18 kWh
Power consumption (typical)	14.5 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	540 mm
Depth (with stand)	200.1 mm
Height (with stand)	502.9 mm
Weight (with stand)	5.37 kg

Width (without stand)	540 mm
Depth (without stand)	50.7 mm
Height (without stand)	326.3 mm
Weight (without stand)	3.66 kg
Packaging data	
Package width	613 mm
Package depth	162 mm
Package height	519 mm
Package weight	8.31 kg
USB cable length	1.8 m
Packaging content	
Cables included	AC, HDMI, DisplayPort, USB Type-C
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	EPEAT Gold, TCO
Doesn't contain	Mercury, PVC/BFR
Other features	
Compatibility	VESA-P2
Local dimming	Yes
Exterior finish type	Textured
Heavy metals free	Hg (mercury)
Bezel thickness type	Frameless
Warranty period	3 year(s)
Compliance certificates	CE
Mean time between failures (MTBF)	70000 h
Certification	WEEE, REACH compliant, RoHs compliant, HF, CB, TUV-GS-Mark, ISO 9241-307, EAC, FCC
Recycling data	
Packaging recyclability rate	100%
Product post-consumer recycled plastic	85%
Packaging recycled content	100%
Matmenys ir svoris	
Matmenys (I × P × A)	62,00cm × 52,00cm × 16,00cm

Svoris

5,20kg