

Samsung 24 S24D604 computer monitor 61 cm (24") 2560 x 1440 pixels Dual QHD Black

Gamintojas: **SAMSUNG** · Modelis: **LS24D604UEUXXE** · EAN: **8806097483984** · Prekės kodas: **631777**



216,90 €

Kaina su PVM

Be PVM: **179,26 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 61 cm (24") IPS
- ✓ Dual QHD 2560 x 1440 pixels 16:9
- ✓ 100 Hz 5 ms 350 cd/m² 1000:1
- ✓ Flicker-free technology
- ✓ 21 W



Aprašymas

Samsung 24 S24D604. Bildschirmdiagonale: 61 cm (24"), Display-Auflösung: 2560 x 1440 Pixel, HD-Typ: Dual QHD, Reaktionszeit: 5 ms, Natives Seitenverhältnis: 16:9, Bildwinkel, horizontal: 178°, Bildwinkel, vertikal: 178°. Integrierter USB-Hub, USB-Hub-Version: 3.2 Gen 1 (3.1 Gen 1). Höhenverstellung. Produktfarbe: Schwarz

Techninė specifikacija

Specifications

Sandėlio grupė

Monitore [+1516][-132]

Display

Display diagonal	61 cm (24")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	Dual QHD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	350 cd/m²
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
sRGB coverage (typical)	99%
Performance	
Flicker-free technology	Yes
Operating system version	Windows 11
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Consumer
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	1

HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Headphone outputs	1
Built-in KVM switch	Yes
HDCP	Yes
HDCP version	2.2/2.3
Charging port type	USB Type-C
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	No
Height adjustment	Yes
Adjustable height (max)	12 cm
Pivot	Yes
Pivot angle	92 - 92°
Picture-in-Picture	Yes
Power	
Energy efficiency class (HDR)	F
Energy consumption (HDR) per 1000 hours	31 kWh
Power consumption (typical)	21 W
Power consumption (standby)	0.5 W
Power consumption (max)	160 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Weight & dimensions	

Width (with stand)	540.7 mm
Depth (with stand)	220 mm
Height (with stand)	535.9 mm
Weight (with stand)	5.4 kg
Width (without stand)	540.7 mm
Depth (without stand)	41.7 mm
Height (without stand)	327.2 mm
Weight (without stand)	2.9 kg
Packaging data	
Package width	609 mm
Package depth	479 mm
Package height	160 mm
Package weight	7 kg
Packaging content	
Stand included	Yes
Cables included	Daisy chain cable, DisplayPort, USB Type-C
Manual	Yes
Power cable length	1.5 m
Sustainability	
Sustainability certificates	EPEAT Gold, TCO
Other features	
RJ-45 ports quantity	1
USB charging port	Yes
Warranty period	2 year(s)
Recycling data	
Total amount of recyclable materials	50%
Matmenys ir svoris	
Svoris	7,17kg