

ACT Full HD Conference Camera with Microphone, pan, tilt and zoom

Gamintojas: **ACT** · Modelis: **AC7990** · EAN: **8716065483239** · Prekės kodas: **632365**



163,89 €

Kaina su PVM

Be PVM: **135,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Metal Full HD camera with 2 Megapixel Sony CMOS sensor and EPTZ
- ✓ Suitable for monitor mounting, wall mounting (mounting kit enclosed) and tripod mounting
- ✓ Wide viewing angle of 105 degrees and image optimization: auto white balance, gain control and backlight compensation
- ✓ Excellent audio: two integrated microphones with 360 degrees audio pickup range 5 meters
- ✓ Audio optimization: noise reduction and echo cancellation
- ✓ Controllable via remote control: zoom, On-Screen Display menu, turn camera on/off
- ✓ Works with video chat applications like Teams, Zoom and Google Meet
- ✓ USB powered



Aprašymas

The AC7990 Full HD Conference Camera with integrated microphone upgrades your office meetings to the next level. It is the essential device for your video conference applications e.g. Teams, Zoom and Google Meet. This full HD camera provides excellent image and sound quality by the 2 Megapixel Sony CMOS sensor and two integrated omnidirectional microphones with a pickup range of 5 meters. The camera has a wide viewing angle of 105 degrees, EPTZ and image optimization. The audio is enhanced by features like noise reduction and echo cancellation. Use the enclosed remote control for operating the camera from a distance. In short, the AC7990 is essential for your video conference meetings by its excellent image and audio quality, wide viewing angle,

broad audio pickup range and various mounting possibilities.

Excellent image by the 2 Megapixel Sony CMOS sensor and image optimization

With the 2 Megapixel Sony CMOS sensor you are ensured of excellent image quality during a video conference meeting. Because of the wide viewing angle of 105 degrees the camera oversees a large area in the meeting room.

Integrated microphones, noise reduction and echo cancellation for crystal clear audio

Next to excellent video quality, sound quality is of equal importance. The AC7990 camera has two integrated microphones with a 360 degrees audio pickup range up to 5 meters. The microphones have additional features such as noise reduction and echo cancellation for crystal clear audio.

Various mounting possibilities: monitor clamp, suitable for wall and tripod mounting

The AC7990 conference camera can be mounted in various ways. Clamp the camera on top of a monitor or TV with the integrated clamp. Place the camera on the desk. Mount the camera to the wall or place it on a tripod.

Easy controllable via the enclosed remote control

Mute the microphone or electronically zoom in/out, pan, tilt and adjust the settings with the enclosed remote control.

Suitable for the most used video conference applications

Use the camera during video conference meetings with the most common used video chat apps e.g. Teams, Zoom and Google Meet.

Techninė specifikacija

Specifications	
Sandėlio grupė	Konferenzsysteme [+433][-67]
Camera	
Megapixel (approx.)	2 MP
Camera type	Single camera
Sensor type	CMOS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Field of view (FOV) angle	105°
White balance	Auto
Back Light Compensation (BLC)	Yes
Gain control type	Auto
PTZ control	Yes
Video	
Maximum video resolution	1920 x 1080 pixels
Maximum frame rate	30 fps
HD type	Full HD
Supported video modes	1080p
Design	
Product colour	Black

Mounting type	Stand/Wall mounting
Power	
Power source type	USB
Remote control battery type	AAA
Packaging content	
Remote control included	Yes
Remote control batteries included	Yes
Cables included	USB
USB cable length	3 m
Quick start guide	Yes
Mounting kit	Yes
Performance	
Remote control function	Yes
Remote control type	IR
Audio	
Built-in microphone	Yes
Number of microphones	2
Echo cancellation	Yes
Noise reduction	Yes
Automatic gain control	Yes
Microphone pick-up range	5 m
Logistics data	
Harmonized System (HS) code	85258900
Packaging data	
Package width	280 mm
Package depth	175 mm
Package height	90 mm
Package weight	688 g
Package type	Box