


Cudy M3600 Dual-band (2.4 GHz / 5 GHz) Wi-Fi 7 (802.11be) White 3 Internal

Gamintojas: CUDY · Modelis: M3600(3-Pack) · EAN: 6971690793661 · Prekės kodas: 632818



245,90 €

Kaina su PVM

Be PVM: 203,22 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4-Stream Dual-Band Wi-Fi 7
- ✓ 2882 Mbps + 688 Mbps Wi-Fi
- ✓ 3x Gigabit Ethernet Ports
- ✓ 200 Connected Devices
- ✓ Cudy Mesh, VPN Server and Client
- ✓ Cudy App, Cloud Control



Aprašymas

Create Seamless and Everywhere Wi-Fi

Easily Set Up the First Unit with Cudy App

Pick one Mesh unit and set it up on your phone via the Cudy App. The elegant cylinder design compliments your home in any style.

Power Up the Remaining Units for More Coverage

Mesh units in one package are pre-paired. Power on the remaining units between the first unit and Wi-Fi dead zones — they'll form a seamless network once powered up.

Cudy Mesh

Super-Fast Roaming in Milliseconds

Create same-name Wi-Fi coverage throughout your home. The auto Wi-Fi switching is so fast that your gaming and streaming stay responsive while moving between Wi-Fi zones.

Parental Control

Set Wi-Fi time schedules and block inappropriate websites to protect your loved ones. You can create custom profiles to easily manage multiple devices.

Techninė specifikacija

Specifications	
Sandėlio grupė	Routers [+112][-110]
Design	
Product colour	White
Antenna type	Internal
Product type	Mesh system
LED indicators	Status, System
Antennas quantity	4
Number of devices supported	200
Maximum coverage	270 m²
Reset button	Yes
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 7 (802.11be)
WLAN data transfer rate (max)	2882 Mbit/s
WLAN data transfer rate (first band)	688 Mbit/s
WLAN data transfer rate (second band)	2882 Mbit/s
Security algorithms	WPA, WPA2, WPA3
Number of guest networks (5 GHz)	1
Number of guest networks (2.4 GHz)	1
Point-to-point protocol over Ethernet (PPPoE)	Yes
IGMP proxy	Yes
IGMP snooping	Yes
Tagged VLAN	Yes
Guest access	Yes
VPN support	VPN Server VPN Client WireGuard OpenVPN IPsec ZeroTier PPTP L2TP
Features	

Built-in processor	Yes
Processor cores	4
Processor frequency	2 GHz
Internal memory	512 MB
Flash memory	128 MB
WPS push button	Yes
Quality of Service (QoS) support	Yes
Port forwarding	Yes
BeamForming	Yes
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Parental control	Yes
Firmware upgradeable via	Network
MU-MIMO technology	Yes
MIMO	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
Ethernet WAN	Yes
DC-in jack	Yes
Power	
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
AC adapter output voltage	12 V
AC adapter output current	1 A
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC)
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	110 mm

Depth	110 mm
-------	--------

Height	154.5 mm
--------	----------

Packaging content

Number of products included	3 pc(s)
-----------------------------	---------

AC adapter included	Yes
---------------------	-----

Ethernet cable	Yes
----------------	-----

Matmenys ir svoris

Matmenys (l × p × A)	39,00cm × 14,00cm × 27,00cm
----------------------	-----------------------------

Svoris	1,80kg
--------	--------