

GIGABYTE GeForce RTX 3050 WINDFORCE OC V2 6G NVIDIA 6 GB GDDR6

Gamintojas: **GIGABYTE** · Modelis: **GV-N3050WF2OCV2-6GD** · EAN: **4719331355081** · Prekės kodas: **633827**



329,89 €

Kaina su PVM

Be PVM: **272,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 3050 6 GB GDDR6
- ✓ 7680 x 4320 pikseliai 96 bitai 14000 MHz PCI Express 4.0
- ✓ HDMI portų kiekis: 2 „DisplayPort“ kiekis: 2
- ✓ „DirectX“ versija: 12 Ultimate OpenGL versija: 4.6



Aprašymas

KEY FEATURE

NVIDIA Ampere Streaming Multiprocessors
2nd Generation RT Cores
3rd Generation Tensor Cores

Powered by GeForce RTX™ 3050

Integrated with 6GB GDDR6 96-bit memory interface

WINDFORCE cooling system

WINDFORCE COOLING SYSTEM

The WINDFORCE cooling system features two unique blade fans, alternate spinning and 3D active fan, which together provide high efficiency heat dissipation.

ALTERNATE SPINNING

Reduce the turbulence of adjacent fans and increase air pressure. GIGABYTE turns the adjacent fans in the opposite direction, so that the airflow direction between the two fans is the same, reducing the turbulence and enhancing the airflow pressure.

UNIQUE BLADE FAN

The airflow is spilt by the triangular fan edge, and guided smoothly through the 3D stripe curve on the fan surface, effectively enhancing the airflow.

3D ACTIVE FAN

The 3D Active Fan provides semi-passive cooling, and the fans will remain off when the GPU is in a low load or low power game. It allows gamers to enjoy gameplay in complete silence when the system is running light or idle.

GRAPHENE NANO LUBRICANT

Graphene nano lubricant can extend the life of sleeve bearing fan by 2.1 times, close to the life of double ball bearing, and is quieter.

ULTRA DURABLE

ULTRA COOLING

Lower RDS(on) MOSFETs are specially designed to produce lower switching resistance for faster electric current charging and discharging at extremely low temperature.

LOW POWER LOSS

Metal Choke hold energy much longer than common iron-core chokes at high frequency, thus effectively reduce core energy loss and EMI interference.

LONGER LIFE

Lower ESR Solid Capacitors ensure better electronic conductivity for excellent system performance and longer lifespan.

FRIENDLY PCB DESIGN

Fully automated production process ensures top quality of the circuit boards and eliminates sharp protrusions of the solder connectors seen on the conventional PCB surface. This friendly design prevents your hands from getting cut or inadvertently damaging components when making your build.

GIGABYTE CONTROL CENTER

GIGABYTE CONTROL CENTER (GCC) is a unified software for all GIGABYTE supported products. It provides an intuitive interface that allows users to adjust clock speed, voltage, fan mode and power target in real-time.

Techninė specifikacija

Procesorius	
Grafikos procesoriaus šeima	NVIDIA
Grafikos procesorius	GeForce RTX 3050
Maksimali rezoliucija	7680 x 4320 pikseliai
CUDA	Taip
Procesoriaus dažnis	1477 MHz
Paralelinio apdorojimo technologijos parama	Nepalaikomas
CUDA šerdys	2304
Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei	4
Atmintis	
Diskrečiojo grafikos adapterio atmintis	6 GB
Grafikos adapterio atminties tipas	GDDR6
Atminties magistralė	96 bitai
Atminties laikrodžio greitis	14000 MHz
Ryšys	
Sąsajos tipas	PCI Express 4.0
HDMI portų kiekis	2
DVI-D prievadų skaičius	0
DVI-I prievadų skaičius	0
„DisplayPort“ kiekis	2
3 „Thunderbolt“ prievadų skaičius	0
Mini HDMI portų kiekis	0
HDMI versija	2.1
„Mini DisplayPort“ kiekis	0
„DisplayPort“ versija	1.4
Veikimo charakteristikos	
Integruotas TV tiuneris	Ne
„DirectX“ versija	12 Ultimate
OpenGL versija	4.6
NVIDIA G-SYNC	Taip
Konstrukcija	
Aušinimo tipas	Aktyvus
Aušinimo technologija	GIGABYTE WINDFORCE 2X

Ventiliatorių skaičius	2 ventiliatorius(iai / ių)
Forma	Full-Height/Half-Length (FH/HL)
Produkto spalva	Juoda, Sidabras
Energijos valdymas	
Minimalus sistemos maitinimas	300 W
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Windows 10 x64, Windows 11 x64
Svoris ir matmenys	
Ilgis	191 mm
Ilgis	111 mm
Aukštis	36 mm
Pakuotės duomenys	
Pakuotės tipas	„Box“
Pakuotės turinys	
Naudojimo žinynas	Taip
Matmenys ir svoris	
Matmenys (I × P × A)	30,00cm × 21,00cm × 5,00cm

Gamintojo ir saugos informacija

GAMINTOJAS

GIGA-BYTE TECHNOLOGY CO., LTD.

Baoqiang Rd., Xindian Dist. No.6, 231 New Taipei City, TW
gigabyte.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt