

Philips 3000 series 27B2U3301/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **PHILIPS** · Modelis: **27B2U3301/00** · EAN: **8721038008708** · Prekės kodas: **634314**



263,90 €

Kaina su PVM

Be PVM: **218,10 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ Height adjustment Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 120 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): D



Aprašymas

Built for productivity, this 27-inch Full HD monitor with USB-C delivers smooth 120Hz performance. Together with SoftBlue technology featuring a Low Blue Light panel, it's designed for comfortable, focused viewing throughout the workday.

Techninė specifikacija

Specifications

Sandėlio grupė

Monitore [+1517][-101]

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	82 ppi
Horizontal scan range	30 - 230 kHz
Vertical scan range	48 - 120 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.5 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB, NTSC
sRGB coverage (typical)	99.1%
NTSC coverage (typical)	91.21%
Display sRGB	Yes
Display panel size	27 inch / 68.5 cm

Performance

VESA Adaptive Sync support Yes

Flicker-free technology Yes

Multimedia

Built-in speaker(s) Yes

Built-in camera No

Number of speakers 2

RMS rated power 4 W

Design

Market positioning Business

Product colour Black

Front bezel colour Black

Feet colour Black

Ports & interfaces

Built-in USB hub Yes

HDMI Yes

USB hub version 3.2 Gen 1 (3.1 Gen 1)

Number of USB Type-C upstream ports quantity 1

USB Type-A downstream ports quantity 3

USB Power Delivery (USB PD) Yes

USB Power Delivery up to 15 W

HDMI ports quantity 1

HDMI version 1.4

DisplayPorts quantity 1

DisplayPort version 1.4

Audio output Yes

HDCP Yes

HDCP version 2.3

Network

Ethernet LAN Yes

Ergonomics

VESA mounting Yes

Cable lock slot Yes

Height adjustment Yes

Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-180 - 180°
Tilt adjustment	Yes
Tilt angle range	-5 - 30°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian

Power

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	16 kWh
Power consumption (typical)	24.73 W
Power consumption (standby)	0.35 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	13.8 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	615 mm
Depth (with stand)	229 mm
Height (with stand)	540 mm
Weight (with stand)	6.42 kg
Width (without stand)	615 mm

Depth (without stand)	46 mm
Height (without stand)	361 mm
Weight (without stand)	4.42 kg
Packaging data	
Package width	730 mm
Package depth	139 mm
Package height	445 mm
Package weight	8.98 kg
Packaging content	
Stand included	Yes
Manual	Yes
Bundled software	SmartControl, SmartManagement
Sustainability	
Doesn't contain	PVC/BFR
Other features	
HBR3 support	Yes
Compatible operating systems	DDC/CI, Mac OS, sRGB, Windows 11 / 10
Exterior finish type	Textured
Monitor sync input signal	Separate Sync, Sync on Green
SoftBlue	Yes
EasyRead mode	Yes
User controls	SmartImage, Input, Brightness, Menu, Power On/Off
Picture enhancement	SmartImage
Regulatory Approvals	CE Mark, FCC, WEEE, South Africa Energy, EnergyStar 8.0, CEC, cETLus, CB, TUV/GS, TUV Ergo, TCO Certified, TCO Certified Edge, EAC, TÜV Rheinland Low Blue Light (Hardware Solution), eyesafe® CERTIFIED 2.0, EAC ROHS, UKCA, ICES-003, EMF
Recycling data	
Packaging recyclability rate	100%
Product post-consumer recycled plastic	85%